

**PCT**

WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<p>(51) International Patent Classification 6 : <b>C07K 14/00</b></p>	<b>A2</b>	<p>(11) International Publication Number: <b>WO 99/33871</b></p> <p>(43) International Publication Date: <b>8 July 1999 (08.07.99)</b></p>
<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p>(21) International Application Number: <b>PCT/US98/27918</b></p> <p>(22) International Filing Date: <b>30 December 1998 (30.12.98)</b></p> <p>(30) Priority Data: <b>60/070,116</b>      <b>31 December 1997 (31.12.97)</b>      <b>US</b></p> <p>(71) Applicant: <b>MILLENNIUM PHARMACEUTICALS, INC.</b> [US/US]; 640 Memorial Drive, Cambridge, MA 02139 (US).</p> <p>(72) Inventors: <b>YOUNGMAN, Philip</b>; 92 Charles Street #53, Boston, MA 02114 (US). <b>FRITZ, Christian</b>; 14 Broad's Avenue, Natick, MA 01760 (US). <b>MURPHY, Christopher</b>; 7 Warren Street, Upton, MA 01568 (US). <b>GUZMAN, Luz-Maria</b>; 52 Athol Street, Boston, MA 02134 (US).</p> <p>(74) Agents: <b>FASSE, J., Peter et al.</b>; Fish &amp; Richardson P.C., 225 Franklin Street, Boston, MA 02110-2804 (US).</p> </div> <div style="width: 48%;"> <p>(81) Designated States: <b>AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).</b></p> <p><b>Published</b> Without international search report and to be republished upon receipt of that report.</p> </div> </div>		
<p>(54) Title: <b>ESSENTIAL BACTERIAL GENES AND THEIR USE</b></p>		
<div style="font-family: monospace; font-size: 0.8em;"> <pre> (Seq ID NO: 2) 1  TCTGATTTTTCGAGAAAGTTTATTTAGAGTAAAGAGTCTTAAGGAAAAATTCACATTTGATATTTTCTCTATAAATAGATAAAAATGATACATA 100 AGACTAAAAAGCTCTTTTGAATTAATCTCTATTTTCTGATTCCTTTTCTAGGTAACTTAAGAAAGAGATTTTATTTATTTTACATTTTAT (Seq ID NO: 3) 101  ATAAATTTGAGTTAATTAAGGATTAAGTATTAATATTTTAAAGTATCCGAAATTAATCAAGGTTCTACATTCGCAAGGAAAGTACAGATTAAGTAA 200 TATTAAGTCAATTAATTTCTACTTAATCTAATTAATTAATTTCTAGGCTTAATAGTTCCAGGATTTCCAGGTTCTCTCTATTTCTATTTCTAT (Seq ID NO: 1) 1      N R L D N Y L E V S R I I E R T V A R E V A D S R 37  203  ATCAAGTTTAATGGAATCTTGGCAAAAGTTCAAGCACTTAAGTTAATGCTCAAGTTGAATTTCCCTTTGGCAATAGTTCTCTCTTTTAAAGTAC 300 TAGTTCCATTAATCTAGAAAGGTTTTCAGTTGCGTCACTTCACTACAGTTTCACTTAAGGCAAAAGTTTATTCAGGCAAGCACTTTTCTGT 38  I K V N G I L A R S T D L K V N D O V E I R F S N R L L L V E V L 61  303  TAGAGTTAAAGTATTTCAAAAAAGAAATCAACAGAAATATATTAATTAATCTGTTAAACAGGTTTGAAGGAAATTTCTAAATATTTATCAAT 400 ATTTCTATTTCTATCATTTTTTTTCTCTAGGTCCTCTTCACTTTTAATATCTCTTTTGTCCATCTCTCTTTACAGATTTTATATACATTTA 62  F N R D S T K E D A A G N Y R I S S T R V R E V 69 </pre> </div>		
<p>(57) Abstract</p> <p>Disclosed are 23 genes, termed "GEP" genes, found in <i>streptococcus pneumonia</i>, which are located within operons that are essential for survival. Also disclosed is a related essential gene found in <i>Bacillus subtilis</i>. These genes and the polypeptides that they encode, as well as homologs thereof, can be used to identify antibacterial agents for treating bacterial infections such as streptococcal pneumonia.</p>		

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

- 1 -

ESSENTIAL BACTERIAL GENES AND THEIR USEBackground of the Invention

The invention relates to essential bacterial genes and their use in identifying antibacterial agents.

5        Bacterial infections may be cutaneous, subcutaneous, or systemic. Opportunistic bacterial infections proliferate, especially in patients afflicted with AIDS or other diseases that compromise the immune system. The bacterium *Streptococcus pneumonia* typically infects the respiratory tract and can cause lobar pneumonia, as well as meningitis, sinusitis, and other infections.

Summary of the Invention

10        The invention is based on the discovery of 23 genes in the bacterium *Streptococcus pneumoniae*, and a related gene in the bacterium *Bacillus subtilis*, that are located within operons that are essential for survival. These 23 *Streptococcus* genes are referred to herein as "GEP genes" (which stands for  
15    general essential protein); for convenience, the polypeptides encoded by these genes are referred to herein as "GEP polypeptides." Each GEP gene is located within an operon that contains a gene that is essential for survival of *Streptococcus pneumoniae*; the essential gene can be the GEP gene or another gene located within the same operon. Bacterial operons contain several genes that are related, e.g.,  
20    with respect to function or biochemical pathway. Transcription of an operon leads to the production of a single transcript in which multiple coding regions are linked. Thus, an operon containing one or more essential genes can be considered an "essential operon," since disruption of expression of one gene located within the operon will interfere with expression of the other genes in the operon. Each coding  
25    region of the transcript is separately translated into an individual polypeptide by ribosomes that initiate translation at multiple points along the transcript. Having identified one gene in the operon, one can readily identify and sequence the other genes located within the operon.

- 2 -

The genes encoding the GEP polypeptides are useful molecular tools for identifying similar genes in pathogenic microorganisms, such as pathogenic strains of *Bacillus*. In addition, the operons containing genes encoding GEP polypeptides, and the polypeptides encoded by such operons, are useful targets for identifying  
5 compounds that are inhibitors of the pathogens in which the GEP polypeptides are expressed. Such inhibitors inhibit bacterial growth by being bacteriostatic (e.g., inhibiting reproduction or cell division) or by being bacteriocidal (i.e., by causing cell death).

The invention, therefore, features an isolated polypeptide encoded by a  
10 nucleic acid located within an operon encoding a GEP polypeptide, termed gep103, having the amino acid sequence set forth in SEQ ID NO:1, or conservative variations thereof. An isolated operon comprising a nucleic acid encoding gep103 also is included within the invention. In addition, the invention includes an isolated nucleic acid of (a) an operon comprising the sequence of SEQ ID NO:2, as  
15 depicted in Fig. 1, or degenerate variants thereof; (b) an operon comprising the sequence of SEQ ID NO:2, or degenerate variants thereof, wherein T is replaced by U; (c) nucleic acids complementary to (a) and (b); and (d) fragments of (a), (b), and (c) that are at least 15 base pairs in length and that hybridize under stringent conditions to genomic DNA encoding the polypeptide of SEQ ID NO:1. As  
20 described above for gep103, other nucleic acids and polypeptides encoded by nucleic acids located within operons encoding GEP polypeptides are included within the invention, including: (a) operons comprising the nucleic acids represented by the SEQ ID NOs. listed below, as depicted in the Figures listed below, or degenerate variants thereof; (b) operons comprising the nucleic acids  
25 represented by the SEQ ID NOs. listed below, wherein T is replaced by U; (c) nucleic acids complementary to (a) and (b); and (d) fragments of (a), (b), and (c) that are at least 15 base pairs in length and that hybridize under stringent conditions to genomic DNA encoding the polypeptides represented by the SEQ ID NOs. listed below.

- 3 -

Table 1: GEP nucleic acids and polypeptides

	GEP Nucleic Acid or Polypeptide	Figure No.	SEQ ID No. of Amino Acid Sequence	SEQ ID No. of the Coding Strand of the Nucleic Acid Sequence	SEQ ID No. of the Non-coding Strand of the Nucleic Acid Sequence
5	gep103	1	1	2	3
	gep1119	2	4	5	6
	gep1122	3	7	8	9
	gep1315	4	10	11	12
	gep1493	5	13	14	15
10	gep1507	6	16	17	18
	gep1511	7	19	20	21
	gep1518	8	22	23	24
	gep1546	9	25	26	27
	gep1551	10	28	29	30
15	gep1561	11	31	32	33
	gep1580	12	34	35	36
	gep1713	13	37	38	39
	gep222	14	40	41	42
	gep2283	15	43	44	45
20	gep273	16	46	47	48
	gep286	17	49	50	51
	gep311	18	52	53	54
	gep3262	19	55	56	57
	gep3387	20	58	59	60
25	gep47	21	61	62	63

- 4 -

GEP Nucleic Acid or Polypeptide	Figure No.	SEQ ID No. of Amino Acid Sequence	SEQ ID No. of the Coding Strand of the Nucleic Acid Sequence	SEQ ID No. of the Non-coding Strand of the Nucleic Acid Sequence
gep61	22	64	65	66
gep76	23	67	68	69

The invention also includes allelic variants (i.e., genes encoding isozymes) of the genes located within operons encoding the GEP polypeptides listed above.

- 5 For example, the invention includes a gene that encodes a GEP polypeptide but which gene includes one or more point mutations, deletions, promotor variants, or splice site variants, provided that the resulting GEP polypeptide functions as a GEP polypeptide (e.g., as determined in a conventional complementation assay).

- Identification of these GEP genes and the determination that they are
- 10 located within operons containing an essential gene allows homologs of the GEP genes to be found in other organisms strains of *Streptococcus*. Also, orthologs of these genes can be identified in other species (e.g., *Bacillus sp.*). While "homologs" are structurally similar genes contained within a species, "orthologs" are functionally equivalent genes from other species (within or outside of a given
- 15 genus, e.g., from *Bacillus subtilis* or *E. coli*). Such homologs and orthologs are expected to be located within operons that are essential for survival. Such homologous and orthologous genes and polypeptides can be used to identify compounds that inhibit the growth of the host organism (e.g., compounds that are bacteriocidal or bacteriostatic against pathogenic strains of the organism).
- 20 Homologous and orthologous genes and polypeptides that are essential for survival can serve as targets for identifying a broad spectrum of antibacterial agents.

An ortholog of gep1493, termed B-yneS, has been identified in *B. subtilis* and is essential for survival of *B. subtilis*. The amino acid sequence (SEQ ID NO: 70), coding sequence (SEQ ID NO:71), and non-coding sequence (SEQ ID NO:72)

- 5 -

of B-yneS is set forth in Fig. 24. As with the other polypeptides and genes disclosed herein, the B-yneS polypeptide and gene can be used in the methods described herein to identify antibacterial agents.

The term gep103 polypeptide or gene as used herein is intended to include  
5 the polypeptide and gene set forth in Fig. 1 herein, as well as homologs of the sequences set forth in Fig. 1. Also encompassed by the term gep103 gene are degenerate variants of the nucleic acid sequence set forth in Fig. 1 (SEQ ID NO:2). Degenerate variants of a nucleic acid sequence exist because of the degeneracy of the amino acid code; thus, those sequences that vary from the sequence represented  
10 by SEQ ID NO:2, but which nonetheless encode a gep103 polypeptide are included within the invention. Likewise, because of the similarity in the structures of amino acids, conservative variations (as described herein) can be made in the amino acid sequence of the gep103 polypeptide while retaining the function of the polypeptide (e.g., as determined in a conventional complementation assay). Other gep103  
15 polypeptides and genes identified in additional *Streptococcus* strains may be such conservative variations or degenerate variants of the particular gep103 polypeptide and nucleic acid set forth in Fig. 1 (SEQ ID NOs:1 and 2, respectively). The gep103 polypeptide and gene share at least 80%, e.g., 90%, sequence identity with SEQ ID NOs:1 and 2, respectively. Regardless of the percent sequence identity  
20 between the gep103 sequence and the sequence represented by SEQ ID NOs:1 and 2, the gep103 genes and polypeptides encompassed by the invention are able to complement for the lack of gep103 function (e.g., in a temperature-sensitive mutant) in a standard complementation assay. Additional gep103 genes that are identified and cloned from additional *Streptococcus* strains, and pathogenic strains  
25 in particular, can be used to produce gep103 polypeptides for use in the various methods described herein, e.g., for identifying antibacterial agents. Likewise, the terms gep1119, gep1122, gep1315, gep1493, gep1507, gep1511, gep1518, gep1546, gep1551, gep1561, gep1580, gep1713, gep222, gep2283, gep273, gep286, gep311, gep3262, gep3387, gep47, gep61, and gep76 encompass homologs, conservative  
30 variations, and degenerate variants of the sequences depicted in Figs. 2-23,

- 6 -

respectively. Such homologs, conservative variations, and degenerate variants also are included within the invention.

Since the various GEP genes described herein have been identified and shown to be located within operons that are essential for survival, the GEP genes  
5 and polypeptides encoded by nucleic acid sequences located within operons containing GEP genes and their homologs and orthologs can be used to identify antibacterial agents. More specifically, the polypeptides encoded by nucleic acid sequences located within operons containing GEP genes can be used, separately or together, in assays to identify test compounds that bind to these polypeptides. Such  
10 test compounds are expected to be antibacterial agents, in contrast to compounds that do not bind to these GEP polypeptides. As described herein, any of a variety of art-known methods can be used to assay for binding of test compounds to the polypeptides. The invention includes, for example, a method for identifying an antibacterial agent where the method entails: (a) contacting a polypeptide encoded  
15 by a nucleic acid sequence located within an operon containing a GEP gene, or homolog or ortholog thereof, with a test compound; (b) detecting binding of the test compound to the polypeptide or homolog or ortholog; and (c) determining whether a test compound that binds to the polypeptide or homolog or ortholog inhibits growth of bacteria, relative to growth of bacteria cultured in the absence of  
20 the test compound that binds to the polypeptide or homolog or ortholog, as an indication that the test compound is an antibacterial agent.

In various embodiments, the GEP polypeptide is derived from a non-pathogenic or pathogenic *Streptococcus* strain, such as *Streptococcus pneumoniae*, *Streptococcus pyogenes*, *Streptococcus agalactiae*, *Streptococcus endocarditis*,  
25 *Streptococcus faecium*, *Streptococcus sanguis*, *Streptococcus viridans*, and *Streptococcus hemolyticus*. Suitable orthologs of the *Streptococcus* GEP genes can be derived from the bacterium *Bacillus subtilis*. The test compound can be immobilized on a substrate, and binding of the test compound to the polypeptide or homolog or ortholog can be detected as immobilization of the polypeptide or



- 7 -

homolog or ortholog on the immobilized test compound, e.g., in an immunoassay with an antibody that specifically binds to the polypeptide.

If desired, the test compound can be a test polypeptide (e.g., a polypeptide having a random or predetermined amino acid sequence; or a naturally-occurring or synthetic polypeptide). Alternatively, the test compound can be a nucleic acid, such as a DNA or RNA molecule. In addition, small organic molecules can be tested. The test compound can be a naturally-occurring compound or it can be synthetically produced, if desired. Synthetic libraries, chemical libraries, and the like can be screened to identify compounds that bind to the polypeptides. More generally, binding of test compounds to the polypeptide or homolog or ortholog can be detected either *in vitro* or *in vivo*. Regardless of the source of the test compound, the polypeptides described herein can be used to identify compounds that are bacterioidal or bacteriostatic to a variety of pathogenic or non-pathogenic strains.

In an exemplary method, binding of a test compound to a polypeptide encoded by a nucleic acid located within an operon containing a GEP gene can be detected in a conventional two-hybrid system for detecting protein/protein interactions (e.g., in yeast or mammalian cells). Generally, in such a method, (a) the polypeptide encoded by a nucleic acid located within an operon containing a GEP gene is provided as a fusion protein that includes the polypeptide fused to (i) a transcription activation domain of a transcription factor or (ii) a DNA-binding domain of a transcription factor; (b) the test polypeptide is provided as a fusion protein that includes the test polypeptide fused to (i) a transcription activation domain of a transcription factor or (ii) a DNA-binding domain of a transcription factor; and (c) binding of the test polypeptide to the polypeptide is detected as reconstitution of a transcription factor. Homologs and orthologs of the GEP polypeptides can be used in similar methods. Reconstitution of the transcription factor can be detected, for example, by detecting transcription of a gene that is operably linked to a DNA sequence bound by the DNA-binding domain of the reconstituted transcription factor (See, for example, White, 1996, Proc. Natl. Acad.

- 8 -

Sci. 93:10001-10003 and references cited therein and Vidal et al., 1996, Proc. Natl. Acad. Sci. 93:10315-10320).

In an alternative method, an isolated operon containing a nucleic acid molecule encoding a GEP polypeptide is used to identify a compound that  
5 decreases the expression of a GEP polypeptide *in vivo*. Such compounds can be used as antibacterial agents. To discover such compounds, cells that express a GEP polypeptide are cultured, exposed to a test compound (or a mixture of test compounds), and the level of expression or activity is compared with the level of GEP polypeptide expression or activity in cells that are otherwise identical but that  
10 have not been exposed to the test compound(s). Many standard quantitative assays of gene expression can be utilized in this aspect of the invention.

To identify compounds that modulate expression of a GEP polypeptide (or homologous or orthologous sequence), the test compound(s) can be added at varying concentrations to the culture medium of cells that express a GEP  
15 polypeptide (or homolog or ortholog), as described herein. Such test compounds can include small molecules (typically, non-protein, non-polysaccharide chemical entities), polypeptides, and nucleic acids. The expression of the GEP polypeptide is then measured, for example, by Northern blot PCR analysis or RNase protection analyses using a nucleic acid molecule of the invention as a probe. The level of  
20 expression in the presence of the test molecule, compared with the level of expression in its absence, will indicate whether or not the test molecule alters the expression of the GEP polypeptide. Because the GEP polypeptides are expressed from operons that are essential for survival, test compounds that inhibit the expression and/or function of the GEP polypeptide will inhibit growth of the cells  
25 or kill the cells.

Compounds that modulate the expression of the polypeptides of the invention can be identified by carrying out the assays described herein and then measuring the levels of the GEP polypeptides expressed in the cells, e.g., by performing a Western blot analysis using antibodies that bind to a GEP  
30 polypeptide.

- 9 -

- The invention further features methods of identifying from a large group of mutants those strains that have conditional lethal mutations. In general, the gene and corresponding gene product are subsequently identified, although the strains themselves can be used in screening or diagnostic assays. The mechanism(s) of action for the identified genes and gene products provide a rational basis for the design of antibacterial therapeutic agents. These antibacterial agents reduce the action of the gene product in a wild type strain, and therefore are useful in treating a subject with that type, or a similarly susceptible type of infection by administering the agent to the subject in a pharmaceutically effective amount.
- 5    action for the identified genes and gene products provide a rational basis for the design of antibacterial therapeutic agents. These antibacterial agents reduce the action of the gene product in a wild type strain, and therefore are useful in treating a subject with that type, or a similarly susceptible type of infection by administering the agent to the subject in a pharmaceutically effective amount.
- 10   Reduction in the action of the gene product includes competitive inhibition of the gene product for the active site of an enzyme or receptor; non-competitive inhibition; disrupting an intracellular cascade path which requires the gene product; binding to the gene product itself, before or after post-translational processing; and acting as a gene product mimetic, thereby down-regulating the activity.
- 15   Therapeutic agents include monoclonal antibodies raised against the gene product.

Furthermore, the presence of the gene sequence in certain cells (e.g., a pathogenic bacterium of the same genus or similar species), and the absence or divergence of the sequence in host cells can be determined, if desired. Therapeutic agents directed toward genes or gene products that are not present in the host have

20   several advantages, including fewer side effects, and lower overall dosage.

The invention includes pharmaceutical formulations that include a pharmaceutically acceptable excipient and an antibacterial agent identified using the methods described herein. In particular, the invention includes pharmaceutical formulations that contain antibacterial agents that inhibit the growth of, or kill,

25   pathogenic *Streptococcus* strains. Such pharmaceutical formulations can be used for treating a *Streptococcus* infection in an organism. Such a method entails administering to the organism a therapeutically effective amount of the pharmaceutical formulation. In particular, such pharmaceutical formulations can be used to treat streptococcal pneumonia in mammals such as humans and

30   domesticated mammals (e.g., cows, pigs, dogs, and cats), and in plants. The

- 10 -

efficacy of such antibacterial agents in humans can be estimated in an animal model system well known to those of skill in the art (e.g., mouse and rabbit model systems).

Also included within the invention are polyclonal and monoclonal antibodies  
5 that specifically bind to the various GEP polypeptides described herein (e.g., gep103). Such antibodies can facilitate detection of GEP polypeptides in various *Streptococcus* strains. These antibodies also are useful for detecting binding of a test compound to GEP polypeptides (e.g., using the assays described herein). In addition, monoclonal antibodies that bind to GEP polypeptides are themselves  
10 adequate antibacterial agents when administered to a mammal, as such monoclonal antibodies are expected to impede one or more functions of GEP polypeptides.

As used herein, "nucleic acids" encompass both RNA and DNA, including genomic DNA and synthetic (e.g., chemically synthesized) DNA. The nucleic acid can be double-stranded or single-stranded. Where single-stranded, the nucleic acid  
15 may be a sense strand or an antisense strand. The nucleic acid may be synthesized using oligonucleotide analogs or derivatives (e.g., inosine or phosphorothioate nucleotides). Such oligonucleotides can be used, for example, to prepare nucleic acids that have altered base-pairing abilities or increased resistance to nucleases.

An "isolated nucleic acid" is a DNA or RNA that is not immediately  
20 contiguous with both of the coding sequences with which it is immediately contiguous (one on the 5' end and one on the 3' end) in the naturally occurring genome of the organism from which it is derived. Thus, in one embodiment, an isolated nucleic acid includes some or all of the 5' non-coding (e.g., promoter) sequences that are immediately contiguous to the coding sequence. The term  
25 therefore includes, for example, a recombinant DNA that is incorporated into a vector, into an autonomously replicating plasmid or virus, or into the genomic DNA of a prokaryote or eukaryote, or which exists as a separate molecule (e.g., a genomic DNA fragment produced by PCR or restriction endonuclease treatment) independent of other sequences. It also includes a recombinant DNA that is part of  
30 a hybrid gene encoding an additional polypeptide sequence. The term "isolated"

- 11 -

can refer to a nucleic acid or polypeptide that is substantially free of cellular material, viral material, or culture medium (when produced by recombinant DNA techniques), or chemical precursors or other chemicals (when chemically synthesized). Moreover, an "isolated nucleic acid fragment" is a nucleic acid  
5 fragment that is not naturally occurring as a fragment and would not be found in the natural state. As used herein, the term "isolated nucleic acid molecule" includes an operon containing a contiguous cluster of linked sequences. "Isolated operons" are those operons that are not naturally occurring and which are not associated with the sequences by which they are normally surrounded in a bacterial genome.

10 A nucleic acid sequence that is "substantially identical" to a GEP nucleotide sequence is at least 80% (e.g., 85%) identical to the nucleotide sequence of the nucleic acid sequences represented by the SEQ ID NOs listed in Table 1, as depicted in Figs. 1-23. For purposes of comparison of nucleic acids, the length of the reference nucleic acid sequence will generally be at least 40 nucleotides, e.g., at  
15 least 60 nucleotides or more nucleotides. Sequence identity can be measured using sequence analysis software (e.g., Sequence Analysis Software Package of the Genetics Computer Group, University of Wisconsin Biotechnology Center, 1710 University Avenue, Madison, WI 53705).

The GEP polypeptides useful in practicing the invention include, but are not  
20 limited to, recombinant polypeptides and natural polypeptides. Also useful in the invention are nucleic acid sequences that encode forms of GEP polypeptides in which naturally occurring amino acid sequences are altered or deleted. Preferred nucleic acids encode polypeptides that are soluble under normal physiological conditions. Also within the invention are nucleic acids encoding fusion proteins in  
25 which a portion of a GEP polypeptide is fused to an unrelated polypeptide (e.g., a marker polypeptide or a fusion partner) to create a fusion protein. For example, the polypeptide can be fused to a hexa-histidine tag to facilitate purification of bacterially expressed polypeptides, or to a hemagglutinin tag to facilitate purification of polypeptides expressed in eukaryotic cells. The invention also  
30 includes, for example, isolated polypeptides (and the nucleic acids that encode these

- 12 -

polypeptides) that include a first portion and a second portion; the first portion includes, e.g., a GEP polypeptide, and the second portion includes an immunoglobulin constant (Fc) region or a detectable marker.

The fusion partner can be, for example, a polypeptide which facilitates  
5 secretion, e.g., a secretory sequence. Such a fused polypeptide is typically referred to as a preprotein. The secretory sequence can be cleaved by the host cell to form the mature protein. Also within the invention are nucleic acids that encode a GEP polypeptide fused to a polypeptide sequence to produce an inactive preprotein. Preproteins can be converted into the active form of the protein by removal of the  
10 inactivating sequence.

The invention also includes nucleic acids that hybridize, e.g., under stringent hybridization conditions (as defined herein) to all or a portion of the nucleotide sequences represented by the SEQ ID NOs. listed in Table 1, or their complements. The hybridizing portion of the hybridizing nucleic acids is typically at least 15  
15 (e.g., 20, 30, or 50) nucleotides in length. The hybridizing portion of the hybridizing nucleic acid is at least 80%, e.g., at least 95%, or at least 98%, identical to the sequence of a portion or all of a nucleic acid encoding a GEP polypeptide or its complement. Hybridizing nucleic acids of the type described herein can be used as a cloning probe, a primer (e.g., a PCR primer), or a  
20 diagnostic probe. Nucleic acids that hybridize to the nucleotide sequences represented by the SEQ ID NOs. listed in Table 1 are considered "antisense oligonucleotides." Also included within the invention are ribozymes that inhibit the function of operons containing the GEP genes of the invention, as determined, for example, in a complementation assay.

25 Also useful in the invention are various cells, e.g., transformed host cells, that contain a GEP nucleic acid described herein. A "transformed cell" is a cell into which (or into an ancestor of which) has been introduced, by means of recombinant DNA techniques, a nucleic acid encoding a GEP polypeptide. Both prokaryotic and eukaryotic cells are included, e.g., bacteria, *Streptococcus*, *Bacillus*,  
30 and the like.

- 13 -

Also useful in the invention are genetic constructs (e.g., vectors and plasmids) that include a nucleic acid of the invention which is operably linked to a transcription and/or translation sequence to enable expression, e.g., expression vectors. By "operably linked" is meant that a selected nucleic acid, e.g., a DNA  
5 molecule encoding a GEP polypeptide, is positioned adjacent to one or more sequence elements, e.g., a promoter, which directs transcription and/or translation of the sequence such that the sequence elements can control transcription and/or translation of the selected nucleic acid.

The invention also features purified or isolated polypeptides encoded by  
10 nucleic acids located within operons containing GEP genes, as listed in Table 1. As used herein, both "protein" and "polypeptide" mean any chain of amino acids, regardless of length or post-translational modification (e.g., glycosylation or phosphorylation). Thus, the terms gep103 polypeptide, gep1119 polypeptide, gep1122 polypeptide, gep1315 polypeptide, gep1493 polypeptide, gep1507  
15 polypeptide, gep1511 polypeptide, gep1518 polypeptide, gep1546 polypeptide, gep1551 polypeptide, gep1561 polypeptide, gep1580 polypeptide, gep1713 polypeptide, gep222 polypeptide, gep2283 polypeptide, gep273 polypeptide, gep286 polypeptide, gep311 polypeptide, gep3262 polypeptide, gep3387 polypeptide, gep47 polypeptide, gep61 polypeptide, and gep76 polypeptide include full-length,  
20 naturally occurring gep103, gep1119, gep1122, gep1315, gep1493, gep1507, gep1511, gep1518, gep1546, gep1551, gep1561, gep1580, gep1713, gep222, gep2283, gep273, gep286, gep311, gep3262, gep3387, gep47, gep61, and gep76 proteins, respectively, as well as recombinantly or synthetically produced polypeptides that correspond to the full-length, naturally occurring proteins, or to a  
25 portion of the naturally occurring or synthetic polypeptide.

A "purified" or "isolated" compound is a composition that is at least 60% by weight the compound of interest, e.g., a GEP polypeptide or antibody. Preferably the preparation is at least 75% (e.g., at least 90% or 99%) by weight the compound of interest. Purity can be measured by any appropriate standard method, e.g.,  
30 column chromatography, polyacrylamide gel electrophoresis, or HPLC analysis.

- 14 -

Preferred GEP polypeptides include a sequence substantially identical to all or a portion of a naturally occurring GEP polypeptide, e.g., including all or a portion of the sequences shown in Figs. 1-23. Polypeptides "substantially identical" to the GEP polypeptide sequences described herein have an amino acid sequence  
5 that is at least 80% (e.g., 85%, 90%, 95%, or 99%) identical to the amino acid sequence of the GEP polypeptides represented by the SEQ ID NOs. listed in Table 1. For purposes of comparison, the length of the reference GEP polypeptide sequence will generally be at least 16 amino acids, e.g., at least 20 or 25 amino acids.

10 In the case of polypeptide sequences that are less than 100% identical to a reference sequence, the non-identical positions are preferably, but not necessarily, conservative substitutions for the reference sequence. Conservative substitutions typically include substitutions within the following groups: glycine and alanine; valine, isoleucine, and leucine; aspartic acid and glutamic acid; asparagine and  
15 glutamine; serine and threonine; lysine and arginine; and phenylalanine and tyrosine.

Where a particular polypeptide is said to have a specific percent identity to a reference polypeptide of a defined length, the percent identity is relative to the reference polypeptide. Thus, a polypeptide that is 50% identical to a reference  
20 polypeptide that is 100 amino acids long can be a 50 amino acid polypeptide that is completely identical to a 50 amino acid long portion of the reference polypeptide. It also might be a 100 amino acid long polypeptide which is 50% identical to the reference polypeptide over its entire length. Of course, other polypeptides also will meet the same criteria.

25 The invention also features purified or isolated antibodies that specifically bind to a GEP polypeptide. By "specifically binds" is meant that an antibody recognizes and binds to a particular antigen, e.g., a GEP polypeptide, but does not substantially recognize and bind to other molecules in a sample, e.g., a biological sample that naturally includes a GEP polypeptide.



- 15 -

In another aspect, the invention features a method for detecting a GEP polypeptide in a sample. This method includes: obtaining a sample suspected of containing a GEP polypeptide; contacting the sample with an antibody that specifically binds to a GEP polypeptide under conditions that allow the formation  
5 of complexes of an antibody and the GEP polypeptide; and detecting the complexes, if any, as an indication of the presence of a GEP polypeptide in the sample.

Also encompassed by the invention is a method of obtaining a gene related to (i.e., a functional homolog or ortholog of) a GEP gene. Such a method entails  
10 obtaining a labeled probe that includes an isolated nucleic acid which encodes all or a portion of a GEP nucleic acid, or a homolog or ortholog thereof; screening a nucleic acid fragment library with the labeled probe under conditions that allow hybridization of the probe to nucleic acid fragments in the library, thereby forming nucleic acid duplexes; isolating labeled duplexes, if any; and preparing a full-length  
15 gene sequence from the nucleic acid fragments in any labeled duplex to obtain a gene related to the GEP gene.

The invention offers several advantages. For example, the methods for identifying antibacterial agents can be configured for high throughput screening of numerous candidate antibacterial agents.

20 Unless otherwise defined, all technical and scientific terms used herein have the same meaning as commonly understood by one of ordinary skill in the art to which this invention belongs. Although methods and materials similar or equivalent to those described herein can be used in the practice or testing of the present invention, suitable methods and materials are described herein. All  
25 publications, patent applications, patents, and other references mentioned herein are incorporated herein by reference in their entirety. In the case of a conflict, the present specification, including definitions, will control. In addition, the materials, methods, and examples are illustrative and are not intended to limit the scope of the invention, which is defined by the claims.

- 16 -

Other features and advantages of the invention will be apparent from the following detailed description, and from the claims.

#### Brief Description of the Drawings

Fig. 1 is a representation of the amino acid and coding strand and non-coding strand nucleic acid sequences of the gep103 polypeptide and gene from a *Streptococcus pneumonia* strain (SEQ ID NOs:1, 2, and 3 respectively).

Fig. 2 is a representation of the amino acid and coding strand and non-coding strand nucleic acid sequences of the gep1119 polypeptide and gene from a *Streptococcus pneumonia* strain (SEQ ID NOs:4, 5 and 6, respectively).

Fig. 3 is a representation of the amino acid and coding strand and non-coding strand nucleic acid sequences of the gep1122 polypeptide and gene from a *Streptococcus pneumonia* strain (SEQ ID NOs:7, 8, and 9, respectively).

Fig. 4 is a representation of the amino acid and coding strand and non-coding strand nucleic acid sequences of the gep1315 polypeptide and gene from a *Streptococcus pneumonia* strain (SEQ ID NOs:10, 11, and 12, respectively).

Fig. 5 is a representation of the amino acid and coding strand and non-coding strand nucleic acid sequences of the gep1493 polypeptide and gene from a *Streptococcus pneumonia* strain (SEQ ID NOs:13, 14, and 15, respectively).

Fig. 6 is a representation of the amino acid and coding strand and non-coding strand nucleic acid sequences of the gep1507 polypeptide and gene from a *Streptococcus pneumonia* (SEQ ID NOs:16, 17, and 18, respectively).

- 17 -

Fig. 7 is a representation of the amino acid and coding strand and non-coding strand nucleic acid sequences of the gep1511 polypeptide and gene from a *Streptococcus pneumonia* (SEQ ID NOs:19, 20, and 21, respectively).

Fig. 8 is a representation of the amino acid and coding strand and non-coding strand nucleic acid sequences of the gep1518 polypeptide and gene from a *Streptococcus pneumonia* (SEQ ID NOs:22, 23, and 24, respectively).

Fig. 9 is a representation of the amino acid and coding strand and non-coding strand nucleic acid sequences of the gep1546 polypeptide and gene from a *Streptococcus pneumonia* strain (SEQ ID NOs:25, 26, and 27, respectively).

Fig. 10 is a representation of the amino acid and coding strand and non-coding strand nucleic acid sequences of the gep1551 polypeptide and gene from a *Streptococcus pneumonia* strain (SEQ ID NOs:28, 29, and 30, respectively).

Fig. 11 is a representation of the amino acid and coding strand and non-coding strand nucleic acid sequences of the gep1561 polypeptide and gene from a *Streptococcus pneumonia* strain (SEQ ID NOs:31, 32, and 33, respectively).

Fig. 12 is a representation of the amino acid and coding strand and non-coding strand nucleic acid sequences of the gep1580 polypeptide and gene from a *Streptococcus pneumonia* strain (SEQ ID NOs:34, 35, and 36, respectively).

Fig. 13 is a representation of the amino acid and coding strand and non-coding strand nucleic acid sequences of the gep1713 polypeptide and gene from a *Streptococcus pneumonia* (SEQ ID NOs:37, 38, and 39, respectively).

- 18 -

Fig. 14 is a representation of the amino acid and coding strand and non-coding strand nucleic acid sequences of the gep222 polypeptide and gene from a *Streptococcus pneumonia* (SEQ ID NOs:40, 41, and 42, respectively).

Fig. 15 is a representation of the amino acid and coding strand and non-coding strand nucleic acid sequences of the gep2283 polypeptide and gene from a *Streptococcus pneumonia* (SEQ ID NOs:43, 44, and 45, respectively).

Fig. 16 is a representation of the amino acid and coding strand and non-coding strand nucleic acid sequences of the gep273 polypeptide and gene from a *Streptococcus pneumonia* strain (SEQ ID NOs:46, 47, and 48, respectively).

Fig. 17 is a representation of the amino acid and coding strand and non-coding strand nucleic acid sequences of the gep286 polypeptide and gene from a *Streptococcus pneumonia* strain (SEQ ID NOs:49, 50, and 51, respectively).

Fig. 18 is a representation of the amino acid and coding strand and non-coding strand nucleic acid sequences of the gep311 polypeptide and gene from a *Streptococcus pneumonia* (SEQ ID NOs:52, 53, and 54, respectively).

Fig. 19 is a representation of the amino acid and coding strand and non-coding strand nucleic acid sequences of the gep3262 polypeptide and gene from a *Streptococcus pneumonia* (SEQ ID NOs:55, 56, and 57, respectively).

Fig. 20 is a representation of the amino acid and coding strand and non-coding strand nucleic acid sequences of the gep3387 polypeptide and gene from a *Streptococcus pneumonia* (SEQ ID NOs:58, 59, and 60, respectively).

- 19 -

Fig. 21 are a representation of the amino acid and coding strand and non-coding strand nucleic acid sequences of the gep47 polypeptide and gene from a *Streptococcus pneumonia* strain (SEQ ID NOs:61, 62, and 63, respectively).

Fig. 22 is a representation of the amino acid and coding strand and non-coding strand nucleic acid sequences of the gep61 polypeptide and gene from a *Streptococcus pneumonia* strain (SEQ ID NOs:64, 65, and 66, respectively).

Fig. 23 is a representation of the amino acid and coding strand and non-coding strand nucleic acid sequences of the gep76 polypeptide and gene from a *Streptococcus pneumonia* strain (SEQ ID NOs:67, 68, and 69, respectively).

Fig. 24 is a representation of the amino acid and coding strand and non-coding strand nucleic acid sequences of the B-yneS polypeptide and gene from a *Bacillus subtilis* strain (SEQ ID NOs:70, 71, and 72, respectively).

Fig. 25 is a schematic representation of the PCR strategy used to produce DNA molecules used for targeted deletions of essential genes in *Streptococcus pneumoniae*.

Fig. 26 is a schematic representation of the strategy used to produce targeted deletions of essential genes in *Streptococcus pneumoniae*.

### Detailed Description of the Invention

#### Identifying *Streptococcus* Genes in Essential Operons

As shown by the experiments described below, each of the GEP genes is located within an operon that is essential for survival of *Streptococcus pneumonia*. *Streptococcus pneumonia* is available from the ATCC. To identify genes located within essential operons, mutants of *Streptococcus pneumonia* were produced. In

- 20 -

general, mutagenesis of *Streptococcus pneumonia* can be accomplished using any of various art-known methods.

In general, and for the examples set forth below, genes located within essential *Streptococcus pneumonia* operons can be identified using genes from a  
5 *Streptococcus pneumonia* RX1 genomic library, which was produced using standard methods (see Kim et al., Nucl. Acids. Res. 20: 1083-1085 (1992) and Ausubel et al. (eds.), 1995, Current Protocols in Molecular Biology, (John Wiley & Sons, NY)). Genes in this *Streptococcus* library were disrupted using a shuttle mutagenesis approach with the transposon TnPho-A. Each disrupted gene then was  
10 tested to determine whether it was located within an operon that is essential for survival of *Streptococcus pneumonia*. In this method, 2 ml of LB broth supplemented with chloramphenicol (10 µg/ml), MgSO<sub>4</sub> (10 mM) and maltose (0.2%) were inoculated with 50 µl of the *Streptococcus pneumonia* RX-1 plasmid library. The culture was grown at 37°C while shaking until the OD<sub>650</sub> of the  
15 culture reached 0.8 (approximately 2 hours). A 1 ml aliquot of TnPho-A-containing phage (10<sup>9</sup> pfu/ml) was added to 1 ml of the *Streptococcus* culture, producing a ratio of approximately 10 phage to 1 cell. The phage and cells were incubated at 37°C for 30 minutes. A 4 ml aliquot of LB broth, warmed to 37°C, then was added to the phage/cell mixture, and the mixture was incubated at 37°C,  
20 while shaking, for 1 hour. The cells then were pelleted by centrifuging them at 3500 rpm in a Beckman tabletop centrifuge for 5 minutes.

The pelleted cells then were resuspended in 800 µl of LB broth, and a 200 µl aliquot of cells was plated onto each of four petri plates containing LB agar supplemented with chloramphenicol (10 µg/ml), kanamycin (50 µg/ml), and  
25 erythromycin (300 µg/ml). The plates then were incubated overnight at 37°C, and the number of colonies appearing on the plates was counted. Approximately 18,000 colonies then were pooled and used to inoculate 50 ml of LB broth, which was incubated overnight at 37°C. Plasmid DNA from the culture then was extracted using a Qiagen MIDI Prep Kit; other art-known extraction methods can  
30 be substituted.

- 21 -

The concentration of the extracted DNA was measured, and 100 ng of the DNA was transformed, by electroporation, into *E. coli* DH10B cells (Gibco BRL). A 1 ml aliquot of SOC broth then was added the transformed cells, and the cells were incubated at 37°C for 1 hour before being pelleted by centrifugation at 3500 RPM for 5 minutes. The cells then were resuspended in 200  $\mu$ l of LB broth, and aliquots of 2, 20, and 50  $\mu$ l were plated onto petri plates containing LB agar and antibiotics as described above. After incubating the plates overnight at 37°C, 93 colonies were picked and used, individually, to inoculate 1.25 ml of Terrific broth supplemented with chloramphenicol (10 $\mu$ g/ml), kanamycin (50 $\mu$ g/ml), and erythromycin (300 $\mu$ g/ml). The cultures were incubated at 37°C for approximately 20 hours, while shaking. The DNA from each culture then was extracted, using a conventional alkaline lysis miniprep method.

The extracted DNA samples then were used, individually, to transform *Streptococcus pneumonia* cells in a 96-well microtitre format. The transposon promotes insertion of the mutagenized gene into the bacterial chromosome. Non-transforming clones indicate that the mutation was within an operon containing an essential gene.

The non-transforming clones then were grown in 50 ml of Terrific broth supplemented with chloramphenicol (10  $\mu$ g/ml), kanamycin (50  $\mu$ g/ml), and erythromycin (300  $\mu$ g/ml). DNA from these clones was extracted and retransformed into *Streptococcus pneumonia* and plated on petri dishes to confirm that they were non-transforming. The genes located within essential operons then were sequenced, using primers that hybridize to sequences of the transposon. The sequences of the primers were: 5'GCAGCCCGGTTTTCCAGAACAGG3' (SEQ ID NO: 73) and 5'GATTTAGCCCAGTCGGCCGACG3' (SEQ ID NO: 74).

In an alternative method, which also was used, the transposon Tn 10 was used to disrupt genes in a *Streptococcus pneumonia* fosmid library, which was produced using standard methods. A 50 ml aliquot of TBMM broth supplemented with chloramphenicol (10 $\mu$ g/ml), MgSO<sub>4</sub> (10 mM), and maltose (0.2%) were inoculated with a single fosmid colony from the fosmid library, and the cultures

- 22 -

were grown overnight at 37°C. The cells then were pelleted and resuspended in 5 ml of LB broth supplemented with chloramphenicol (10 µg/ml), MgSO<sub>4</sub> (10 mM), and maltose (0.2%). A 100 µl aliquot of the cells then was mixed with 100 µl of Tn10 phage lysate (10<sup>10</sup> pfu/ml), and the mixture was incubated at room temperature for 15 minutes and then incubated at 37°C for 15 minutes.

A 5 ml aliquot of LB broth supplemented with IPTG (1 mM) and sodium citrate (50 mM) and warmed to 37°C then was added to the cell/phage mixture. After incubating the cell/phage mixture at 37°C, while shaking, the cells were pelleted and resuspended in 800 µl of LB broth. The cells then were plated onto 4 plates of LB agar supplemented with chloramphenicol (10 µg/ml) and erythromycin (300 µg/ml). After incubating the cells overnight at 37°C, at least 10,000 of the resulting colonies were used to inoculate 50 ml of LB broth. DNA then was extracted and quantified using standard methods, and 100 ng of DNA were used to transform *E. coli* DH10B cells (Gibco BRL) via electroporation. After adding 1 ml of SOC broth to the cells, the cells were incubated at 37°C for 1 hour. The cells then were pelleted and suspended in 200 µl LB broth, and aliquots of 2, 20, and 50 µl were plated onto LB agar supplemented with chloramphenicol (10 µg/ml), kanamycin (50 µg/ml), and erythromycin (300 µg/ml). The plates then were incubated overnight at 37°C, and 93 colonies were picked and used to inoculate 1.25 ml of Terrific broth supplemented with chloramphenicol (10 µg/ml), kanamycin (50 µg/ml) and erythromycin (300 µg/ml). These cultures were incubated for approximately 20 hours, while shaking, and the DNA was isolated using a standard miniprep method. The extracted DNA then was used to transform *Streptococcus pneumonia*, and the genes located within essential operons were sequenced as described above. The sequences of the primers used for sequencing were: 5'CCGCCATTCTTTGCTGTTTCG3' (SEQ ID NO: 75) and 5'TTACACGTTACTAAAGGGAATG3' (SEQ ID NO: 76).



- 23 -

Identification of the gep1493, gep1507, gep1546, gep273, gep286, and gep76 Genes as Essential Genes

As shown by the experiments described below, the gep1493, gep1507, gep1546, gep273, gep286, and gep76 genes each have been shown to be essential for survival of *Streptococcus pneumoniae*. Each of the gep1493, gep1507, gep1546, gep273, gep286, and gep76 genes has been identified as essential by creating a targeted deletion of each gene, separately, in *Streptococcus pneumoniae*.

Each of the gep1493, gep1507, gep1546, gep273, gep286, and gep76 genes was, separately, replaced with a nucleic acid sequence conferring resistance to the antibiotic erythromycin (an "erm" gene). Other genetic markers can be used in lieu of this particular antibiotic resistance marker. Polymerase chain reaction (PCR) amplification was used to make a targeted deletion in the *Streptococcus* genomic DNA, as shown in Fig. 25. Several PCR reactions were used to produce the DNA molecules needed to carry out target deletion of the genes of interest. First, using primers 5 and 6, an erm gene was amplified from pIL252 from *B. subtilis* (available from the *Bacillus* Genetic Stock Center, Columbus, OH). Primer 5 consists of 21 nucleotides that are identical to the promoter region of the erm gene and complementary to Sequence A. Primer 5 has the sequence 5'GTG TTC GTG CTG ACT TGC ACC3' (SEQ ID NO: 77). Primer 6 consists of 21 nucleotides that are complementary to the 3' end of the erm gene. Primer 6 has the sequence 5'GAA TTA TTT CCT CCC GTT AAA3' (SEQ ID NO: 78). PCR amplification of the erm gene was carried out under the following conditions: 30 cycles of 94°C for 1 minute, 55°C for 1 minute, and 72°C for 1.5 minutes, followed by one cycle of 72°C for 10 minutes.

In the second and third PCR reactions, sequences flanking the gene of interest were amplified and produced as hybrid DNA molecules that also contained a portion of the erm gene. The second reaction produced a double-stranded DNA molecule (termed "Left Flanking Molecule") that includes sequences upstream of the 5' end of the gene of interest and the first 21 nucleotides of the erm gene. As shown in Fig. 25, this reaction utilized primer 1, which is 21 nucleotides in length

- 24 -

and identical to a sequence that is located approximately 500 bp upstream of the translation start site of the gene of interest. Primers 1 and 2 are gene-specific and include the sequences 5'CTC CGT GAA GTC CAC CTG AT3' (SEQ ID NO:79) and 5'GGT GCA AGT CAG CAC GAA CAC GCG ACA TAG GTT CCA GTT  
5 AGG3' (SEQ ID NO:80), respectively, for *gep1493*. Primer 2 is 42 nucleotides in length, with 21 of the nucleotides at the 3' end of the primer being complementary to the 5' end of the sense strand of the gene of interest. The 21 nucleotides at the 5' end of the primer were identical to Sequence A and are therefore complementary to the 5' end of the *erm* gene. Thus, PCR amplification using primers 1 and 2  
10 produced the left flanking DNA molecule, which is a hybrid DNA molecule containing a sequence located upstream of the gene of interest and 21 base pairs of the *erm* gene, as shown in Fig. 25.

The third PCR reaction was similar to the second reaction, but produced the right flanking DNA molecule, shown in Fig. 25. The right flanking DNA molecule  
15 contains 21 base pairs of the 3' end of the *erm* gene, a 21 base pair portion of the 3' end of the gene of interest, and sequences downstream of the gene of interest. This right flanking DNA molecule was produced with gene-specific primers 3 and 4. For *gep 1493*, primers 3 and 4 included the sequences 5'TTT AAC GGG AGG AAA TAA TTC CCA TAT CGT GGC TCC TGA AT 3' (SEQ ID NO:81) and  
20 5'TAA AGC CCT CAT GTC GAA CC3' (SEQ ID NO:82), respectively. Primer 3 is 42 nucleotides; the 21 nucleotides at the 5' end of Primer 3 are identical to Sequence B and therefore are identical to the 3' end of the *erm* gene. The 21 nucleotides at the 3' end of Primer 3 are identical to the 3' end of the gene of interest. Primer 4 is 21 nucleotides in length and is complementary to a sequence  
25 located approximately 500 bp downstream of the gene of interest. As discussed above, primers 1-4 are gene-specific, and the sequences disclosed above were used for *gep1493*. Gene-specific primers were used to identify the other essential genes described herein, as shown in Table 2.

- 25 -

TABLE 2: Primers Used in Identifying Essential Genes

Gene	Primer 1	Primer 2	Primer 3	Primer 4
gepl493	5'CTCCGTGAA GTCCACCTGA T3' (SEQ ID NO:79)	5'GGTGCAAGT CAGCACGAAC ACTGCTCGCG TAGATTGATT TG3' (SEQ ID NO:80)	5'TTTAACGGG AGGAAATAAT TCGGGGATTG AACCTAACCC AT3' (SEQ ID NO:81)	5'TTGGCAAG AAGGCAGAG AAT3' (SEQ ID NO:82)
gepl507	5'GCATGAGAA ACCCAGTCTC C3' (SEQ ID NO:83)	5'GGTGCAAGT CAGCACGAAC ACGCGACATA GGTTCAGTT AGG3' (SEQ ID NO:84)	5'TTTAACGGG AGGAAATAAT TCCCATATCG TGGCTCCTGA AT3' (SEQ ID NO:85)	5'TAAAGCCC TCATGTCGAA CC3' (SEQ ID NO:86)
gepl546	5'CAGTGACGA TACAGATGAA GAA3' (SEQ ID NO:87)	5'GGTGCAAGT CAGCACGAAC ACGATGCTGG CTTCGTTGAG TG3' (SEQ ID NO:88)	5'TTTAACGGG AGGAAATAAT TCGTCGCGAC TCCTAGCCAT AC3' (SEQ ID NO:89)	5'CCAGCAAA GGAAAACCG ATA3' (SEQ ID NO:90)
gep273	5'GGTCAGTGA CAGCAGCAGA T3' (SEQ ID NO:91)	5'GGTGCAAGT CAGCACGAAC ACGGCCTTGG AAAAAAGACC AT3' (SEQ ID NO:92)	5'TTTAACGGG AGGAAATAAT TCCCGCTTAA ATTCTGCCAA TC3' (SEQ ID NO:93)	5'CCATAAC CGTATCACCT GG3' (SEQ ID NO:94)
gep286	5'CGGAACGGC TATGAAAAAA A3' (SEQ ID NO:95)	5'GGTGCAAGT CAGCACGAAC ACACGACGAA AGGCAACCAT AC3' (SEQ ID NO:96)	5'TTTAACGGG AGGAAATAAT TCTGGTATGG GGGTTGATGA AG3' (SEQ ID NO:97)	5'TCGCCCTAC TTTTCGTATG C3' (SEQ ID NO:98)
gep76	5'AGCGATATT AGTGCGGGAG A3' (SEQ ID NO:99)	5'GGTGCAAGT CAGCACGAAC ACCAGCAATT TTGTCATCAG TCG3' (SEQ ID NO:100)	5'TTTAACGGG AGGAAATAAT TCCTGGGGTA ATGGAGCACA GT3' (SEQ ID NO:101)	5'GGGATTGT CACGGTAAA ACC3' (SEQ ID NO:102)

- 26 -

PCR amplification of the left and right flanking DNA molecules was carried out, separately, in 50  $\mu$ l reaction mixtures containing: 1  $\mu$ l *Streptococcus pneumoniae* (RX1) DNA (0.25  $\mu$ g), 2.5  $\mu$ l Primer 1 or Primer 4 (10 pmol/ $\mu$ l), 2.5  $\mu$ l Primer 2 or Primer 3 (20 pmol/ $\mu$ l), 1.2  $\mu$ l a mixture dNTPS (10 mM each), 5 37  $\mu$ l H<sub>2</sub>O, 0.7  $\mu$ l Taq polymerase (5 U/ $\mu$ l), and 5  $\mu$ l 10x Taq polymerase buffer (10 mM Tris, 50 mM KCl, 2.5 mM MgCl<sub>2</sub>). The left and right flanking DNA molecules were amplified using the following PCR cycling program: 95°C for 2 minutes; 72°C for 1 minute; 94°C for 30 seconds; 49°C for 30 seconds; 72°C for 1 minute; repeating the 94°C, 49°C, and 72°C incubations 30 times; 72°C for 10 10 minutes and then stopping the reactions. A 15  $\mu$ l aliquot of each reaction mixture then was electrophoresed through a 1.2% low melting point agarose gel in TAE buffer and then stained with ethidium bromide. Fragments containing the amplified left and right flanking DNA molecules were excised from the gel and purified using the QIAQUICK™ gel extraction kit (Qiagen, Inc.) Other art-known methods 15 for amplifying and isolating DNA can be substituted. The flanking left and right DNA fragments were eluted into 30  $\mu$ l TE buffer at pH 8.0.

The amplified *erm* gene and left and right flanking DNA molecules were then fused together to produce the fusion product, as shown in Fig. 25. The fusion PCR reaction was carried out in a volume of 50  $\mu$ l containing: 2  $\mu$ l of each of the 20 left and right flanking DNA molecules and the *erm* gene PCR product; 5  $\mu$ l of 10x buffer; 2.5  $\mu$ l of Primer 1 (10 pmol/ $\mu$ l); 2.5  $\mu$ l of Primer 4 (10 pmol/ $\mu$ l), 1.2  $\mu$ l dNTP mix (10 mM each) 32  $\mu$ l H<sub>2</sub>O, and 0.7  $\mu$ l Taq polymerase. The PCR reaction was carried out using the following cycling program: 95°C for 2 minutes; 72°C for 1 minute; 94°C for 30 seconds, 48°C for 30 seconds; 72°C for 3 minutes; 25 repeat the 94°C, 48°C and 72°C incubations 25 times; 72°C for 10 minutes. After the reaction was stopped, a 12  $\mu$ l aliquot of the reaction mixture was electrophoresed through an agarose gel to confirm the presence of a final product of approximately 2 kb.

A 5  $\mu$ l aliquot of the fusion product was used to transform *S. pneumoniae* 30 grown on a medium containing erythromycin in accordance with standard

- 27 -

techniques. As shown in Fig. 26, the fusion product and the *S. pneumoniae* genome undergo a homologous recombination event so that the *erm* gene replaces the chromosomal copy of the gene of interest, thereby creating a gene knockout. Disruption of an essential gene results in no growth on a medium containing  
5 erythromycin. Using this gene knockout method, the *gep1493*, *gep1507*, *gep1546*, *gep273*, *gep286*, and *gep76* genes were each identified as being essential for survival.

- 28 -

#### Identification of Homologs and Orthologs of GEP Polypeptides

Having shown that the various GEP genes are essential or located within operons that are essential for survival of *Streptococcus*, it can be expected that homologs and orthologs of the polypeptides encoded by these genes, when present in other organisms, for example *B. subtilis*, are essential or located within operons that are essential for survival of that organism as well, and therefore are useful targets for identifying antibacterial agents. Using the sequences of the GEP polypeptides identified in *Streptococcus*, homologs and orthologs of these polypeptides can be identified in other organisms. For example, the coding sequences of the GEP nucleic acids can be used to search the GenBank database of nucleotide sequences to identify homologs or orthologs that are expressed from essential operons in other organisms. Sequence comparisons can be performed using the Basic Local Alignment Search Tool (BLAST) (Altschul et al., *J. Mol. Biol.*, 215:403-410 1990). The percent sequence identity shared by the GEP polypeptides and their homologs or orthologs can be determined using the GAP program from the Genetics Computer Group (GCG) Wisconsin Sequence Analysis Package (Wisconsin Package Version 9.0, GCG; Madison, WI). The following parameters are suitable: gap creation penalty, 12 (protein) 50 (DNA); gap extension penalty, 4 (protein) 3 (DNA). Typically, the GEP polypeptides and their homologs share at least 25% (e.g., at least 40%) sequence identity. Typically, the DNA sequences encoding GEP polypeptides and their homologs share at least 35% (e.g., at least 45%) sequence identity. To confirm that the homologs or orthologs of the GEP polypeptides are expressed from operons that are essential for survival of bacteria, the operon encoding each of the homologs or orthologs can be, separately, deleted from the genome of the host organism.

#### Identification of Essential Operons in Additional *Streptococcus* Strains

Now that the various GEP genes have been identified as being located within operons that are essential for survival, these genes, or fragments thereof, can be used to detect homologous or orthologous genes in other organisms. In

- 29 -

particular, these genes can be used to analyze various pathogenic and non-pathogenic strains of bacteria. Fragments of a nucleic acid (DNA or RNA) encoding a GEP polypeptide or homolog or ortholog (or sequences complementary thereto) can be used as probes in conventional nucleic acid hybridization assays of pathogenic bacteria. For example, nucleic acid probes (which typically are 8-30, or usually 15-20, nucleotides in length) can be used to detect GEP genes or homologs or orthologs thereof in art-known molecular biology methods, such as Southern blotting, Northern blotting, dot or slot blotting, PCR amplification methods, colony hybridization methods, and the like. Typically, an oligonucleotide probe based on the nucleic acid sequences described herein, or fragments thereof, is labeled and used to screen a genomic library constructed from mRNA obtained from a *Streptococcus* or bacterial strain of interest. A suitable method of labeling involves using polynucleotide kinase to add <sup>32</sup>P-labeled ATP to the oligonucleotide used as the probe. This method is well known in the art, as are several other suitable methods (e.g., biotinylation and enzyme labeling).

Hybridization of the oligonucleotide probe to the library, or other nucleic acid sample, typically is performed under stringent to highly stringent conditions. Nucleic acid duplex or hybrid stability is expressed as the melting temperature or  $T_m$ , which is the temperature at which a probe dissociates from a target DNA. This melting temperature is used to define the required stringency conditions. If sequences are to be identified that are related and substantially identical to the probe, rather than identical, then it is useful to first establish the lowest temperature at which only homologous hybridization occurs with a particular concentration of salt (e.g., SSC or SSPE). Then, assuming that 1% mismatching results in a 1°C decrease in the  $T_m$ , the temperature of the final wash in the hybridization reaction is reduced accordingly (for example, if sequences having  $\geq 95\%$  identity with the probe are sought, the final wash temperature is decreased by 5°C). In practice, the change in  $T_m$  can be between 0.5° and 1.5°C per 1% mismatch.

As used herein, highly stringent conditions refer to hybridization at 68°C in 5x SSC/5x Denhardt's solution/1.0% SDS, and washing in 0.2x SSC/0.1% SDS at

- 30 -

42°C. Stringent conditions refer to washing in 3x SSC at 42°C. The parameters of salt concentration and temperature can be varied to achieve the optimal level of identity between the probe and the target nucleic acid. Additional guidance regarding such conditions is readily available in the art, for example, by Sambrook et al., 1989, *Molecular Cloning, A Laboratory Manual*, Cold Spring Harbor Press, N.Y.; and Ausubel et al. (eds.), 1995, *Current Protocols in Molecular Biology*, (John Wiley & Sons, N.Y.) at Unit 2.10.

In one approach, libraries constructed from pathogenic or non-pathogenic *Streptococcus* or bacterial strains can be screened. For example, such strains can be screened for expression of GEP genes by Northern blot analysis. Upon detection of transcripts of the GEP genes or homologs or orthologs thereof, libraries can be constructed from RNA isolated from the appropriate strain, utilizing standard techniques well known to those of skill in the art. Alternatively, a total genomic DNA library can be screened using an GEP gene probe (or a probe directed to a homolog or ortholog thereof).

New gene sequences can be isolated, for example, by performing PCR using two degenerate oligonucleotide primer pools designed on the basis of nucleotide sequences within the GEP genes, or their homologs or orthologs, as depicted herein. The template for the reaction can be DNA obtained from strains known or suspected to express a GEP allele or an allele of a homolog or ortholog thereof. The PCR product can be subcloned and sequenced to ensure that the amplified sequences represent the sequences of a new GEP nucleic acid sequence, or a sequence of a homolog or ortholog thereof.

Synthesis of the various GEP polypeptides or their homologs or orthologs (or an antigenic fragment thereof) for use as antigens, or for other purposes, can readily be accomplished using any of the various art-known techniques. For example, a polypeptide or homolog or ortholog thereof, or an antigenic fragment(s), can be synthesized chemically *in vitro*, or enzymatically (e.g., by *in vitro* transcription and translation). Alternatively, the gene can be expressed in, and the polypeptide purified from, a cell (e.g., a cultured cell) by using any of the



- 31 -

numerous, available gene expression systems. For example, the polypeptide antigen can be produced in a prokaryotic host (e.g., *E. coli* or *B. subtilis*) or in eukaryotic cells, such as yeast cells or insect cells (e.g., by using a baculovirus-based expression vector).

5           Proteins and polypeptides can also be produced in plant cells, if desired. For plant cells viral expression vectors (e.g., cauliflower mosaic virus and tobacco mosaic virus) and plasmid expression vectors (e.g., Ti plasmid) are suitable. Such cells are available from a wide range of sources (e.g., the American Type Culture Collection, Rockland, MD; also, *see*, e.g., Ausubel et al., *Current Protocols in*  
10 *Molecular Biology*, John Wiley & Sons, New York, 1994). The optimal methods of transformation or transfection and the choice of expression vehicle will depend on the host system selected. Transformation and transfection methods are described, e.g., in Ausubel et al., *supra*; expression vehicles may be chosen from those provided, e.g., in *Cloning Vectors: A Laboratory Manual* (P.H. Pouwels et  
15 al., 1985, Supp. 1987). The host cells harboring the expression vehicle can be cultured in conventional nutrient media, adapted as needed for activation of a chosen gene, repression of a chosen gene, selection of transformants, or amplification of a chosen gene.

          If desired, GEP polypeptides or their homologs or orthologs can be  
20 produced as fusion proteins. For example, the expression vector pUR278 (Ruther et al., *EMBO J.*, 2:1791, 1983) can be used to create *lacZ* fusion proteins. The art-known pGEX vectors can be used to express foreign polypeptides as fusion proteins with glutathione S-transferase (GST). In general, such fusion proteins are soluble and can be easily purified from lysed cells by adsorption to glutathione-  
25 agarose beads followed by elution in the presence of free glutathione. The pGEX vectors are designed to include thrombin or factor Xa protease cleavage sites so that the cloned target gene product can be released from the GST moiety.

          In an exemplary insect cell expression system, a baculovirus such as *Autographa californica* nuclear polyhedrosis virus (AcNPV), which grows in  
30 *Spodoptera frugiperda* cells, can be used as a vector to express foreign genes. A

- 32 -

coding sequence encoding a GEP polypeptide or homolog or ortholog can be cloned into a non-essential region (for example the polyhedrin gene) of the viral genome and placed under control of a promoter, e.g., the polyhedrin promoter or an exogenous promoter. Successful insertion of a gene encoding a GEP

- 5 polypeptide or homolog or ortholog can result in inactivation of the polyhedrin gene and production of non-occluded recombinant virus (i.e., virus lacking the proteinaceous coat encoded by the polyhedrin gene). These recombinant viruses are then used to infect insect cells (e.g., *Spodoptera frugiperda* cells) in which the inserted gene is expressed (see, e.g., Smith et al., *J. Virol.*, 46:584, 1983; Smith, 10 U.S. Patent No. 4,215,051).

- In mammalian host cells, a number of viral-based expression systems can be utilized. When an adenovirus is used as an expression vector, the nucleic acid sequence encoding the GEP polypeptide or homolog or ortholog can be ligated to an adenovirus transcription/ translation control complex, e.g., the late promoter and 15 tripartite leader sequence. This chimeric gene can then be inserted into the adenovirus genome by *in vitro* or *in vivo* recombination. Insertion into a non-essential region of the viral genome (e.g., region E1 or E3) will result in a recombinant virus that is viable and capable of expressing a essential gene product in infected hosts (see, e.g., Logan, *Proc. Natl. Acad. Sci. USA*, 81:3655, 1984).

- 20 Specific initiation signals may be required for efficient translation of inserted nucleic acid sequences. These signals include the ATG initiation codon and adjacent sequences. In general, exogenous translational control signals, including, perhaps, the ATG initiation codon, should be provided. Furthermore, the initiation codon must be in phase with the reading frame of the desired coding 25 sequence to ensure translation of the entire sequence. These exogenous translational control signals and initiation codons can be of a variety of origins, both natural and synthetic. The efficiency of expression may be enhanced by the inclusion of appropriate transcription enhancer elements, or transcription terminators (Bittner et al., *Methods in Enzymol.*, 153:516, 1987).

- 33 -

The GEP polypeptides and homologs and orthologs can be expressed individually or as fusions with a heterologous polypeptide, such as a signal sequence or other polypeptide having a specific cleavage site at the N-and/or C-terminus of the protein or polypeptide. The heterologous signal sequence selected  
5 should be one that is recognized and processed, i.e., cleaved by a signal peptidase, by the host cell in which the fusion protein is expressed.

A host cell can be chosen that modulates the expression of the inserted sequences, or modifies and processes the gene product in a specific, desired fashion. Such modifications and processing (e.g., cleavage) of protein products  
10 may facilitate optimal functioning of the protein. Various host cells have characteristic and specific mechanisms for post-translational processing and modification of proteins and gene products. Appropriate cell lines or host systems familiar to those of skill in the art of molecular biology can be chosen to ensure the correct modification and processing of the foreign protein expressed. To this  
15 end, eukaryotic host cells that possess the cellular machinery for proper processing of the primary transcript, and phosphorylation of the gene product can be used. Such mammalian host cells include, but are not limited to, CHO, VERO, BHK, HeLa, COS, MDCK, 293, 3T3, WI38, and choroid plexus cell lines.

If desired, the GEP polypeptide or homolog or ortholog thereof can be  
20 produced by a stably-transfected mammalian cell line. A number of vectors suitable for stable transection of mammalian cells are available to the public, *see*, e.g., Pouwels et al. (supra); methods for constructing such cell lines are also publicly known, e.g., in Ausubel et al. (supra). In one example, DNA encoding the protein is cloned into an expression vector that includes the dihydrofolate reductase  
25 (DHFR) gene. Integration of the plasmid and, therefore, the GEP polypeptide-encoding gene into the host cell chromosome is selected for by including 0.01-300  $\mu$ M methotrexate in the cell culture medium (as described in Ausubel et al., supra). This dominant selection can be accomplished in most cell types.

Recombinant protein expression can be increased by DHFR-mediated  
30 amplification of the transfected gene. Methods for selecting cell lines bearing gene

- 34 -

amplifications are described in Ausubel et al. (supra); such methods generally involve extended culture in medium containing gradually increasing levels of methotrexate. DHFR-containing expression vectors commonly used for this purpose include pCVSEII-DHFR and pAdD26SV(A) (described in Ausubel et al.,  
5 supra).

A number of other selection systems can be used, including but not limited to, herpes simplex virus thymidine kinase genes, hypoxanthine-guanine phosphoribosyl-transferase genes, and adenine phosphoribosyltransferase genes, which can be employed in *tk*, *hgp**rt*, or *ap**rt* cells, respectively. In addition, *gpt*,  
10 which confers resistance to mycophenolic acid (Mulligan et al., *Proc. Natl. Acad. Sci. USA*, 78:2072, 1981); *neo*, which confers resistance to the aminoglycoside G-418 (Colberre-Garapin et al., *J. Mol. Biol.*, 150:1, 1981); and *hygro*, which confers resistance to hygromycin (Santerre et al., *Gene*, 30:147, 1981), can be used.

Alternatively, any fusion protein can be readily purified by utilizing an  
15 antibody or other molecule that specifically binds to the fusion protein being expressed. For example, a system described in Janknecht et al., *Proc. Natl. Acad. Sci. USA*, 88:8972 (1981), allows for the ready purification of non-denatured fusion proteins expressed in human cell lines. In this system, the gene of interest is subcloned into a vaccinia recombination plasmid such that the gene's open reading  
20 frame is translationally fused to an amino-terminal tag consisting of six histidine residues. Extracts from cells infected with recombinant vaccinia virus are loaded onto Ni<sup>2+</sup> nitriloacetic acid-agarose columns, and histidine-tagged proteins are selectively eluted with imidazole-containing buffers.

Alternatively, a GEP polypeptide or homolog or ortholog, or a portion  
25 thereof, can be fused to an immunoglobulin Fc domain. Such a fusion protein can be readily purified using a protein A column, for example. Moreover, such fusion proteins permit the production of a chimeric form of a GEP polypeptide or homolog or ortholog having increased stability *in vivo*.

Once the recombinant GEP polypeptide (or homolog or ortholog) is  
30 expressed, it can be isolated (i.e., purified). Secreted forms of the polypeptides can

- 35 -

be isolated from cell culture media, while non-secreted forms must be isolated from the host cells. Polypeptides can be isolated by affinity chromatography. For example, an anti-gep103 antibody (e.g., produced as described herein) can be attached to a column and used to isolate the protein. Lysis and fractionation of

5 cells harboring the protein prior to affinity chromatography can be performed by standard methods (*see, e.g., Ausubel et al., supra*). Alternatively, a fusion protein can be constructed and used to isolate a GEP polypeptide (e.g., a gep103-maltose binding fusion protein, a gep-103- $\beta$ -galactosidase fusion protein, or a gep103-trpE fusion protein; *see, e.g., Ausubel et al., supra*; New England Biolabs Catalog,

10 Beverly, MA). The recombinant protein can, if desired, be further purified, e.g., by high performance liquid chromatography using standard techniques (*see, e.g., Fisher, Laboratory Techniques In Biochemistry And Molecular Biology, eds., Work and Burdon, Elsevier, 1980*).

Given the amino acid sequences described herein, polypeptides useful in

15 practicing the invention, particularly fragments of GEP polypeptides can be produced by standard chemical synthesis (e.g., by the methods described in *Solid Phase Peptide Synthesis*, 2nd ed., The Pierce Chemical Co., Rockford, IL, 1984) and used as antigens, for example.

#### Antibodies

20 The GEP polypeptides (or antigenic fragments or analogs of such polypeptides) can be used to raise antibodies useful in the invention, and such polypeptides can be produced by recombinant or peptide synthetic techniques (*see, e.g., Solid Phase Peptide Synthesis, supra*; Ausubel et al., *supra*). Likewise, antibodies can be raised against the GEP homologs and orthologs. In general, the

25 polypeptides can be coupled to a carrier protein, such as KLH, as described in Ausubel et al., *supra*, mixed with an adjuvant, and injected into a host mammal. Antibodies can be purified, for example, by affinity chromatography methods in which the polypeptide antigen is immobilized on a resin.

- 36 -

In particular, various host animals can be immunized by injection of a polypeptide of interest. Examples of suitable host animals include rabbits, mice, guinea pigs, and rats. Various adjuvants can be used to increase the immunological response, depending on the host species, including but not limited to Freund's  
5 (complete and incomplete adjuvant), adjuvant mineral gels such as aluminum hydroxide, surface active substances such as lysolecithin, pluronic polyols, polyanions, peptides, oil emulsions, keyhole limpet hemocyanin, dinitrophenol, BCG (bacille Calmette-Guerin) and *Corynebacterium parvum*. Polyclonal antibodies are heterogeneous populations of antibody molecules derived from the  
10 sera of the immunized animals.

Antibodies useful in the invention include monoclonal antibodies, polyclonal antibodies, humanized or chimeric antibodies, single chain antibodies, Fab fragments, F(ab')<sub>2</sub> fragments, and molecules produced using a Fab expression library.

15 Monoclonal antibodies (mAbs), which are homogeneous populations of antibodies to a particular antigen, can be prepared using the GEP polypeptides or homologs or orthologs thereof and standard hybridoma technology (see, e.g., Kohler et al., *Nature*, 256:495, 1975; Kohler et al., *Eur. J. Immunol.*, 6:511, 1976; Kohler et al., *Eur. J. Immunol.*, 6:292, 1976; Hammerling et al., In Monoclonal  
20 Antibodies and T Cell Hybridomas, Elsevier, NY, 1981; Ausubel et al., supra).

In particular, monoclonal antibodies can be obtained by any technique that provides for the production of antibody molecules by continuous cell lines in culture, such as those described in Kohler et al., *Nature*, 256:495, 1975, and U.S. Patent No. 4,376,110; the human B-cell hybridoma technique (Kosbor et al.,  
25 *Immunology Today*, 4:72, 1983; Cole et al., *Proc. Natl. Acad. Sci. USA*, 80:2026, 1983); and the EBV-hybridoma technique (Cole et al., Monoclonal Antibodies and Cancer Therapy, Alan R. Liss, Inc., pp. 77-96, 1983). Such antibodies can be of any immunoglobulin class including IgG, IgM, IgE, IgA, IgD, and any subclass thereof. The hybridomas producing the mAbs of this invention can be cultivated in  
30 *vitro* or *in vivo*.

- 37 -

Once produced, polyclonal or monoclonal antibodies are tested for specific recognition of a GEP polypeptide or homolog or ortholog thereof in an immunoassay, such as a Western blot or immunoprecipitation analysis using standard techniques, e.g., as described in Ausubel et al., supra. Antibodies that  
5 specifically bind to the GEP polypeptides, or conservative variants and homologs or orthologs thereof, are useful in the invention. For example, such antibodies can be used in an immunoassay to detect a GEP polypeptide in pathogenic or non-pathogenic strains of bacteria.

Preferably, antibodies of the invention are produced using fragments of the  
10 GEP polypeptides that appear likely to be antigenic, by criteria such as high frequency of charged residues. In one specific example, such fragments are generated by standard techniques of PCR, and are then cloned into the pGEX expression vector (Ausubel et al., supra). Fusion proteins are expressed in *E. coli* and purified using a glutathione agarose affinity matrix as described in Ausubel, et  
15 al., supra.

If desired, several (e.g., two or three) fusions can be generated for each protein, and each fusion can be injected into at least two rabbits. Antisera can be raised by injections in a series, typically including at least three booster injections. Typically, the antisera is checked for its ability to immunoprecipitate a recombinant  
20 GEP polypeptide or homolog or ortholog, or unrelated control proteins, such as glucocorticoid receptor, chloramphenicol acetyltransferase, or luciferase.

Techniques developed for the production of "chimeric antibodies" (Morrison et al., *Proc. Natl. Acad. Sci.*, **81**:6851, 1984; Neuberger et al., *Nature*, **312**:604, 1984; Takeda et al., *Nature*, **314**:452, 1984) can be used to splice the genes from a  
25 mouse antibody molecule of appropriate antigen specificity together with genes from a human antibody molecule of appropriate biological activity. A chimeric antibody is a molecule in which different portions are derived from different animal species, such as those having a variable region derived from a murine mAb and a human immunoglobulin constant region.

- 38 -

Alternatively, techniques described for the production of single chain antibodies (U.S. Patent 4,946,778; and U.S. Patents 4,946,778 and 4,704,692) can be adapted to produce single chain antibodies against a GEP polypeptide or homolog or ortholog. Single chain antibodies are formed by linking the heavy and  
5 light chain fragments of the Fv region via an amino acid bridge, resulting in a single chain polypeptide.

Antibody fragments that recognize and bind to specific epitopes can be generated by known techniques. For example, such fragments can include but are not limited to F(ab')<sub>2</sub> fragments, which can be produced by pepsin digestion of the  
10 antibody molecule, and Fab fragments, which can be generated by reducing the disulfide bridges of F(ab')<sub>2</sub> fragments. Alternatively, Fab expression libraries can be constructed (Huse et al., *Science*, 246:1275, 1989) to allow rapid and easy identification of monoclonal Fab fragments with the desired specificity.

Polyclonal and monoclonal antibodies that specifically bind to GEP  
15 polypeptides or homologs or orthologs can be used, for example, to detect expression of a GEP gene or homolog or ortholog in another strain of bacteria. For example, a GEP polypeptide can be readily detected in conventional immunoassays of bacteria cells or extracts. Examples of suitable assays include, without limitation, Western blotting, ELISAs, radioimmune assays, and the like.

#### 20 Assay for Antibacterial Agents

The invention provides a method for identifying an antibacterial agent(s). Although the inventors are not bound by any particular theory as to the biological mechanism involved, the new antibacterial agents are thought to inhibit specifically  
(1) the function of a polypeptide(s) encoded by a nucleic acid located within an  
25 operon containing a GEP gene, or (2) expression of the a gene located within an operon containing a GEP gene, or homologs or orthologs thereof. Screening for antibacterial agents can be rapidly accomplished by identifying those compounds (e.g., polypeptides or small molecules) that specifically bind to a polypeptide encoded by a nucleic acid located within an operon containing a GEP gene. A



- 39 -

homolog or ortholog of a GEP polypeptide can be substituted for the GEP polypeptide in the methods summarized herein. Specific binding of a test compound to a polypeptide can be detected, for example, *in vitro* by reversibly or irreversibly immobilizing the test compound(s) on a substrate, e.g., the surface of a well of a 96-well polystyrene microtitre plate. Methods for immobilizing polypeptides and other small molecules are well known in the art. For example, the microtitre plates can be coated with a polypeptide encoded by a nucleic acid located within an operon containing a GEP gene (e.g., a GEP polypeptide or a combination of GEP polypeptides and/or homologs and/or orthologs) by adding the polypeptide(s) in a solution (typically, at a concentration of 0.05 to 1 mg/ml in a volume of 1-100  $\mu$ l) to each well, and incubating the plates at room temperature to 37°C for 0.1 to 36 hours. Polypeptides that are not bound to the plate can be removed by shaking the excess solution from the plate, and then washing the plate (once or repeatedly) with water or a buffer. Typically, the polypeptide, homolog, or ortholog is contained in water or a buffer. The plate is then washed with a buffer that lacks the bound polypeptide. To block the free protein-binding sites on the plates, the plates are blocked with a protein that is unrelated to the bound polypeptide. For example, 300  $\mu$ l of bovine serum albumin (BSA) at a concentration of 2 mg/ml in Tris-HCl is suitable. Suitable substrates include those substrates that contain a defined cross-linking chemistry (e.g., plastic substrates, such as polystyrene, styrene, or polypropylene substrates from Corning Costar Corp. (Cambridge, MA), for example). If desired, a beaded particle, e.g., beaded agarose or beaded sepharose, can be used as the substrate.

Binding of the test compound to the new polypeptides (or homologs or orthologs thereof) can be detected by any of a variety of art-known methods. For example, an antibody that specifically binds to a GEP polypeptide can be used in an immunoassay. If desired, the antibody can be labeled (e.g., fluorescently or with a radioisotope) and detected directly (*see*, e.g., West and McMahon, *J. Cell Biol.* 74:264, 1977). Alternatively, a second antibody can be used for detection (e.g., a labeled antibody that binds to the Fc portion of an anti-GEP103 antibody).

- 40 -

In an alternative detection method, the GEP polypeptide is labeled, and the label is detected (e.g., by labeling a GEP polypeptide with a radioisotope, fluorophore, chromophore, or the like). In still another method, the GEP polypeptide is produced as a fusion protein with a protein that can be detected optically, e.g.,  
5 green fluorescent protein (which can be detected under UV light). In an alternative method, the polypeptide (e.g., gep103) can be produced as a fusion protein with an enzyme having a detectable enzymatic activity, such as horse radish peroxidase, alkaline phosphatase,  $\beta$ -galactosidase, or glucose oxidase. Genes encoding all of these enzymes have been cloned and are readily available for use by those of skill  
10 in the art. If desired, the fusion protein can include an antigen, and such an antigen can be detected and measured with a polyclonal or monoclonal antibody using conventional methods. Suitable antigens include enzymes (e.g., horse radish peroxidase, alkaline phosphatase, and  $\beta$ -galactosidase) and non-enzymatic polypeptides (e.g., serum proteins, such as BSA and globulins, and milk proteins,  
15 such as caseins).

In various *in vivo* methods for identifying polypeptides that bind to GEP polypeptides, the conventional two-hybrid assays of protein/protein interactions can be used (see e.g., Chien et al., *Proc. Natl. Acad. Sci. USA*, **88**:9578, 1991; Fields et al., U.S. Pat. No. 5,283,173; Fields and Song, *Nature*, **340**:245, 1989; Le Douarin  
20 et al., *Nucleic Acids Research*, **23**:876, 1995; Vidal et al., *Proc. Natl. Acad. Sci. USA*, **93**:10315-10320, 1996; and White, *Proc. Natl. Acad. Sci. USA*, **93**:10001-10003, 1996). Kits for practicing various two-hybrid methods are commercially available (e.g., from Clontech; Palo Alto, CA).

Generally, the two-hybrid methods involve *in vivo* reconstitution of two  
25 separable domains of a transcription factor. The DNA binding domain (DB) of the transcription factor is required for recognition of a chosen promoter. The activation domain (AD) is required for contacting other components of the host cell's transcriptional machinery. The transcription factor is reconstituted through the use of hybrid proteins. One hybrid is composed of the AD and a first protein

- 41 -

of interest. The second hybrid is composed of the DB and a second protein of interest.

Useful reporter genes are those that are operably linked to a promoter which is specifically recognized by the DB. Typically, the two-hybrid system employs  
5 the yeast *Saccharomyces cerevisiae* and reporter genes, the expression of which can be selected under appropriate conditions. Other eukaryotic cells, including mammalian and insect cells, can be used, if desired. The two-hybrid system provides a convenient method for cloning a gene encoding a polypeptide (i.e., a candidate antibacterial agent) that binds to a second, preselected polypeptide (e.g.,  
10 gep103). Typically, though not necessarily, a DNA library is constructed such that randomly generated sequences are fused to the AD, and the protein of interest (e.g., gep103) is fused to the DB.

In such two-hybrid methods, two fusion proteins are produced. One fusion protein contains the GEP polypeptide (or homolog or ortholog thereof) fused to  
15 either a transactivator domain or DNA binding domain of a transcription factor (e.g., of Gal4). The other fusion protein contains a test polypeptide fused to either the DNA binding domain or a transactivator domain of a transcription factor. Once brought together in a single cell (e.g., a yeast cell or mammalian cell), one of the fusion proteins contains the transactivator domain and the other fusion protein  
20 contains the DNA binding domain. Therefore, binding of the GEP polypeptide to the test polypeptide (i.e., candidate antibacterial agent) reconstitutes the transcription factor. Reconstitution of the transcription factor can be detected by detecting expression of a gene (i.e., a reporter gene) that is operably linked to a DNA sequence that is bound by the DNA binding domain of the transcription  
25 factor.

The methods described above can be used for high throughput screening of numerous test compounds to identify candidate antibacterial (or anti-bacterial) agents. Having identified a test compound as a candidate antibacterial agent, the candidate antibacterial agent can be further tested for inhibition of bacterial growth  
30 *in vitro* or *in vivo* (e.g., using an animal, e.g., rodent, model system) if desired.

- 42 -

Using other, art-known variations of such methods, one can test the ability of a nucleic acid (e.g., DNA or RNA) used as the test compound to bind to a polypeptide encoded by a nucleic acid sequence located within an operon containing a GEP gene or homolog or ortholog thereof.

- 5           *In vitro*, further testing can be accomplished by means known to those in the art such as an enzyme inhibition assay or a whole-cell bacterial growth inhibition assay. For example, an agar dilution assay identifies a substance that inhibits bacterial growth. Microtiter plates are prepared with serial dilutions of the test compound; adding to the preparation a given amount of growth substrate; and  
10 providing a preparation of *Streptococcus* cells. Inhibition of growth is determined, for example, by observing changes in optical densities of the bacterial cultures.

- Inhibition of bacterial growth is demonstrated, for example, by comparing (in the presence and absence of a test compound) the rate of growth or the absolute growth of bacterial cells. Inhibition includes a reduction of one of the above  
15 measurements by at least 20% (e.g., at least 25%, 30%, 40%, 50%, 75%, 80%, or 90%).

- Rodent (e.g., murine) and rabbit animal models of streptococcal infections are known to those of skill in the art, and such animal model systems are accepted for screening antibacterial agents as an indication of their therapeutic efficacy in  
20 human patients. In a typical *in vivo* assay, an animal is infected with a pathogenic *Streptococcus* strain, e.g., by inhalation of *Streptococcus pneumoniae*, and conventional methods and criteria are used to diagnose the mammal as being afflicted with streptococcal pneumonia. The candidate antibacterial agent then is administered to the mammal at a dosage of 1-100 mg/kg of body weight, and the  
25 mammal is monitored for signs of amelioration of disease. Alternatively, the test compound can be administered to the mammal prior to infecting the mammal with *Streptococcus*, and the ability of the treated mammal to resist infection is measured. Of course, the results obtained in the presence of the test compound should be compared with results in control animals, which are not treated with the test

- 43 -

compound. Administration of candidate antibacterial agent to the mammal can be carried out as described below, for example.

#### Pharmaceutical Formulations

Treatment includes administering a pharmaceutically effective amount of a composition containing an antibacterial agent to a subject in need of such treatment, thereby inhibiting bacterial growth in the subject. Such a composition typically contains from about 0.1 to 90% by weight (such as 1 to 20% or 1 to 10%) of an antibacterial agent of the invention in a pharmaceutically acceptable carrier.

10 Solid formulations of the compositions for oral administration may contain suitable carriers or excipients, such as corn starch, gelatin, lactose, acacia, sucrose, microcrystalline cellulose, kaolin, mannitol, dicalcium phosphate, calcium carbonate, sodium chloride, or alginic acid. Disintegrators that can be used include, without limitation, micro-crystalline cellulose, corn starch, sodium starch glycolate and alginic acid. Tablet binders that may be used include acacia, 15 methylcellulose, sodium carboxymethylcellulose, polyvinylpyrrolidone (Povidone), hydroxypropyl methylcellulose, sucrose, starch, and ethylcellulose. Lubricants that may be used include magnesium stearates, stearic acid, silicone fluid, talc, waxes, oils, and colloidal silica.

20 Liquid formulations of the compositions for oral administration prepared in water or other aqueous vehicles may contain various suspending agents such as methylcellulose, alginates, tragacanth, pectin, kelgin, carrageenan, acacia, polyvinylpyrrolidone, and polyvinyl alcohol. The liquid formulations may also include solutions, emulsions, syrups and elixirs containing, together with the active 25 compound(s), wetting agents, sweeteners, and coloring and flavoring agents.

Various liquid and powder formulations can be prepared by conventional methods for inhalation into the lungs of the mammal to be treated.

Injectable formulations of the compositions may contain various carriers such as vegetable oils, dimethylacetamide, dimethylformamide, ethyl lactate, ethyl

- 44 -

carbonate, isopropyl myristate, ethanol, polyols (glycerol, propylene glycol, liquid polyethylene glycol, and the like). For intravenous injections, water soluble versions of the compounds may be administered by the drip method, whereby a pharmaceutical formulation containing the antibacterial agent and a physiologically acceptable excipient is infused. Physiologically acceptable excipients may include, for example, 5% dextrose, 0.9% saline, Ringer's solution or other suitable excipients. Intramuscular preparations, a sterile formulation of a suitable soluble salt form of the compounds can be dissolved and administered in a pharmaceutical excipient such as Water-for-Injection, 0.9% saline, or 5% glucose solution. A suitable insoluble form of the compound may be prepared and administered as a suspension in an aqueous base or a pharmaceutically acceptable oil base, such as an ester of a long chain fatty acid, (e.g., ethyl oleate).

A topical semi-solid ointment formulation typically contains a concentration of the active ingredient from about 1 to 20%, e.g., 5 to 10% in a carrier such as a pharmaceutical cream base. Various formulations for topical use include drops, tinctures, lotions, creams, solutions, and ointments containing the active ingredient and various supports and vehicles.

The optimal percentage of the antibacterial agent in each pharmaceutical formulation varies according to the formulation itself and the therapeutic effect desired in the specific pathologies and correlated therapeutic regimens. Appropriate dosages of the antibacterial agents can readily be determined by those of ordinary skill in the art of medicine by monitoring the mammal for signs of disease amelioration or inhibition, and increasing or decreasing the dosage and/or frequency of treatment as desired. The optimal amount of the antibacterial compound used for treatment of conditions caused by or contributed to by bacterial infection may depend upon the manner of administration, the age and the body weight of the subject and the condition of the subject to be treated. Generally, the antibacterial compound is administered at a dosage of 1 to 100 mg/kg of body weight, and typically at a dosage of 1 to 10 mg/kg of body weight.

- 45 -

### Example

Using the transposon-based mutagenesis methods described above, the *Streptococcus pneumonia* genome was mutagenized, and 23 genes were identified as being located within operons that are essential for survival of *Streptococcus pneumonia*. These genes are listed in Table 1, above, and their nucleic acid and amino acid sequences are represented by SEQ ID NOs:1-69, as shown in Figs. 1-23.

Now that each of these genes is known to be located within an operon that is essential for survival of *Streptococcus*, the polypeptides encoded by nucleic acids located within those operons can be used to identify antibacterial agents by using the assays described herein. Other art-known assays to detect interactions of test compounds with proteins, or to detect inhibition of bacterial growth also can be used with the nucleic acids located within operons containing the GEP genes, and gene products and homologs or orthologs thereof.

### Other Embodiments

The invention also features fragments, variants, analogs, and derivatives of the GEP polypeptides described above that retain one or more of the biological activities of the GEP polypeptides, e.g., as determined in a complementation assay. Also included within the invention are naturally-occurring and non-naturally-occurring allelic variants. Compared with the naturally-occurring GEP gene, sequences depicted in Figs. 1-23, the nucleic acid sequence encoding allelic variants may have a substitution, deletion, or addition of one or more nucleotides. The preferred allelic variants are functionally equivalent to a GEP polypeptide, e.g., as determined in a complementation assay.

It is to be understood that, while the invention has been described in conjunction with the detailed description thereof, the foregoing description is intended to illustrate and not limit the scope of the invention, which is defined by the scope of the appended claims. Other aspects, advantages, and modifications are within the scope of the following claims.

- 46 -

What is claimed is:

1. An isolated operon comprising a nucleotide sequence, or an allelic variant or homolog of the nucleotide sequence, encoding:
  - a gep103 polypeptide comprising the amino acid sequence of SEQ ID NO:1,  
5 as depicted in Fig. 1;
  - a gep1119 polypeptide comprising the amino acid sequence of SEQ ID NO:4, as depicted in Fig. 2;
  - a gep1122 polypeptide comprising the amino acid sequence of SEQ ID NO:7, as depicted in Fig. 3;
  - 10 a gep1315 polypeptide comprising the amino acid sequence of SEQ ID NO:10, as depicted in Fig. 4;
  - a gep1493 polypeptide comprising the amino acid sequence of SEQ ID NO:13, as depicted in Fig. 5;
  - a gep1507 polypeptide comprising the amino acid sequence of SEQ ID  
15 NO:16, as depicted in Fig. 6;
  - a gep1511 polypeptide comprising the amino acid sequence of SEQ ID NO:19, as depicted in Fig. 7;
  - a gep1518 polypeptide comprising the amino acid sequence of SEQ ID NO:22, as depicted in Fig. 8;
  - 20 a gep1546 polypeptide comprising the amino acid sequence of SEQ ID NO:25, as depicted in Fig. 9;
  - a gep1551 polypeptide comprising the amino acid sequence of SEQ ID NO:28, as depicted in Fig. 10;
  - a gep1561 polypeptide comprising the amino acid sequence of SEQ ID  
25 NO:31, as depicted in Fig. 11;
  - a gep1580 polypeptide comprising the amino acid sequence of SEQ ID NO:34, as depicted in Fig. 12;
  - a gep1713 polypeptide comprising the amino acid sequence of SEQ ID NO:37 as depicted in Fig. 13;



- 47 -

- a gep222 polypeptide comprising the amino acid sequence of SEQ ID NO:40, as depicted in Fig. 14;
- a gep2283 polypeptide comprising the amino acid sequence of SEQ ID NO:43, as depicted in Fig. 15;
- 5 a gep273 polypeptide comprising the amino acid sequence of SEQ ID NO:46, as depicted in Fig. 16;
- a gep286 polypeptide comprising the amino acid sequence of SEQ ID NO:49, as depicted in Fig. 17;
- a gep311 polypeptide comprising the amino acid sequence of SEQ ID NO:52, as depicted in Fig. 18;
- 10 a gep3262 polypeptide comprising the amino acid sequence of SEQ ID NO:55, as depicted in Fig. 19;
- a gep3387 polypeptide comprising the amino acid sequence of SEQ ID NO:58, as depicted in Fig. 20;
- 15 a gep47 polypeptide comprising the amino acid sequence of SEQ ID NO:61, as depicted in Fig. 21;
- a gep61 polypeptide comprising the amino acid sequence of SEQ ID NO:64, as depicted in Fig. 22; or
- a gep76 polypeptide comprising the amino acid sequence of SEQ ID NO:67,
- 20 as depicted in Fig. 23.

2. An isolated nucleic acid molecule comprising a nucleic acid sequence selected from the group consisting of:

- (1) an operon comprising the sequence of SEQ ID NO:2, as depicted in Fig. 1, or degenerate variants thereof;
- 25 (2) an operon comprising the sequence of SEQ ID NO:2, or degenerate variants thereof, wherein T is replaced by U;
- (3) nucleic acids complementary to (1) and (2);

- 48 -

(4) fragments of (1), (2), and (3) that are at least 15 base pairs in length and which hybridize under stringent conditions to genomic DNA encoding the polypeptide of SEQ ID NO:1;

(5) an operon comprising the sequence of SEQ ID NO:5, as depicted in Fig. 2, or degenerate variants thereof;

(6) an operon comprising the sequence of SEQ ID NO:5, or degenerate variants thereof, wherein T is replaced by U;

(7) nucleic acids complementary to (5) and (6);

(8) fragments of (5), (6), and (7) that are at least 15 base pairs in length and which hybridize under stringent conditions to genomic DNA encoding the polypeptide of SEQ ID NO:4;

(9) an operon comprising the sequence of SEQ ID NO:8, as depicted in Fig. 3, or degenerate variants thereof;

(10) an operon comprising the sequence of SEQ ID NO:8, or degenerate variants thereof, wherein T is replaced by U;

(11) nucleic acids complementary to (9) and (10);

(12) fragments of (9), (10), and (11) that are at least 15 base pairs in length and which hybridize under stringent conditions to genomic DNA encoding the polypeptide of SEQ ID NO:7;

(13) an operon comprising the sequence of SEQ ID NO:11, as depicted in Fig. 4, or degenerate variants thereof;

(14) an operon comprising the sequence of SEQ ID NO:11, or degenerate variants thereof, wherein T is replaced by U;

(15) nucleic acids complementary to (13) and (14); and

(16) fragments of (13), (14), and (15) that are at least 15 base pairs in length and which hybridize under stringent conditions to genomic DNA encoding the polypeptide of SEQ ID NO:10;

- 49 -

(17) an operon comprising the sequence of SEQ ID NO:14, as depicted in Fig. 5, or degenerate variants thereof;

(18) an operon comprising the sequence of SEQ ID NO:14, or degenerate variants thereof, wherein T is replaced by U;

5 (19) nucleic acids complementary to (17) and (18);

(20) fragments of (17), (18), and (19) that are at least 15 base pairs in length and which hybridize under stringent conditions to genomic DNA encoding the polypeptide of SEQ ID NO:13;

(21) an operon comprising the sequence of SEQ ID NO:17, as depicted in  
10 Fig. 6, or degenerate variants thereof;

(22) an operon comprising the sequence of SEQ ID NO:17, or degenerate variants thereof, wherein T is replaced by U;

(23) nucleic acids complementary to (21) and (22);

(24) fragments of (21), (22), and (23) that are at least 15 base pairs in  
15 length and which hybridize under stringent conditions to genomic DNA encoding the polypeptide of SEQ ID NO:16;

(25) an operon comprising the sequence of SEQ ID NO:20, as depicted in Fig. 7, or degenerate variants thereof;

(26) an operon comprising the sequence of SEQ ID NO:20, or degenerate  
20 variants thereof, wherein T is replaced by U;

(27) nucleic acids complementary to (25) and (26);

(28) fragments of (25), (26), and (27) that are at least 15 base pairs in length and which hybridize under stringent conditions to genomic DNA encoding the polypeptide of SEQ ID NO:19;

25 (29) an operon comprising the sequence of SEQ ID NO:23, as depicted in Fig. 8, or degenerate variants thereof;

- 50 -

(30) an operon comprising the sequence of SEQ ID NO:23, or degenerate variants thereof, wherein T is replaced by U;

(31) nucleic acids complementary to (29) and (30); and

(32) fragments of (39), (30), and (31) that are at least 15 base pairs in  
5 length and which hybridize under stringent conditions to genomic DNA encoding the polypeptide of SEQ ID NO:22;

(33) an operon comprising the sequence of SEQ ID NO:26, as depicted in Fig. 9, or degenerate variants thereof;

(34) an operon comprising the sequence of SEQ ID NO:26, or degenerate  
10 variants thereof, wherein T is replaced by U;

(35) nucleic acids complementary to (33) and (34);

(36) fragments of (33), (34), and (35) that are at least 15 base pairs in  
length and which hybridize under stringent conditions to genomic DNA encoding the polypeptide of SEQ ID NO:25;

15 (37) an operon comprising the sequence of SEQ ID NO:29, as depicted in Fig. 10, or degenerate variants thereof;

(38) an operon comprising the sequence of SEQ ID NO:29, or degenerate variants thereof, wherein T is replaced by U;

(39) nucleic acids complementary to (37) and (38);

20 (40) fragments of (37), (38), and (39) that are at least 15 base pairs in length and which hybridize under stringent conditions to genomic DNA encoding the polypeptide of SEQ ID NO:28;

(41) an operon comprising the sequence of SEQ ID NO:32, as depicted in Fig. 11, or degenerate variants thereof;

25 (42) an operon comprising the sequence of SEQ ID NO:32, or degenerate variants thereof, wherein T is replaced by U;

(43) nucleic acids complementary to (41) and (42);

- 51 -

(44) fragments of (41), (42), and (43) that are at least 15 base pairs in length and which hybridize under stringent conditions to genomic DNA encoding the polypeptide of SEQ ID NO:31;

(45) an operon comprising the sequence of SEQ ID NO:35, as depicted in  
5 Fig. 12, or degenerate variants thereof;

(46) an operon comprising the sequence of SEQ ID NO:35, or degenerate variants thereof, wherein T is replaced by U;

(47) nucleic acids complementary to (45) and (46); and

(48) fragments of (45), (46), and (47) that are at least 15 base pairs in  
10 length and which hybridize under stringent conditions to genomic DNA encoding the polypeptide of SEQ ID NO:34;

(49) an operon comprising the sequence of SEQ ID NO:38, as depicted in Fig. 13, or degenerate variants thereof;

(50) an operon comprising the sequence of SEQ ID NO:38, or degenerate  
15 variants thereof, wherein T is replaced by U;

(51) nucleic acids complementary to (49) and (50);

(52) fragments of (49), (50), and (51) that are at least 15 base pairs in length and which hybridize under stringent conditions to genomic DNA encoding the polypeptide of SEQ ID NO:37;

(53) an operon comprising the sequence of SEQ ID NO:41, as depicted in  
20 Fig. 14, or degenerate variants thereof;

(54) an operon comprising the sequence of SEQ ID NO:41, or degenerate variants thereof, wherein T is replaced by U;

(55) nucleic acids complementary to (53) and (54);

(56) fragments of (53), (54), and (55) that are at least 15 base pairs in  
25 length and which hybridize under stringent conditions to genomic DNA encoding the polypeptide of SEQ ID NO:40;

- 52 -

- (57) an operon comprising the sequence of SEQ ID NO:44, as depicted in Fig. 15, or degenerate variants thereof;
- (58) an operon comprising the sequence of SEQ ID NO:44, or degenerate variants thereof, wherein T is replaced by U;
- 5 (59) nucleic acids complementary to (57) and (58);
- (60) fragments of (57), (58), and (59) that are at least 15 base pairs in length and which hybridize under stringent conditions to genomic DNA encoding the polypeptide of SEQ ID NO:39;
- (61) an operon comprising the sequence of SEQ ID NO:47, as depicted in
- 10 Fig. 16, or degenerate variants thereof;
- (62) an operon comprising the sequence of SEQ ID NO:47, or degenerate variants thereof, wherein T is replaced by U;
- (63) nucleic acids complementary to (61) and (62); and
- (64) fragments of (61), (62), and (63) that are at least 15 base pairs in
- 15 length and which hybridize under stringent conditions to genomic DNA encoding the polypeptide of SEQ ID NO:46;
- (65) an operon comprising the sequence of SEQ ID NO:50, as depicted in Fig. 17, or degenerate variants thereof;
- (66) an operon comprising the sequence of SEQ ID NO:50, or degenerate
- 20 variants thereof, wherein T is replaced by U;
- (67) nucleic acids complementary to (65) and (66);
- (68) fragments of (65), (66), and (67) that are at least 15 base pairs in length and which hybridize under stringent conditions to genomic DNA encoding the polypeptide of SEQ ID NO:49;
- 25 (69) an operon comprising the sequence of SEQ ID NO:53, as depicted in Fig. 18, or degenerate variants thereof;

- 53 -

(70) an operon comprising the sequence of SEQ ID NO:53, or degenerate variants thereof, wherein T is replaced by U;

(71) nucleic acids complementary to (69) and (70);

(72) fragments of (69), (70), and (71) that are at least 15 base pairs in  
5 length and which hybridize under stringent conditions to genomic DNA encoding the polypeptide of SEQ ID NO:52;

(73) an operon comprising the sequence of SEQ ID NO:56, as depicted in Fig. 19, or degenerate variants thereof;

(74) an operon comprising the sequence of SEQ ID NO:56, or degenerate  
10 variants thereof, wherein T is replaced by U;

(75) nucleic acids complementary to (73) and (74);

(76) fragments of (73), (74), and (75) that are at least 15 base pairs in length and which hybridize under stringent conditions to genomic DNA encoding the polypeptide of SEQ ID NO:55;

15 (77) an operon comprising the sequence of SEQ ID NO:59, as depicted in Fig. 20, or degenerate variants thereof;

(78) an operon comprising the sequence of SEQ ID NO:59, or degenerate variants thereof, wherein T is replaced by U;

(79) nucleic acids complementary to (77) and (78); and

20 (80) fragments of (77), (78), and (79) that are at least 15 base pairs in length and which hybridize under stringent conditions to genomic DNA encoding the polypeptide of SEQ ID NO:58;

(81) an operon comprising the sequence of SEQ ID NO:62, as depicted in Fig. 21, or degenerate variants thereof;

25 (82) an operon comprising the sequence of SEQ ID NO:62, or degenerate variants thereof, wherein T is replaced by U;

(83) nucleic acids complementary to (81) and (82);

- 54 -

(84) fragments of (81), (82), and (83) that are at least 15 base pairs in length and which hybridize under stringent conditions to genomic DNA encoding the polypeptide of SEQ ID NO:61;

(85) an operon comprising the sequence of SEQ ID NO:65; as depicted in  
5 Fig. 22, or degenerate variants thereof;

(86) an operon comprising the sequence of SEQ ID NO:65, or degenerate variants thereof, wherein T is replaced by U;

(87) nucleic acids complementary to (85) and (86);

(88) fragments of (85), (86), and (87) that are at least 15 base pairs in  
10 length and which hybridize under stringent conditions to genomic DNA encoding the polypeptide of SEQ ID NO:66;

(89) an operon comprising the sequence of SEQ ID NO:68, as depicted in Fig. 23, or degenerate variants thereof;

(90) an operon comprising the sequence of SEQ ID NO:68, or degenerate  
15 variants thereof, wherein T is replaced by U;

(91) nucleic acids complementary to (89) and (90); and

(92) fragments of (89), (90), and (91) that are at least 15 base pairs in length and which hybridize under stringent conditions to genomic DNA encoding the polypeptide of SEQ ID NO:67.

20 3. An isolated operon from *Streptococcus* comprising a nucleotide sequence that is at least 85% identical to a nucleotide sequence selected from the group consisting of

SEQ ID NO:2;

SEQ ID NO:5;

25 SEQ ID NO:8;

SEQ ID NO:11;

SEQ ID NO:14;



- 55 -

SEQ ID NO:17;  
SEQ ID NO:20;  
SEQ ID NO:23;  
SEQ ID NO:26;  
5 SEQ ID NO:29;  
SEQ ID NO:32;  
SEQ ID NO:35;  
SEQ ID NO:38;  
SEQ ID NO:41;  
10 SEQ ID NO:44;  
SEQ ID NO:47;  
SEQ ID NO:50;  
SEQ ID NO:53;  
SEQ ID NO:56;  
15 SEQ ID NO:59;  
SEQ ID NO:62;  
SEQ ID NO:65; and  
SEQ ID NO:68.

4. An isolated nucleic acid molecule that is at least 15 base pairs in length  
20 and hybridizes under stringent conditions to a nucleotide sequence selected from  
the group consisting of

SEQ ID NO:2;  
SEQ ID NO:5;  
SEQ ID NO:8;  
25 SEQ ID NO:11;  
SEQ ID NO:14;  
SEQ ID NO:17;  
SEQ ID NO:20;  
SEQ ID NO:23;

- 56 -

SEQ ID NO:26;  
SEQ ID NO:29;  
SEQ ID NO:32;  
SEQ ID NO:35;  
5 SEQ ID NO:38;  
SEQ ID NO:41;  
SEQ ID NO:44;  
SEQ ID NO:47;  
SEQ ID NO:50;  
10 SEQ ID NO:53;  
SEQ ID NO:56;  
SEQ ID NO:59;  
SEQ ID NO:62;  
SEQ ID NO:65; and  
15 SEQ ID NO:68.

5. A vector comprising an operon of claim 1.

6. A vector comprising a nucleic acid molecule of claim 2.

7. An expression vector comprising an operon of claim 1 operably linked to a nucleotide sequence regulatory element that controls expression of said operon.

20 8. An expression vector comprising a nucleic acid molecule of claim 2, wherein said nucleic acid molecule is operably linked to a nucleotide sequence regulatory element that controls expression of said nucleic acid.

9. A host cell comprising an exogenously introduced operon of claim 1.

- 57 -

10. A host cell comprising an exogenously introduced nucleic acid molecule of claim 2.

11. A host cell of claim 9, wherein the cell is a yeast or bacterium.

12. A host cell of claim 10, wherein the cell is a yeast or bacterium.

5        13. A genetically engineered host cell comprising an operon of claim 1 operably linked to a heterologous nucleotide sequence regulatory element that controls expression of the operon in the host cell.

14. A host cell of claim 13, wherein the cell is a yeast or bacterium.

15        15. A genetically engineered host cell comprising a nucleic acid molecule  
10 of claim 2 operably linked to a nucleotide sequence regulatory element that controls expression of the nucleic acid in the host cell.

16. A host cell of claim 15, wherein the cell is a yeast or bacterium.

17. An isolated operon comprising a nucleotide sequence encoding a polypeptide comprising an amino acid sequence selected from the group consisting  
15 of:

the amino acid sequence of SEQ ID NO:1, as depicted in Fig. 1;

the amino acid sequence of SEQ ID NO:4, as depicted in Fig. 2;

the amino acid sequence of SEQ ID NO:7, as depicted in Fig. 3;

the amino acid sequence of SEQ ID NO:10, as depicted in Fig. 4;

20        the amino acid sequence of SEQ ID NO:13, as depicted in Fig. 5;

the amino acid sequence of SEQ ID NO:16, as depicted in Fig. 6;

the amino acid sequence of SEQ ID NO:19, as depicted in Fig. 7;

the amino acid sequence of SEQ ID NO:22, as depicted in Fig. 8;

- 58 -

- the amino acid sequence of SEQ ID NO:25, as depicted in Fig. 9;  
the amino acid sequence of SEQ ID NO:28, as depicted in Fig. 10;  
the amino acid sequence of SEQ ID NO:31, as depicted in Fig. 11;  
the amino acid sequence of SEQ ID NO:34, as depicted in Fig. 12;  
5 the amino acid sequence of SEQ ID NO:37, as depicted in Fig. 13;  
the amino acid sequence of SEQ ID NO:40, as depicted in Fig. 14;  
the amino acid sequence of SEQ ID NO:43, as depicted in Fig. 15;  
the amino acid sequence of SEQ ID NO:46, as depicted in Fig. 16;  
the amino acid sequence of SEQ ID NO:49, as depicted in Fig. 17;  
10 the amino acid sequence of SEQ ID NO:52, as depicted in Fig. 18;  
the amino acid sequence of SEQ ID NO:55, as depicted in Fig. 19;  
the amino acid sequence of SEQ ID NO:58, as depicted in Fig. 20;  
the amino acid sequence of SEQ ID NO:61, as depicted in Fig. 21;  
the amino acid sequence of SEQ ID NO:64, as depicted in Fig. 22; and  
15 the amino acid sequence of SEQ ID NO:67, as depicted in Fig. 23.

18. An isolated polypeptide encoded by a nucleic acid located within an operon comprising a nucleic acid sequence selected from the group consisting of SEQ ID NO: 2, 5, 8, 11, 14, 17, 20, 23, 26, 29, 32, 35, 38, 41, 44, 47, 50, 53, 56, 59, 62, 65, and 68.

- 20 19. An isolated polypeptide, said polypeptide being encoded by an operon of claim 1.

20. An isolated polypeptide, said polypeptide being encoded by a nucleic acid molecule of claim 2.

21. An isolated polypeptide, said polypeptide being encoded by an  
25 operon of claim 3.

- 59 -

22. A method for identifying an antibacterial agent, the method comprising:

- (a) contacting a test compound with a polypeptide, or a homolog of a polypeptide, encoded by a nucleic acid sequence located within an operon comprising a GEP gene selected from the group consisting of gep103, gep1119, gep1122, gep1315, gep1493, gep1507, gep1511, gep1518, gep1546, gep1551, gep1561, gep1580, gep1713, gep222, gep2283, gep273, gep286, gep311, gep3262, gep3387, gep47, gep61, and gep76; and
- (b) detecting binding of the test compound to the polypeptide, wherein binding indicates that the test compound is an antibacterial agent.

23. The method of claim 22, further comprising:

- (c) determining whether a test compound that binds to the polypeptide inhibits growth of bacteria, relative to growth of bacteria cultured in the absence of a test compound that binds to the polypeptide, wherein inhibition of growth indicates that the test compound is an antibacterial agent.

24. The method of claim 22, wherein the polypeptide is selected from the group consisting of gep103, gep1119, gep1122, gep1315, gep1493, gep1507, gep1511, gep1518, gep1546, gep1551, gep1561, gep1580, gep1713, gep222, gep2283, gep273, gep286, gep311, gep3262, gep3387, gep47, gep61, and gep76.

25. The method of claim 22, wherein the test compound is immobilized on a substrate, and binding of the test compound to the polypeptide is detected as immobilization of the polypeptide on the immobilized test compound.

26. The method of claim 25, wherein immobilization of the polypeptide on the test compound is detected in an immunoassay with an antibody that specifically binds to the polypeptide.

- 60 -

27. The method of claim 22, wherein the test compound is selected from the group consisting of polypeptides and small molecules.

28. The method of claim 22, wherein:

(a) the polypeptide is provided as a fusion protein comprising the  
5 polypeptide fused to (i) a transcription activation domain of a transcription factor or  
(ii) a DNA-binding domain of a transcription factor; and

(b) the test compound is a polypeptide that is provided as a fusion protein  
comprising the test polypeptide fused to (i) a transcription activation domain of a  
transcription factor or (ii) a DNA-binding domain of a transcription factor, to  
10 interact with the fusion protein; and

(c) binding of the test compound to the polypeptide is detected as  
reconstitution of a transcription factor.

29. An antibody that specifically binds to a GEP polypeptide of claim 19.

30. An antibody of claim 29, wherein the antibody is a monoclonal  
15 antibody.

31. A method for identifying an antibacterial agent, the method comprising:

(a) contacting a polypeptide encoded by a nucleic acid located within an  
operon comprising a GEP gene with a test compound;

(b) detecting a decrease in function of the polypeptide contacted with the  
20 test compound; and

(c) determining whether a test compound that decreases function of a  
contacted polypeptide inhibits growth of bacteria, relative to growth of bacteria  
cultured in the absence of a test compound that decreases function of a contacted  
polypeptide, wherein inhibition of growth indicates that the test compound is an  
25 antibacterial agent.

- 61 -

32. The method of claim 31, wherein the polypeptide is selected from the group consisting of gep103, gep1119, gep1122, gep1315, gep1493, gep1507, gep1511, gep1518, gep1546, gep1551, gep1561, gep1580, gep1713, gep222, gep2283, gep273, gep286, gep311, gep3262, gep3387, gep47, gep61, and gep76.

5        33. The method of claim 31, wherein the test compound is selected from the group consisting of polypeptides and small molecules.

34. A method for identifying an antibacterial agent, the method comprising:

(a) contacting a nucleic acid comprising an operon containing a gene encoding a GEP polypeptide with a test compound, wherein the GEP polypeptide is  
10 selected from the group consisting of gep103, gep1119, gep1122, gep1315, gep1493, gep1507, gep1511, gep1518, gep1546, gep1551, gep1561, gep1580, gep1713, gep222, gep2283, gep273, gep286, gep311, gep3262, gep3387, gep47, gep61, and gep76; and

(b) detecting binding of the test compound to the nucleic acid, wherein  
15 binding indicates that the test compound is an antibacterial agent.

35. The method of claim 34, further comprising:

(c) determining whether a test compound that binds to the nucleic acid inhibits growth of bacteria, relative to growth of bacteria cultured in the absence of the test compound that binds to the nucleic acid, wherein inhibition of growth  
20 indicates that the test compound is an antibacterial agent.

36. The method of claim 34, wherein the test compound is selected from the group consisting of polypeptides and small molecules.

37. An isolated nucleic acid or an allelic variant thereof encoding:

a gep1493 polypeptide comprising the amino acid sequence of SEQ ID  
25 NO:13, as depicted in Fig. 5;

- 62 -

a gep1507 polypeptide comprising the amino acid sequence of SEQ ID NO:16, as depicted in Fig. 6;

a gep1546 polypeptide comprising the amino acid sequence of SEQ ID NO:25, as depicted in Fig. 9;

5 a gep273 polypeptide comprising the amino acid sequence of SEQ ID NO:46, as depicted in Fig. 16;

a gep286 polypeptide comprising the amino acid sequence of SEQ ID NO:49, as depicted in Fig. 17; or

a gep76 polypeptide comprising the amino acid sequence of SEQ ID NO:67,  
10 as depicted in Fig. 23.

38. An isolated nucleic acid comprising a sequence selected from the group consisting of:

(1) SEQ ID NO:14, as depicted in Fig. 5, or degenerate variants thereof;

(2) SEQ ID NO:14, or degenerate variants thereof, wherein T is replaced by  
15 U;

(3) nucleic acids complementary to (1) and (2);

(4) fragments of (1), (2), and (3) that are at least 15 base pairs in length and which hybridize under stringent conditions to genomic DNA encoding the polypeptide of SEQ ID NO:13;

20 (5) SEQ ID NO:17, as depicted in Fig. 6, or degenerate variants thereof;

(6) SEQ ID NO:17, or degenerate variants thereof, wherein T is replaced by  
U;

(7) nucleic acids complementary to (5) and (6);

(8) fragments of (5), (6), and (7) that are at least 15 base pairs in length and  
25 which hybridize under stringent conditions to genomic DNA encoding the polypeptide of SEQ ID NO:16;

(9) SEQ ID NO:26, as depicted in Fig. 9, or degenerate variants thereof;

(10) SEQ ID NO:26, or degenerate variants thereof, wherein T is replaced  
by U;



- 63 -

- (11) nucleic acids complementary to (9) and (10);
- (12) fragments of (9), (10), and (11) that are at least 15 base pairs in length and which hybridize under stringent conditions to genomic DNA encoding the polypeptide of SEQ ID NO:25;
- 5       (13) SEQ ID NO:47, as depicted in Fig. 16, or degenerate variants thereof;
- (14) SEQ ID NO:47, or degenerate variants thereof, wherein T is replaced by U;
- (15) nucleic acids complementary to (13) and (14);
- (16) fragments of (13), (14), and (15) that are at least 15 base pairs in
- 10      length and which hybridize under stringent conditions to genomic DNA encoding the polypeptide of SEQ ID NO:46;
- (17) SEQ ID NO:50, as depicted in Fig. 17, or degenerate variants thereof;
- (18) SEQ ID NO:50, or degenerate variants thereof, wherein T is replaced by U;
- 15      (19) nucleic acids complementary to (i) and (j);
- (20) fragments of (i), (j), and (k) that are at least 15 base pairs in length and which hybridize under stringent conditions to genomic DNA encoding the polypeptide of SEQ ID NO:49;
- (21) SEQ ID NO:68, as depicted in Fig. 23, or degenerate variants thereof;
- 20      (22) SEQ ID NO:68, or degenerate variants thereof, wherein T is replaced by U;
- (23) nucleic acids complementary to (21) and (22); and
- (24) fragments of (21), (22), and (23) that are at least 15 base pairs in length and which hybridize under stringent conditions to genomic DNA encoding
- 25      the polypeptide of SEQ ID NO:67.

39. A method for identifying an antibacterial agent, the method comprising:

- (a) contacting a test compound with a polypeptide, or a homolog of a polypeptide, encoded by a nucleic acid sequence located within an operon comprising a B-yneS gene; and

- 64 -

(b) detecting binding of the test compound to the polypeptide, wherein binding indicates that the test compound is an antibacterial agent.

40. The method of claim 39, further comprising:

(c) determining whether a test compound that binds to the polypeptide  
5 inhibits growth of bacteria, relative to growth of bacteria cultured in the absence of  
a test compound that binds to the polypeptide, wherein inhibition of growth  
indicates that the test compound is an antibacterial agent.

gsp101

Fig. 1

(SEQ ID NO: 2) 1 TCCTGATTTTGGAGAAAGTTTATTAGAGATAAAAGAGTCTAAGGAAAAAATTCATTTCATATTTTCTTCTATAAAATAGATAAAAAATGGTACAATA 100  
(SEQ ID NO: 3) ACCACTAAAAACCTCTTTCAAATAATCTCTATTTTCTCAGATTCCTTTTTTAAGGTAAACTATAAAAAGAAGATATTTTATCTATTTTACCATGTTAT

101 ATAAATTGAGGTAATAAGGATGAGATTAGATAAATATTTAAAGTATCGCGAATTATCAAGCGTCGTACAGTCGCAAGGAAGTAGCAGATAAAGGTAGA 200  
TATTTAACTCCATTATTCCTACTCTAATCTATTTATAAATTTTCATAGCGCTTAATAGTTCGCAGCATGTCAGCGTTTCCTTCATCGTCTATTTCCATCT

(SEQ ID NO: 1) 1 M R L D K Y L K V S R I I K R R T V A K E V A D K Q R 27

201 ATCAAGGTTAATCGAATCTTGGCCAAAAGTTCAACCGACTTCAAAGCTTAATGACCAAGTCAAAATTCGCTTTGGCAATAAGTTGCTGCTTTGTAAGGTAC 300  
TAGTTCCAATTACCTTAGAACCGGTTTTCAAGTTCCTGCACTTCATTAAGGCAAAACCGTTATTCAACGAGCAACATTTTCATG

28 I K V N G I L A K S S T D L K V N D O V E I R F G N K L L L V K V L 61

101 TAGAGATGAAGATAGTACAAAAAAGAAGATGCAGCAGGAATGTATCAAAATTATCAGTGAACACCGGTTAGAAGAAAAATGCTAAAAATATTGTACAAT 400  
ATCTCTACTTTCTATCATGTTTTTTCTCTACGTGCTCCTTACATACCTTTAATAGTCACTTTGTGCCCATCTTCTTTTACAGATTTTATAACATGTTA

62 E H K D S T K K E D A A G H Y E I I S E T R V E E N V \* 69

gcp1119

Fig. 2

(SEQ ID NO: 5) 1 GAAATCCGTTTCCAAATGCTGTAGCCATGAACCGCTTTATGAACGCTCTTGCCAGCCTTCCAAGCTCAGACTTACAGGAAATGAAAGAGGAAGACCACG 100  
 (SEQ ID NO: 6) CTTTAGGCAAAAGTTACACTGACATCGGTACTTGCAGAAATCTTGCGAGAACCGTCCGAAAGCTTCGAGTCTGAATGTCCTTTACTTTCTCTCTCGGTGC

101 CCGCAGAAATCACTTGTCAATTCGCCAACTACTTACAACTTTGATGAAAAGCACTCGAGCAACTCATTCGTGACAAATCTTAATACACCTTTATGA 200  
 (SEQ ID NO: 4) 1 CCGCTCTTTAGTGAACAGTTAAGACGGTTTGAATGATTTGAAACTACTTTCTCGGACCTCTTCAGTAAGCACTGTTTAGAATTAATGCGAAATACT 19

201 TTGGCAATATGAGATTCCCAATCGTACCGTTTATAGCGCCTATGGCTGGGTGACCAACTCAGCCTTTGTTACCATCGCAAAAGAGCTCGGAGCTGGA 300  
 AACCCTTATAACTCTAAGGGTTAGCATGGCAAAATCGCGGATACCGACCGCACTGGTTGAGTCGGAAGCATGGTAGCGTTTCTCGAGCCTCGACCTGA

20 G N I E I P N R T V L A P M A G V T N S A F R T I A K E L G A G L 52

301 CGTTGTAATGGAATGGTCTCTGACAGGGAAATCCAAATACAAACAGCAAAAAACCTGCATATGCTTCATATCGATGAGGGCGAAACCTGTCTCTATC 400  
 GCAACATTACTTTACAGAGACTGTTCCCTTAGGTTATGTTGTTGCTTTTGGGACGTATACGAAGTATAGCTACTCCCGCTTTGGGACAGAGATAG

53 V V M E M V S D K G I Q Y N N E X T L N M L N I D E G E N P V S I 85

401 CAACTTTTGGTAGCGATGAAGACAGCTAGCAACCGCAGAGAAATCATCCAGAAAAACCAAGACCGATATCGTCAATATCAACAGCGCTGCGCTG 500  
 GTTGAAGAACCATCGCTACTTCTGCGATCGTGGCGCTGCTTAAGTAGGTTCTTTGCGGTTCTGGCTATAGCAGCTATAAGTGTATCCGACCGGAC

86 Q L F G S D E D S L A R A A E F : Q E N T K T D I V D I N M G C P V 119

501 TCAACAAATCTGTAAGAACGAAGCTGGAGCTATGTTGGCTCAAGGATCTGCAAGATCTACTCTATCATCAACAGGTCCAGTCTGTCTTGTATATCCC 600  
 AGTTGTTTATGACCTTCTTGTCTTCAACCTCGATACACCGAGTTCTAGGACTGTTCTAGATGAGATAGTAGTTGTTCCAGGTCCAGACAGGAATATAGGG

120 N K I V K N E A G A M W L K D P D K I Y S I I N K V Q S V L D I P 152

601 ACTTACTGTCAAAATGCGTACCGGCTGGGCGGACCATCTCTGGCAGTAGAAAATGCGCTCGTGTGAGGCTGCAGGTGTTCTGCGCTCGCCATGCA 700  
 TGAATGACAGCTTTACCATGGCCGACCGCTGGGTAGAGACCTCATCTTTACGGGAGCGACGACTCGACGTCCAGAAAGACGGGAGCGGATAGTA

153 L T V K M R T G W A D P S L A V E N A L A A E A A G V S A L A M H 185

701 GCGCGTACCGGTGAACAAATGTATCTGGCCAGCGCAGACCTTGAGACCTTTACAAGGTTGCCCAAGCTCTAACCAAGATTCCATTATCGCCAACGGTG 800  
 CCGGCATGGGCACCTGTTTACATATGACCGGTGGCTCTGGAATCTGCGGAAATGTTCCAACGGGTCGAGATTGGTTCTAAGGTAAGTACCGGTTGCCAC

186 G R T R E Q M Y T G H A D L E T L Y K V A Q A L T K I P F I A N G D 219

801 ATATCCGTACTCTCAAGAAAGCCAGCAAGCCATCGAAGAAGTTGGTGTGACCGACTCATGATTGGCCGAGCTGCCATCGGAAATCCTTACCTCTTCAA 900  
 TATAGGCATGACAGGTTCTTGGGTTCTTGGGTAGCTTCTTCAACGACGACTCGCTCAGTACTAACCGGCTCGACGGTACCGTTTAGGAATGGAGAAGTT

220 : R T V Q E A K O R I E E V G A D A V M I G R A A M G N P Y L F N 252

901 CCAATCAACCATTAATTTGAAACAGGAGAAATCTACCTGATTTGACCTTTGAAGACAAGATGAAGATCGGCTACGAACACTTGAAGAGATTGATTAA 1000  
 CGTTAGTTGGTAATGAACTTTGTCTTTAGGATGGACTAACTGGAAACTCTGTTCTACTTCTAGCGGATGCTTGTGAATTTGCTAACTAATTC

253 Q : N H Y F E T G E I L P D L T F E D K M K I A Y E H L K R L I N 285

1001 CTCAAGGAGAAAAAGTCGAGTTGTTGAATTCGCGGCTCGCTCTCACTATCTCGGTGGAACATCTGGCGCTGCCAACTCCGTGGAGCCATTTCGC 1100  
 GAGTTCTCTTTTGCAGCGTCAAGCACTTAAGGCGCGGAGCGAGGATGATAGAGGCACCTTGTAGACCGGACGGTTTGGGACCTCGGTAAAGCG

286 L K G E N V A V R E F R G L A P H Y L R G T S G A A K L R G A I S O 319

1101 AAGCTAGCACCTAGCAGAGATTGAAGCTCTCTGCAATTCAGAAAGCTTAATAGTTTAAACCCGTAACCTCTTAAAGAGTCTCTTGAATGCCGCCA 1200  
 TCGCATCGGCATCGTCTCAACTTCGGGAGAACGTTAAGCTCTTCGGAATTATCAAAATTTGGGCATTGAGAGAAATTTCTCAGAGAACTTACGGCGGT

320 A S T L A E : E A L L O L E K A \* 336

9ep1122

Fig. 3 (Sheet 1 of 2)

(SEQ ID NO: 8) 1 AAGGCACGAGCTGGAAGTTTCCCTCATATTTTCAATAGTTTATTAGCTACACGTTGAGCACTTCAGAAAAATCAAATTCCTTCAAGTTCTCTTCTA 100  
(SEQ ID NO: 9) TCCGTGCTCGACCTTCAAAGGGAGTATAAAAAGTTATCAATAATCGATGTGCAACTCGTTGAAGTCTTTTAGTTTAAGAAAGTTCAAGAGAAGAT

101 TAGTAGATTTGAAATCCCTTTTTCAGCTAGTTTCTGAGTCAGCACATAAGGACCCCTGTCTCTGAAAGTTGATTGGTATTGATGATAGCATAAGCGTA 200  
ATCATCTAAAACCTTAGGGAAAACTCGATCAAGACTCAGTCGTGTATTCTCGGGAACAGAGGACTTCAACTAACCTAACTACTATCGTATTGGCAT

201 CTGACCATCATTAAATCCACTTATCTTCTTAAGATTAGCAATACTTGAGAAACGATGTTTTATCAATATCGTATTTTTCAGATATTCTCTGACTTCT 300  
GACTGGTAGTAATTAGGTGAATAGAGAAATCTAATCGTTATTGAACTCTTGTCTACAAAAATAGTTATAGCATAAAAAAGCTATAGAGACTCGAAG

301 TTTTCAGTCGTCTCTTAAAGGATAAGTGTAGAGGCGCAGATTCTTACATAAGAAAAATGAGCAAGTCTTGAATCTCTTCAATTCTCTCTCGCTTA 400  
AAAACTCAGCAGCAAAATTCCTATTCACTATCTCCGCTCTAAGAAATGGTATTCTTTAACTCTTTTCAAGAACTTAGAGAAAGTTAAGGAGAAAGCAAT

401 TCACCTTATCTCTGATAACATAAAACGAACAAATGTATCTTGGTGATATAGCATTGTGCGCCATTATCAAGCTCCATCAGATAGAGTCTTTTCTT 500  
AGTGGAAATAGAGAGCTATTGTATTTGCTTGTTAACATAGAAGCCACTATATCGTAAACAGCGGTAATAGTTTCGAGGTAGTCTATCTCAGAAAAAAAGAA

501 TTCAAGTTTGTGATTTTCTAGCTCTATTATACTCAAAATGTGATAAGATAGCGGTATCAATCTGAAAGTCAAAACAAAAATACCATTAATAATCAAG 600  
AAGTTCAAAACACTAAAAGTATCGAGATAAATATGAGTTTACACTATTCTATCCCACTACTTAGACTTTCACTTTGTTTTTATGCTAATTTTATGTTT

(SEQ ID NO: 7) 1 M N L K V K Q K I P L K I K 14

601 CGCATGGAAATTAACGGTGAAGGAATCGGTTTTTACCAAAAAACATTAGTCTTTGTACCAGGAGCTCTCAAAGGGCAAGATATCTATTGTCAGATTACT 700  
CGGTACCTTAATTGCCACTCCCTTAGCCGAAAAATGGTTTTGTAAATCAGAAAACATGGTCTCGAGAGTTTCCGCTCTATAGATAACAGCTAATGAA

15 R M G : N G E G I G F Y O K T L V F V P G A L K G E D : Y C Q I T S 48

701 CTATTAGACGCAACTTTGTTGAAGCAAAATTACTGAAGGTCAACAAAGTCTAAATTTGAAATGTGCCATCTTGTACTATTATTAATGAATGCCGAG 800  
GATAATCTGCTTGAAACAACTCGTTTAAATGACTTCCAGTGTCTTTCAGATTAAAGCTTAACACGGTAGAACAATGATAAATATTACTTACGCTCC

49 I R R N F V E A K L L K V N K K S K F R I V P S C T I Y N E C G G 81

801 CTGCCAAATCATGCACCTGCATTATGATAAGCAGCTGGAGTTCAAGACGGACTTACTTCATCAAGCGCTGAAAAAATTTGCTCTTGCAGGATATGAAAA 900  
GACGGTTTAGTAGCTGGAGCTAATACTATTCTCGACCTCAAGTTCTGCTGAAATGAAGTAGTTCCGCACTTTTTTAAACGAGGACCTCTCTACTTTTA

82 C Q I M H L N Y D K O L E F K T D L L N O A L K K F A P A G Y E N 114

901 TATGAAATTCCTCAACTATTGGAATGCAGCAACCAAAATATTACAGAGCTAAGTTACAATTTAGACTCGAAAAATTAATAATCAGGTCAAGGCGGGCT 1000  
ATACTTTAAGCAGGTGATAACCTTACGTCTCTGTTTTATATGCTCTGATTCAATGTTAAAGTCTGAGCTTTTAAATTTTATGTCAGTTCCGCGCGA

115 Y E I R P T : G M O E P K Y Y R A K L O F O T R K F K N Q V K A G L 148

1001 TATATGCACAAAACCTCTCACTATTAGTAGAGTTGAAAGACTGCTGTTACAAGATAAGGAAACCCAAAGTATGCTAATCGCTTAGCAGAAATTAATTAC 1100  
ATATAGCTGTTTTGAGAGTGATAAATCATCTCAACTTTCTGACCGACCATGTTCTATTCTCTTGGGTTCACTAACGATTAGCGAATCGTCTTAATGAATG

149 Y A Q N S H Y L V E L K D C L V O D K E T Q V I A N R L A E L L T 181

1101 TTATCACCAGATTCCAATCAGGATGAGAGAAAAAGTTCTAGGTGTCTGTTACTATTATGTTCCGACGGCGGAGAAAGACCGGACAGGTTCAAGTTATTAT 1200  
AATAGTGGTCTAAGGTTAGTGCTACTCTCTTTCAAGATCCACAGGCATGATAATACCAGGCTGCGCGCTCTTTCTGCGCTGTCCAAGTCTAATAATAA

182 Y H Q I P : T D E R K V L G V R T I M V R R A R K T G O V Q I I : 214

1201 GTTACAAACCGCCAGCTTAATTAATCAATTCGTAAGAGAGTTGTTAAAGATTTCACAGAAAGTTGTCAGAGTAGCTGTTAATACAAATACAGCTAAAA 1300  
CAATGTTTGGCGGTGGAATTAATTAAGTTAAACATTTCTCAACCAATTTCTAAAGGGCTTCAACACTGTATCGAGCAATTTATGTTATGTCGATTT

215 V T N R C L N L T C L V K E L V K D F P E V V T V A V N T N T A K T 248

1301 CCAAGTGAATATATGGTGAAGAGACAGATTATCTGGGGCAAGAGAGATTCAAGAGGTTGTTCAATATGAATTTTCACTATCCCTCGAGCTTT 1400  
GGTCACTCTATATACCACTTTCTGTCTCAATAGACCCCTGTTCTCATAGTTTCTCCACATGAAGTTAATCTTAAAGGTATAGGGAGCTCGAAA

## Fig. 3 (Sheet 2 of 2)

249 S E I Y G E K T E I I M G O E S I O E G V L N Y E F S L S P R A F 281

1401 TTATCAACTAAATCCTGAGCAACAGAACTCCTCTATAGCGAAGCACTAAAGCGCTGGATGTTGATAAAGAGACCATTGATTGACGCTTATTGTGCA 1500  
AATAGTTGATTAGGACTCGTTTCTCTCAGGAGATATCGCTTGGTCATTTGGGACCTACAACATTTCTCTGGTAAACTACGCAATAACACCT

282 Y Q L N P E O T E V L Y S E A V K A L D V D K E D H L I D A Y C G 314

1501 GTTGGACGATTGGATTTCCTTTGCAAGAAAGTAAAACTCAGAGGTATGGATATTATTCCAGAAGCTATTGAAGTGCACGCAAACTGCTAAAA 1600  
CAACCTTGCTAACCTAAACGGAACGTTTCTTCATTTTGTGAGTCTCCATACCTATAATAAGGTCTTCGATAACTTCTACGGTTCGCTTTAGCATTTT

315 V G T I G F A F A K K V K T L R G M D I I P E A I E D A K R N A K R 348

1601 GAATGGGATTGACAATACTCATTATGAAGCTGGAAACGGCAGAAGACATTATTCCTGTTTGGTACAAGGAAGGCTACCGAGCAGATGCTTTCATTGTTGA 1700  
CTTACCTTAAACTGTTATGAGTAATACTTCGACCTTGGCTCTTCTCTAATAAGGAGCAACCATGTTCTTTCGATGGCTCGTCTAGCAAACTAACCACT

349 M G F D N T H Y E A C T A E E I I P R W Y K E G Y R A D A L I V D 381

1701 CCCACCACTACAGGTCTGGATGATAAGTTATTAGATACTATTCTTACTTATGTACCAGAAAAATGGTTTATATTCTTGTAAATGTTTCGACCTTGGCT 1800  
GGTGGTGCAATGTCAGACCTACTATTCAATAATCTATGATAAGAATGAATACATGGCTCTTTTACCAAAATATAAAGAACATTACAAAGCTGGAAACCA

382 P P R T G L D D K L L D T : L T Y V P E K H V Y I S C H V S T L A 414

1801 CGTGATTGGTACGCTTAGTAGAAGTCTATGATCTTCATTATATCCAGTGGTGGATATGTTCCACATACAGCTCGAACTGAAGTGTGTAATAATTA 1900  
GCACTAAACCATGCGAATCATCTTCAGATACTAGAAGTAATATAGGTGAGCAGCTATACAAGGGTGATGTCGAGCTTGACTTCGACACATTTTAATT

415 R D L V R L V E V Y D L N Y I O S V D M F P K T A R T E A V V K L : 448

1901 TAACAAAAGTTAAAAAGTACTTCACAAAGCTTGAAGAAGTGTATAATAGTAAGAGTTGAAAAATAACAACCTCAGGTCCTTGGTCAAGGGGTTAAGAC 2000  
ATTGTTTTCAAAATTTTTTCATCAACTGTTTTCAAACTTTTCTGACATATTATCTCTCAACTTTTATGTTGAGTCCAGCAACCACTTCCCAATTTCTG

449 T K V \* 452

2001 ACCTCTTTTCAAGGGGTAACACAGGTTTCAATCTCCGTACGGACTATGGTATGTTGGGTTGGAACTCTGATGAAAACTTTA 2084  
TGCGGAAAAGTGCGCCATTGTGCCAAGCTTAGGGCATGCTGATACCATACAACGCCAAGCTTGTGAACCTCTTTTGAAT

gcp1315

Fig. 4

(SEQ ID NO:11) 1 AAGAGCTCCCTTTCTTTTATTTATCTTAGCAAAATTCCTCAAAATAGCTAGTAGCATAGCTGTTTGTACTGGCTAAAAACAGGCTATTCAAAATTCAG 100  
(SEQ ID NO:12) TTCTCGAGGAAAGAAAAATAATAGAAATCGTTTAAAGGGAGTTTAAATCGATCATCGTATCGGACAAACATGACCGAATTTGTCCGATAAAAGTTTAAGTC

101 TTTCAGACCATCTAGCATGGAAAAATCTGTTATAATAATGGAAGGAGAGCGCATGCCAAGATTTTATAATAGAGATCATCAGGTCATTGCTCAA 200  
AAAGTCTGGTAGATCGTACCTTTTAGACAATATTATACCTTTCTCTCGGTACGTGTTCTAAAAATAATTATCTTACTAGTCCAGTAAGCACTT

(SEQ ID NO:10) 1 M R K I L L I E D D O V I R Q 15

201 CAGATTGGGAAAAATGCTCTCTGAATGGGGATTTNAAGTGGTCTGCTAGGAAGACTTTATGCAAGTTTGAAGTCTATTGTTCACTCGGAACCTCATCTGG 300  
GTCTAACCCCTTTTAGGAGAGACTTACCCCTAAATTTACAGGACCATCTCTGAAATAGCTTCAAAACTCAGATAAACAAAGTCAGCCTTGGAGTAGACC

16 Q I G R H L S E W G F X V V L V E D F M E V L S L F V Q S E P H L V 49

301 TCCTCATGGATATTGGTTTGGCCCTTGTTAATGGTTATCACTGGTGTGAGGAATCGGCAAGATTTCCAAAGTACCTATCATGTTTCTTCTCGAGAGA 400  
AGGAGTACCTATAACCAACGGGAACAAATACCAATAGTGACCAAGTCTCTTAGGGCTTCTAAAGGTTCCATGGATAGTACAAGAAAGAAAGCTCTCT

50 L M D I G L P L F N G Y H M C Q E I R K I S K V P I M F L S S R D 82

401 CCAGGCTATGGATATTGTCATGGCAATCAATATGGGGCGGATGACTTTGTGACCAAGCCCTTTGACCAGCAGGTTCTTTAGCTAAGGTTTACGGCTTG 300  
GGTCCGATACCTATAACAGTACCGTTAGTTATACCCCGCTACTGAAACACTGTTTGGAAAACTGGTCTCCAGAAAAATCGATTCCAGTCCCGAAC

83 Q A M D I V M A I N M G A D D F V T K P F D O Q V L L A X V O G L 115

501 TTGGCTCTTCTATGAGTTTGGGCGTGATGAGAGTTTGTGGAATATGCTGGTGTATCTCAATACCAAAATCCATGGATTACATTATCAAGGGCAAG 600  
AACGCAAGCAAGGATCTCAACCCGCACTACTCTCAACGACCTTATAGCAACCAATAGGAGTTATGGTTTAGGTACCTAAATGTAATAGTTCCCGTTC

116 L R R S Y E F G R D E S L L E Y A G V I L N T K S M D L H Y O G Q V 149

601 TCTGAATTTGACCAAGAATGAATCCAGATTTTACGGCTGTATTTGAGCATGCAGGCAACATCGTAGCAGTGACGACCTGATCGGGAACTTTGGAA 700  
AGAACTAAACTGGTTCTTACTTAAGGTCTAAAATGCCCAATAAATCTGACGTCCGTTGTAGCATCGTGCACTGCTGACTAGCCCTTGAAACCTT

150 L M L T K N E F C I L R V L F E H A G N I V A R D D L M R E L M N 182

701 CAGTGACTTTTCATTGATGATAATACCTCTCTGTCAATGTGGCTCGTTGCGTAAAAAGTTGGAGGAGCAGGGATTGGTAGGATTTATCGAGACCAAG 800  
GTCACTGAAAAAGTAACTACTATTATGGGAGAGACAGTTACCGAGCAAAACGCAATTTCAACCTCTCTGCTCCCTAACCACTCTAAATAGCTCTGGTTC

183 S D F F I D D N T L S V N V A R L R K K L E E Q G L V G F I E T K 215

801 AAAGGAATAGGGTACGGATTGAAGCATGCTTGATTGAAAAATTTTCTAGCCTATCTGCGCTCCCGTAGTCTCTTTTATCTATCTGCTTTCTTTG 900  
TTCTCTATCCCTACCTAACTTCTACGAATCACTTCTGTTAAAAAGATCGGATAGACGCGAGGGCATCAGCAGAAAAATAGATAGACGAAGAAAC

216 K C I G Y G L K H A 226

901 GCATTTCCTGCTTACTCTTTCAGTTTTTATTTGCCAGTCTAGGAATTTACTCTCTACTTTTCTCTTGTGTTGCTTTGTAAACCATCTTATTTTCA 1000  
CGTAAAGAACAGAAATCAGAAAGTCAAAAATAAACGGTCAGATCTTAAATGAAGGAGATGAAAAAGAAGAACACAAACGAACCATTTGGTAGAATAAAAGT

gcp1493

Fig. 5

(SEQ ID NO:14) 1 TAAAGACACTGGAACGACCAACACCTTCCGCATTTTAGGTAAAGAAAGCTGGTATGGCAACCTTTGTGATTGACTTTTCAAAGGAACCCTAGCAACCGTG 100  
(SEQ ID NO:15) ATTTCTGTGACCTTGGTGGTTGTGGAAAGCGTAAATCCATTCTTTGACCATACCGTTGGAACACTAACTGAAAAAGTTTCTTTGGGATCGTTGGGAC  
(SEQ ID NO:13) 1 K D T G T T N T F R I L G K K A G H A T F V I D F F K G T L A T L 33

101 CTTCGGATTATTTTCACTCTACAAGCGTTTCTCTCTCATTTTGGACTTTTGGCTGTATCGGCCATACCTTCCCTATCTTTGGAGGATTTAAAGGTG 200  
GAAGGCTAATAAAAAGTAGATGTTCCGCAAGAGGAGAGTAGAAACCTGAAAACCGACAATAGCCGGTATGGAAGGGATAGAAACGTCCTAAATTTCCAC  
34 L P I I F H L Q G V S P L I F G L L A V I G H T F P I F A G F K G G 67

201 GTAAGGCTGTGCAACCACTGCTGGAGTGATTTTGGATTGCGGCTATCTTCTGTCTCTACCTTGGATTATCTTCTTTGGACTCTCATATCTTGGCAG 300  
CATTCCGACAGCGTTGGTCACGACCTCACTAAAGCTTAAACGGGATAGAAACAGAGATGGAACGCTAATAGAAAGAACTTGACAGTATAGAACCGTC  
68 K A V A T S A C V I F G F A P I F C L Y L A I I F F G L S Y L G S 100

301 TATGATTTCACTGTCTAGTGTCAAGCATCGATCGCGGCTGTTA 344  
ATACTAAAGTGACAGATCACAGTGTCTAGCTAGCCCGACAAAT  
101 M I S L S S V T A S I A A V 114



gcp1507

Fig. 6

(SEQ ID NO:17) 1 CTAAGGTAAATGAATGAAAAGTATAAAATTAATGCTCTATCTTACATGGAAATTCGTGTCTGAATATTATTTTCCATCCTAACTGGAACCTATG 100  
(SEQ ID NO:18) 1 GATTTCCATTTAACTTACTTTTCATATTTTAAATTTAGGAGATAGAAATGTACCTTAAACACAGAACTTATAATAAAAACGGTAGGATTGACCTTGGATAC  
(SEQ ID NO:16) 1 M K S I K L N A L S Y M G I R V L N I I F P I L T G T Y V 29

101 TCGCGGTGTCTTGGACCGAACTGACTATGGTTACTTCACTCAGTCGACACTATTTGTCAATTTTCTGGCCCTTTCGAACCTATGGTGTCTATAACTA 200  
AGCGCCACAGAACTCGCTTGACTGATACCAATGAAGTTGAGTCAGCTGTGATAAAACAGTAAAAAGAACGGGAAACGTTGAAATACCACAGATATTGAT  
30 A R V L D R T D Y G Y F N S V D T I L S P F L P F A T Y G V Y N Y 62

201 CGGTTTACGGCTATCAGTAATGTCAGGATAACAAAAAGATCTTAACAGAACCTTTCTAGTCTTTTATTGTCATCGCTTGTACGATTTTGACC 300  
GCCAAATTCGGATAGTCATTACAGTTCTTATGTTTTCTAGAAATGCTTGGAAAAGATCAGAAAAAATAAACACGTAAGCGAACATGCTAAAACCTGC  
63 G L R A I S N V K D N K K D L N R T F S S L P Y L C I A C T I L T 95

301 ACTGCTGTCTATATCCTAGCCTATCCTCTCTTCTTACTGATAATCCAATGTCAAAAAGTCTACCTGTTATGGGGATTCAACTCATTTGCCAGATT 400  
TGACGACAGATATAGGATCGGATAGGAGAGAAAGAAATGACTATTAGGTTAGCAGTTTTCCAGATGGAACAAATACCCCTAAGTTGAGTAACGGGTCTAAA  
96 T A V Y I L A Y P L F F T D N P I V K K V Y L V M G I Q L I A O I F 129

401 TTTCAATCGAATGGGTCAATGAAGCTCTGGAATAATACAGTTTCTCTTTTACAAAACCTGC 460  
AAAGTTAGCTTACCCAGTTACTTCGAGACCTTTAATGTCAAAGAGAAAAATGTTTGGACG  
130 S I E W V N E A L E N Y S F S P T K L 148

gcp1511

Fig. 7

(SEQ ID NO: 20) 1 CTTCCGATTACCGTGATGGATTTCACTATGTAAATGATTTTATGGCAACCTGAGAGCAGGACGAGGAATGTATGTTTGTGACGAGTTGCTATACA 100  
(SEQ ID NO: 21) GCAGCGTAATGGCACTACCTAAAGTGCAATATTACTAAAAATACCTGTTGCAGCTCTGCTCCTCTTACATACAAAACTGCTCAACGATATGT

101 GGGAGTAGGCATGCAGATTCAAAAAAGTTTAAAGGGCAGCTCTCCCTATGGCAAGCTGTATCTAGTGGCAACCGGATTGGCAATCTAGATGATATGACT 200  
CCCTCATCCGTACGTCTAAGTTTTTCAAAATTCCTGTCAGAGGGATACCGTTGCACATAGATCACCGTTGGCGTAACCGTTAGATCTACTATACTGA

(SEQ ID NO: 19) 1 M Q I O K S F K G Q S P Y G K L Y L V A T P I G N L D D M T 30

201 TTTCTGCTATCCAGACCTTGAAGAAGTGGACTGGATTGCTGCTGAGGATACGGCGCAATACAGGGCTTTTGCTCAAGCAATTTGACATTTCCACCAAGC 300  
AAAGCAGATAGGTCTGGAACTTTCTTCACTGACCTAACGAGCACTCCTATGCGCGTTATGTCGCGAAAAACGAGTTCGTAAAACTGTAAAGGTGGTTGG

31 F R A I Q T L K E V D W I A A E D T R N T G L L L K H F D I S T K Q 64

301 AGATCAGTTTTCATGAGCAATGCAAGGAAAAAATTCCTGATTTCATGCTTTCTTGAAGCAGGGCAAGTATTGCTCAGGTCTCTGATGCGCGTTT 400  
TCTAGTCAAAAGTACTCTGTTACGTTTCTTTTAAAGGACTAACTAACCAAGAACTTCTGTCGCGTTTCTATAAGGCTCCAGAGACTACGGGCAAA

65 I S F H E N N A K E K I P D L I G F L K A G Q S I A O V S D A G L 97

401 GCTAGCATTTTCAGACCTGCTGTCATGATTTAGTTAAGGCAGCTATTGAGGAAGAAATTCAGTTGTGACTGTTCCAGGTACCTCTGCAGGAATTTCTGCC 500  
CGGATCGTAAAGTCTGGGACCACTACTAAATCAATTCGTCGATAACTCTTCTTAAAGCTCAACACTGCAAGGTCCATGGAGACGCTCTTAAAGACGG

98 P S I S D P G H D L V K A A I E E E I A V V T V P G T S A G I S A 130

501 TTGATTGCCAGTGGTTTAGCGCCACAGCCACATATCTTTACGGTTTTCACCGAGAAATCAGGTCAACAGAAAGCAATTTTGGCTCTAAAAAGATT 600  
AACTAACGGTCACCAATTCGCGGTCTCGGTGTATAGAAAATGCCAAAAAATGGCTCTTTAGTCCAGTTGTCTTGGTTAAAAACCGAGATTTTCTAA

131 L I A S G L A P Q P H I F Y G F L P R K S G Q Q K Q F F G S K K D Y 164

601 ATCTGAAACACAGATTTTATGAATCACTTCATCTGTAGCAGACAGTTGGAAAAATATGTTAGAAGTCTACGGTGACCGCTCGGTGTTTTGGTCAG 700  
TAGGACTTTGTGTCTAAAAATACCTTAGTGGAGTAGCAGTCTGTGCAACCTTTATACAATCTTCAGATGCCACTGGCGAGCAACAAAAACAGTTC

165 P E T Q I F Y E S P H R V A D T L E N M L E V Y G D R S V V L V R 197

701 GCAATTGACCAAAATCTATGAAGATACCAAGAGGTACAAATTTCTGAATTCCTGAAAGCATCTCTGAAACGTCTCTCAAGGGTGAATGTCTTCTGATT 800  
CTTAACTGGTTTTAGATACTTCTTATGTTTTCTCAATGTTAAAGACTTAACGACCTTCTGAGAGACTTTGCAGAGAGTTCCCACTTACAGAAGACTAA

198 E L T K I Y E E Y O R G T : S E L L E S I S E T S L K G E C L L I 230

801 GTTGAAGGTCCAGCAAGGTGTGGAGGAAAAAGATGAGGAAGACTTTGTTCTAGAAATCCAAGCCGTATCCAGCAAGGCATGAAGAAAAATCAAGCTA 900  
CAACTTCCACGGTGGTTTCCACACCTCTTTCTCTGCTTCTGAAACAAGAACTTTAGTTCGGGCATAGGTGTTTGGTACTTCTTTTAGTTGGAT

231 V E C A S K G V E E K D E E D L F L E I Q A R I Q Q G H K K N Q A : 264

901 TTAAGGAAATAGCTAAGATTTACCACTGGAAATAGAGTCAACTCTACGTCCTTACCACGACTGGGAAGAAAAACAATAAAGGGAGACAGGATGTAAATA 1000  
AATTCCTTATCGATTCTAAATGGTCACCTTATCTCAGTTGAGATGCGACGGATGGTCTGACCTCTCTTTTGTATTTCCCTCTGTCTACATTAT

265 K E I A K I Y Q W N K S C L Y A A Y N D W E E K Q \* 290

gcp1518

Fig. 8 (Sheet 1 of 2)

(SEQ ID NO: 23) 1 ATGCGTTGGTTAAAAAAGGTGGCAATGCTCTTTAAGTCAAGTTATTGGGCTGTAGCATATAAATCTATTCTCTACATATTTTAAACGTTCTACGAC 100  
(SEQ ID NO: 24) TACCGAACCAATTTTTTCCACCGTTACGAGAAATTCAGGTTCAATAACGCGACATCGTATATTAGATAAAGGATGTATAAAAAATTTGCAAGATGCTC

101 TTAATTTGAAACGTTTAGCTTGTGCTATAATAGATTTATGGATAAAAAATATGAAAAATCTCTCAGGATTTGGGAGTGCCTTAAAGCAATTTGATACC 200  
AATTAACCTTTGCAAAATCGAACACCATATTATCTAAATACCTATTTTATATCTTTTATAGAGAGTCTAAACCGCTCACTGCAATTTGCTTTAACTATGG

(SEQ ID NO: 22) 1 M D K K Y E K I S Q D L G V T L K Q I D T 21

201 GTTCTAAGTTTGACAGCTGAAGCGGCGACTATTCCCTTTATCGCGGTTATCGCAAGGACATGACTGGTAGTCTGGATGAGGTGGCGATTAAAGCTATTA 300  
CAAGATTCAAACTGCTCGACTTCCCGCTGATAAGGGAATAGCGGCAATAGCGTTCTGTACTGACCATCAGACCTACTCCACCGCTAATTCGATAAT

22 V L S L T A E G A T I P F I A R Y R K D M T G S L D E V A I K A I I 55

301 TTGATTTGGATAAAAGTCTGACAAATCTCAATGACCGTAAGGAAGCTCTTACGCTAAGATTCAAGAACAAAGTAAAGTTGACCAAGGAATTCGAAGAAGC 400  
AACTAAACCTATTTTACAGCTGTTTAGAGTTACTGGCATTCTTTCCAGAGAATCGATTCTAAGTTCTGTTCCATTCAACTGGTCTCTTAACCTCTTCTCG

56 D L D K S L T N L N D R K E A V L A K I Q E Q G K L T K E L E E A 88

401 TATCTTAGTTGCCGAAAAATTAGCAGACGTTGAAGAACTCTATCTTCTTATAAGGAAAAGCGTCTGACCAAGGCAACCTATGCCCGTGAAGCTGGACTC 500  
ATAGAAATCAACGGCTTTTAAATCGTCTGCAACTCTTGTAGATAGAAAGGAATATTCCTTTTCCAGCATGGTTCCGTTGGTAAACGGGCACTTCGACCTGAG

89 I L V A E K L A D V E E L Y L P Y K E K R R T K A T I A R E A G L 121

501 TTTCTCTTGTCTGTTTGAATTTGCAGAAATATAGTTGACTTAGAGAAAGAGCTGAAAAGTTCTCTGTGAAGGATTTGCGACTGGCAAGGAAGCTTGA 600  
AAAGGAGAACGAGCAAACTAAACGCTCTTATCACTGAATCTCTTCTTCTGACTTTTCAAGCAGACACTTCTTAAACCTGAGCCGTTCTTCCGAACT

122 F P L A R L I L Q N I V D L E K E A E K F V C E G F A T G K E A L T 155

601 CGCGTCAGTGCATATTTGCTCGAAGCCTTATCGAAGATGTGACCTTGGTTCTATGACTTATCAGGAAGTCTGAGACACTCTAAACTCACTCTCA 700  
GGCACCTCACTATAAAACCACTTCCGAATAGCCTTCTACACTGGAAGCGCAAGTACTGAATAGTCTCTCAGCACTCTGTGAGATTTGAGTGAAGAGT

156 G A V D I L V E A L S E D V T L R S M T Y Q E V L R N S K L T S Q 188

701 AGCCAAAGGATGAAGTCTTGATGAAAAGCAGGTTTTTCAGATTTATTATGATTTTTTCAAGACAGTTCGAACTATGCAAGGCTATCGTACTTGGCTCTC 800  
TCGGTCTGCTACTTTCAAGACTACTTTTTCTGCAAAAAGTCTAAATAATCTATAAAGTCTCTGTCAACCTTGATAGTTCCGATAGTCAAGCCGAGAG

189 A K D E S L D E K O V F Q : Y Y D F S E T V G T H Q G Y R T L A L 221

801 AATCTGGGGAGAAACTTGGTGTCTGAAGATCGGTTTTGAACATGCGACGGACCGTATTCTTGCCTCTTTGCTACTCGTTTCAAGTGAAAAATGCTT 900  
TTAGCACCTCTTTTGAACCAAGAACTTCTAGCCAAACTTGTACGCTGCTGGCATAAGAACGGAAGAAACGATGAGCAAAAGTCCACTTTTACGAA

222 N R G E K L G V L K I G F E H A T D R : L A F F A T R F X V K N A Y 255

901 ATATTGATGAAGTTGTTCAAGCAATCCGTTAAGAAAAAGTCTTCCCTGCTATTGAGCGTCTGATTCCGACAGAAATTAAGTGAGAAAGCTGAAGAGGGAGC 1000  
TATAACTACTTCAACAAAGCTGTAGGCAATTTCTTTCCAGAACGGACGATAACTCGGACGATAAGCTCTCTTAATTGACTCTTTCGACTTCTCCCTCG

256 : D E V V Q Q S V K K K V L P A I E R R I R T E L T E K A E E G A 288

1001 TATCCAACTTTTTCTGACAAATCTCGCAATCTCTCTTGGTGTCTCACTGAAAAGGCGGCTGGTTCTTGGATTGACCCAGCCTTTCTGACAGGTGCC 1100  
ATAGGTTGAAAAAGACTGTTAGACCGGTTAGAGGAGAACCAAGAGGTGACTTTCCCGCGCACCAAGAACCTAACTCGGTGGAAGCATGTCCAGCG

289 : Q L F S D N L R N L L L V A P L K G R V V L G F D P A F R T G A 321

1101 AAGTTAGCTGTGCTGGATGCAACAGGAAAAATGCTGACAACTCAGGTTATTTATCTGTTAAACAGCATCAGCTCGTCAATCGAAGAGCCAAAGAAAG 1200  
TTCAATCGACAGCACTACGTTGTCTTTTACGACTGTTGAGTCCAAATAATAGGACAAATTTGGTGGTAGTGGAGCAGTTTACGTTCTTCCGTTCTTTC

322 K L A V V D A T G K M L T T Q V : Y P V K P A S A R Q I E E A K K D 355

1201 ATTTAGCAGATTTAAATGGTCAATACGGTGTAGAGATTTATGCCATTTGAAAAAGCAAGCGGCAAGTGTGAAAGTGAAGCTTTTGTAGCGGAAGTTCTGAA 1300  
TAAATGCTTAAATTAACAGTTATGCCACATCTCTAATAACGGTAACCTTTACTTGGCGGTGAGCACTTCTACTTGGAAAAATCGGCTTCAAGACTT

356 L A D L : G C Y G V E : I A I G N G T A S R E S E A F V A E V L K 388

Fig. 8 (Sheet 2 of 2)

10/30

1301 AGATTTCCTGAAGTCAGCTATGTTATCGTTAATGAAAGTGGTCTCTCTATTCTGCCAGCGAACTTGCTCGTCAGGAGTTTCCAGACTTGACCGT- 1400  
TCTAAAGGGACTTCAGTGGATACAATAGCAATTACTTTCACCAAGAGACAGATAAGACGGTGGCTTGAACGAGCAGTCTCCAAAGTCTGAACTGGCAA  
389 D F P E V S Y V I V N E S G A S V Y S A S E L A R Q E P P D L T V 421

1401 GAAAAACGCTCTGCCATTTCTATCGCCCTCGTTTCGAGATCCTCTTGGGGAATTGGTCAAAATCGATCCTAAGTCAATTGGTGTGGTCAATACCAAC 1500  
CTTTTTCGAGACGGTAAGATAGCGGGCAGCAAGCTTCTAGGAGAACCCCTTAACCAAGTTTATAGTAGGATTCAGTTAACCCACAGCCAGTTATGGTTG  
422 E K R S A I S I A R R L O D P L A E L V K I D P K S I G V G Q Y Q H 455

1501 ACCATGTCAGTCAGAAGAACTATCTGAGAGTCTGGACTTTGTTGTCGATACAGTGGTTAACCAAGTTGGTGTCAATGTCAATACAGCTAGCCAGCTCT 1600  
TGCTACAGTCAGTCTCTTTGATAGACTCTCAGACCTGAAACAAAGCTATGTCACCAATTGGTCAACCAAGTTACAGTTATGTCGATCGGTCGAGA  
456 D V S Q K K L S E S L D F V V D T V V N Q V G V N V N T A S P A L 488

1601 TCTTTCACACGTAGCTGGACTCAACAAACTATCTCTGAAATATTGTCAAAATACCGCGAGGAAGGAAGAAAAATCACTTCACCGGCCCAATCAAGAAA 1700  
AGAAAGTGTGCATCGACCTGAGTTGTTTGTATAGAGACTTTATAACAGTTTATGGCGCTCCTTCTTCTTTTAGTGAAGTGGCGGGCTTAGTTCTTT  
489 L S H V A G L N K T I S E N I V K Y R E E E G K I T S R A Q I K K 521

1701 GTTCTCGTCTGGGAGCCAAGGCCCTTSAGCAGGCTGCTGGTTTCTTCTGATCCCTGAAAGTAGCAATATCCTTGATAATACAGGAGTTCACCCAGAG 1799  
CAAGGAGCAGACCTCGGTTCCGGAACTCGTCCGACGACCAAGGAAGCATAGGGACTTTTCATCGTTATAGGAACTATTATGTCCTCAAGTGGGTCTC  
522 V P R L G A K A F E Q A A G F L R I P E S S N I L D N T G V H P E 554

gcp1546

Fig. 9

11/30

(SEQ ID NO: 26) 1 TACTGGGGCAAGGGTTTCTTACCTGTCTGTAATGTGAAGGTCTTCTTGAAAATGGTGAAGTTAAGATTTTCAGAGCACTCAACGAAGCCAGNATCCGC 100  
(SEQ ID NO: 27) ATGACCCCGTTTCCCAAGAAATGGGACAGAACTTACACTTCCAGAAAGAACTTTTACCACCTTCAATTCATAAAGTCTCGTGAGTTGCTTCGGTCHTAGGGC  
(SEQ ID NO: 25) 1 T G A R V S Y P V L N V K V F L E N G E V K I P R A L N E A X I R 33

101 AGGTCTGATCGAACCATGGTGGCAGATATTGTAATAAATGGTGTTCCTTTGAAAGCTTTTCGTGGAGACGGGCTAACAGTTTCGACACCGACTGGTAGTA 200  
TCCAGACTAGCTTGGTACCACCGTCTATAACATTATTTACCACAAGGGAAACTTGCAAAAGCACCTCTGCCCGATTGTCAAAGCTGTGGCTGACCATCAT  
34 R S D R T M V A D I V I N G V P F E R F R G D G L T V S T P T G S T 67

201 CTGCCTATAACAAGTCTCTTGGCGGTCTGTTTACACCTACCATTCGAAGCTTTGCAATTAACGGAGATTGCCAGCCTTAATAATCGTGTCTATCGAAC 300  
GACGGATATTGTTGAGAGAACCGCCACGACAAAATGTGGATGGTAACCTTCGAAACGTTAAATGCCCTTAACGGTCGGGAATTATTAGCACAGATAGCTTG  
68 A Y N K S L G G A V L H P T I E A L O L T E I A S L N N R V Y R T 100

301 ATTGGGCTCTTCCATTATTGTGCTAAGAAAGGATAAGATTGAACCTTATTCGAAACGAAAGCATTATCATACTATTTCGGTTGACAAATAGCGTTTATTCT 400  
TAACCCGAGAAGGTAATAACACGGATTCTTCTATTCTAAGTTGAATAAGGTTGTTCTTTGCTAATAGTATGATAAAGCCAACTGTTATCGCAATAAGA  
101 L G S S I : V P K K D K I E L I P T R N D Y H T I S V D N S V Y S 133

401 TTCCGTAATATTGAGCGTATTGAGTATCAATCGACCATCATAGATTCACTTTGTCCGACTCCTAGCCATACCACTTTCTGGAACCGTGTTAAGGATG 500  
AAGGCATTATAACTCGCATAACTCATAGTTAGCTGGTAGTATTCTAAGTGAACACCGCTGAGGATCGGTATGGTCAAAGACCTTGGCACAATTCCTAC  
134 F R N I E R I E Y Q I D H H K I H F V A T P S H T S F W N R V K D A 167

501 CCTTTATCGGTGAGGTGGATGAATGAAGTTGAATTTATCGCAGATGAACATGTCAAGGTTAAGACCTTTTAAAAAA 578  
GGAAATAGCCACTCCACCTACTTACTCCAACTTAATAGCGTCTACTTGTACAGTTCCAATTCTGGAAAAATTTTT 175  
168 F I G E V D E \*

gcp1551

Fig. 10

(SEQ ID NO: 29): GCCTCTAAAGAAACCTACTGGAGATGATAGATGGGAAGTACTATTATTTTCATCCTTTATCCGAGAGATGGTTGTCCGCTGGCAATATATACCTGCT 100  
(SEQ ID NO: 30): CGAGATTTTCTTTGGATGACCTCTCACTATCTACCTTCATGATAATAAACTAGGAAATAGCCCTCTCTACCAACAGCCGACCTTATATATGGACGA  
(SEQ ID NO: 28): M V V G W Q Y I P A 10

101 CCACACAAGGGGGTTACGATTGGTCCTTCTCAAGAATAGAGATTGGCTTTAGACCAGATTGGTTTATTTTGGTCAAGATGGTGTCTTACAAGAATTG 200  
GGTGTGTTCCCCCAATGCTAACCAAGGAGGTTCTTATCTCTAACGAGAATCTGGTCTAACCAAAATAAAACCAAGTTCTACCAAGAAATGTTCTTAAAC

11 P H K G V T I G P S P R I E I A L R P D W F Y F G O D G V L Q E F V 44

201 TTGGCAAGCAAGTTTGAAGCAAAATCTGCTACGAAATACCAACAAATCATGGGGAAGAATATGATAGCCCAAGCAGAGAAACGAGTCTATTATTTGA 300  
AACGTTTGGTCAAAATCTTGGTTTGGAGATGCTTATGGTGTGTTGTAGTACCCCTTCTTATCTATCGGTTGGTCTCTTTGGCTCAGATATAAAGCT

45 G X Q V L E A K T A T N T N K H H G E E Y D S Q A E K R V Y Y F E 77

301 AGATCAGCGTAGTTATCATACTTTAAAACTGGTGGATTATGAAGAGGGTTATTGGTATTATTTACAGAAGGATGGTGGCTTTGGATTCTCCATCAAC 400  
TCTAGTCGATCAATAGTATGAAATTTTGAACCACTAAATACTTCTCCCAATAACCAATAAATGTCTTCTACCAACGAAACTAAGAGCGTAGTTG

78 D Q R S Y H T L K T G W I Y E E G Y W Y Y L Q K D G G F D S R I N 110

401 AGATTGACGGTTGGAGAGCTAGCACGTGGTTGGGTTAAGGATTACCTCTTACGTTATGATCAAGAGAAGCTAAAAGCAGTCCATGGTACTATCTAGATC 500  
TCTAACTGCCAACCTCTCGATCGTGACCAACCAATTCCTAATGGGAGAATGCATACTACTTCTCTTCGATTTCGTGGAGGTACCATGATAGATCTAG

111 R L T V G E L A R G W V K D Y P L T Y D E E K L K A A P W Y Y L D P 144

501 CAGCAACTGGCTGGCAAAACCTTGGGAACAAATGGTACTACCTCCGTTCACTCAGGAGCTATGGTAACTGGCTGGTATCAAGATGGTTTAACTTGGTACTA 600  
GTGGTTGACCGACCGTTTGGAAACCTTCTTACCATGATGGAGGCAAGTAGTCTCGATACCATTGACCGACCATAGTTCTACCAAAATTGAACCATGAT

145 A T G W Q N L G N K W Y Y L R S S G A M V T G W Y Q D G L T W Y Y 177

601 CCTAAATGCAGGTAATGGAGACATGAAGACAGGTTGGTTCCAAGTCAATGGTAACTGGTACTATGCCTATGATTCAAGGTGCTTTAGCTGTTAATACCA 700  
GGATTACCTCCATTACCTCTGTACTTCTGTCCCAACCAAGGTTCACTTACCAATGACCATGATACCGATACTAAGTCCAGAAATCGACAAATTATGTTGT

178 L N A G N G D M K T G W F Q V N G N W Y Y A Y D S G A L A V N T T 210

701 GTAGGTGGTACTACTTAACTATAATGGTGAATGGGTTAAGTAATGAAGGCTAATTGTAACTGTGATGATACCTTAACTTTGTATAATAGGTGGATAA 800  
CATCCACCAATGATGAATTTGATATTACCACTTACCAATTCATCTTCCGATTAACTTTGACACTACCTATGAATTTGAACATATTATCCACCTATT

211 V G G Y Y L N Y N G E W V K \* 225

Fig. 11

(SEQ ID NO: 32)	1	TTTTTGGATATTATATTAAGAAAGCCATTATTCCACGATTCAGTCCGGATGATACCGAGCTGTTCTTAGCAGATAAGGTTTCTCAATATTACTCCAAA	100
(SEQ ID NO: 33)		AAAATACCTATAAATATAATTCCTTCGGTAAATAGGTGGTCAAGTCAGGCTACTATTGGCTCGACAGGAATCGCTATTCAAGAGTTATAATGAGGTTTT	
(SEQ ID NO: 31)	1	M D I Y I K K A I I N O F S P D D T E L F L A D K F L N I T P K	32
	101	ATCGAAGAATACCTACGTAAAAAATTGAACATGTGTATTTCAGATGAAGCCAAAGCTGGGATTTCGAGAAGAAAAATCCCTTCTTCAATCATATTACAG	200
	33	1 E E Y L R K K I E H V Y S D E A K T G I F E E E M P F F N H I T D	66
	201	ACGATTTCGAGACATCAGTAACCGCTGGCTAATCTCTGGAAGAGGAGTTAGCATTTCTGAAAACTCAAGACCAATGACTTGATTTTGTTCATT	300
	67	D L L E T S V T L A N L W K E E P S I S E N L K T M D L I P V Q F	99
	101	TTCTAAGAGCTGTAGAACATTTCCGCTTTCTTGGCAATTGCCCTGCGGAGACCTTGACCCACCTCGGAGGAGAAGTTGATAATCCAATCAAGCTGACT	400
	100	S K E G V E H F A F L R I A L R E T L T H L G G E V D N P I K L T	132
	401	CAGATAACCTGCTCGATTTCGAAACGGGTCTGACGAGGCTTGGTGGTCAATCTTCAGAGTCGCAAGTATCACCTGATTGAAAAAGCAATCAAGTACA	500
	133	Q N N L P G F G T G A D E A L V V N L O S R K Y H L I E K R I K Y N	166
	501	ACGGGACTTTTGAACATTTTTTCAGATAATCTTCTGCTGCTCTTAAGATTCTCTCAAAAAATCTATCAAGGAATCGAAAAAAGCAGCCGAG	600
	167	G T F L N Y F S D N L L A V A P K I S P K K S I K E L E K T A Q R	199
	601	AATTCGCTGAATCTTTTAAACAGATGATTTTCAATTCATTCAGGTCAAATCAGCTATTTTCAACAACTAGAGAAGCAATGAAATTCACCTGAG	700
	200	: A E S F N T D D F O F O S K V K S A I F N N L E E S N E L S P E	232
	701	AAAATGGCTAATGACCTTTTGAACAACTCTGACGGCTGTTTGAGCTTTATTGACCAAGTCAGAGAAGCCGTACCAGAACCTGTTCAATTTGATGAA	800
	233	K L A N D L F D N N L T A R L S F : D Q V R E A V P E P V Q F D E I	266
	801	TTGATGCCAGTCGCCAATTAAGAAATTTGAAAAACAAAACTCTCTTATCAATGGAAATGAGCTCATGTTCCCAATAACGTCATCAAGACCCGA	900
	267	C A S R Q L K K F E N Q K L S L S N G I E L I V P N N V Y Q D A E	299
	901	GTCTGTTGAGTTATCCAAAACGAAATGGAACTACTCTATCTTAATCAAAAAATACGAGGATATCCAAAGTAAATATGTTTAAACGAAATTCGAAGAG	1000
	300	S V E F : Q N E N G T Y S I L : K N I E D I O S K	325
	1001	TCCTGCTAGTACGCTCTCTTTTCTGGCTATAAAGCTTACCGCTTCATCAAGATGTCAACCAAGTCATGACCTATCAACCCATGGTGGAGAAAT	1100

gcp1580

Fig. 12

(SEQ ID NO: 35) 1 AAATGCTATAATACTAGAAAAATCTGTGGAGTTCCATTATGGCAATATTTTCATGATTTTCTGATTTTGTGTGCTCTTATGGTGAATCT 100  
(SEQ ID NO: 36) 1 TTACACGATATTATGATCTTTTATGAACACCTCCAGGTAAATACCGTTATAAAAAGTACTAAAAAGACTAAACAAACACAGGATAACCACTATCAG 100  
(SEQ ID NO: 34) 1 M A I F F M I F L I V C V L L L V I V 19

101 ACACAGTACAGTTTATGTGGTTGCTCAGCAGTGGTGGGATTTATGAACGCTTTGGCAAAATACCAAAAGGTTGCTAATAGCGGTATTCATATTCCT 200  
TGTGACTCATGTCAAATACCAAGCAGTCGTGAGCCACCGCTAATAACTTGGAAACCGCTTTATGGTTTCCAAAGATTATCGCCATAAGTATAAGCGA 200

20 T L S T V Y V V R Q Q S V A I I E R F G R Y O K V A N S G I H I R L 53

201 TGCCTTTTGGGATTGACTCGATTGCGAGCAGGATTGAGTGGGCTTGTGCAAAAGTATTTGCTGTTGAGACTAAGACCAAGGCAATGTTGCTTAT 300  
ACGCAAAACCGCTAAGTGAAGTAACTGCTGCTAAGTCAACCGCAACGCTTTCACTATAACACCAACTCTGATTTGTTTCTGTTACACAAGCAATA 300

54 P F G I D S I A A R I Q L R L L Q S D I V V E T K T K D N V F V M 86

301 GATGAATGTAGGACTCAGTACCGGTGTCAAAGCAGAGCGTGACAGTCTTACTATAAACTCATACGTCAGAAATCTCAGATTAAATCTTATATCGAA 400  
CTACTTACATCGTCTGAGTCATGGCAGCTTCTGCTGCGACTGTCTACGAATGATATTTGAGTATGCAAGTCTTAGAGTCTAAATTTAGAAATAGAGTT 400

87 M N V A T Q Y R V N E Q S V T D A Y Y K L I R P E S O I K S Y I E 119

401 GATGCTCTTGGCTCTTCTGTTCCAAAATTAACCTTGGATGAATGTTTGAAGAAAAAGATGAGATTGCGCTTGAAGTTCAACCAAGTACGAGAGAA 500  
CTACGAGAAAGCGAGAGACAGAGTTTAAATGGAACTACTTAACAACTCTTTTCTACTCTAACGGGAAGTCCAAAGTGTGCTTATGCTCTTCTTT 500

120 D A L R S S V P K L T L D E L F E K K D E I A L E V O H Q V A E E M 153

501 TGACCACTTACGGCTACATTTATCGTGAACCTTGATTACCAAGGTGAAACGAGATGCAAGGTTAAGCAATCTATGAATGAAATCAATGCGGCGCAACG 600  
ACTGGTGAATGCGGATGTAATAGCACTTTGGAACTAATGTTCCAGCTTGGTCTACGTTCTTCAATTCGTTAGATAGTTACTTTAGTTACGCGGCTTGC 600

154 T T Y G Y I I V K T L I T K V E P D A E V K Q S H N E I N A A O R 186

601 TAAGCGGTCGAGCACAAGAAATGGCGGAAGCTGACAGATTAATAATTGCTACTGAGCTGAAGCGGAAGCAGAAAAAGACCGCTTCTGCTGTGGGG 700  
ATTGCGCCAGCGTGTGTTCTTAACCGCTTCGACTGTTCTAATTTAAGAGTGAAGTGAAGTTCGCTTCTGCTTTCTGCGGGAAGTACCAACCGCC 700

187 K R V A A Q E L A E A D K I K I V T A A E A E A E K D R L H G V G 219

701 ATTGCCCCAACAACTAAGCGGATTTGGATGGATTGGCAGAGTCTATCAACCAACTCAAGGAAGCCAATGTTGGCATGACAGAAACAAATCATGTCTA 800  
TAAGCGGTTGTTGATTCGCTAACCACTACCTAACGCTCTCAGATAGTGGCTTGAAGTCTCTTGGTTACACCGTACTGCTCTTCTGTTTATGATCAGAT 800

220 I A Q O R K A I V D G L A E S I T E L K E A N V G M T E E Q I M S I 253

801 TCTCTTGACCAACAGTATTTGGATACCTTGAATACCTTTGCTCTAAGGAAATCAAAACATCTTTTACCAATACTCCAAATGGTGTGGATGATA 900  
AGGAGAACTGGTTGGTCAATAACCTATGGAACTTATGGAAACGGAGATTTCTTTAGTTTGGTAGAAAAATGGTTTATGAGGTTTACCACACCTACTATA 900

254 L L T N O Y L D T L N T F A S K G N O T I F L P N T P N G V D D : 286

901 CCGTACACAAATCTTGTGAGGCTTGGCGCTGAGAAGAAATATAGACTAATCTCTTGAAGAAATCTTCAAACTACGTCAGCGTCTGTTGCGGTATA 1000  
GGCATGTGTTAGAACAGTGGGAAGCGGACTCTCTTTATATCTGATTATGAGAAGCTTTAGAGAAGTTTGATGCAAGTGGCAGCAGAACGGCATAT 1000

287 P T Q : L S A L R A E K K . 300



gcp1713

Fig. 13

(SEQ ID NO: 38) 1 CCTGATATGGTGATAAAATAGCGTTTATTTTGGAAAACGTTTCCTTTGTTTCAAAATGCTAAAAAATGGTACAAATANAGGAAGCTTACTATTA 100  
(SEQ ID NO: 39) GGAATATACCACCTATTTATCCCAAAANTAAACCTTTGCAAGGAAACAAAGTTTAAAGATTTTTTACCATGTTATNTCTTTTCGAATGATAAT

101 TCTGAATCAGCAGATTTGGAGAGAAAGGATTCACTTTGAAATCAATAGCCTTTATGAAAGCTGAAGCGGTTGCTAGTAAAGAGCTGATTTTATTCGG 200  
AGACTTAGTCTGCTAAACCTCTCTTTCTTAAGTAAACCTTTAGTTATCCGAAATACTTTTGCACCTCCCAACAGATCATTTCTCGACTAAAAAATACCC

(SEQ ID NO: 37) 1 L K S I G P I E K L K G L S S K E L I L L G 22

201 AATTATCCTAAGTATCTTTTACCCCTTTATCTTTTGTAGTTGTACTCTGTTTATATATTATCAGTTTGATTTTACAGGAGACATGAAAAGTATTCTT 300  
TTAATAGGATTATAGAAAAATGGGAAAAATAGAAAAACATCAACATGAGACAAATATATAATAGTCAAACTAAAAATGTCCTCTGACTTTTTCATAGAA

23 I I L S I F L P F Y L F V V V L C L Y I I S L I F T G D M X S I L 55

301 CAGAAAATGGGGAGCATCCGATGCTGCTCTTTTCTAGCTATAGTACTGTTATATCCATTCTTGCAAAAAATGGATGGGCTTCTGGCTTCAGTAG 400  
GTCTTTTACCCCTCTGAGGCTAGCAGCAAGAAAAAGAAATCGATATCATGACAAATAGGTAAAGACGTGTTTAACTACCCAGAACACCGAAGTCATC

56 Q K M G E H P M L L L F L S Y S T V I S I L A Q N W M G L V A S V G 89

401 GAATGTTTCTATTACTATTTTCTTTTGCATCATCAGTCCATTTTATCCCAAAATCTTTTCAATGATTTTGCAGTTGCTCTGTTGGTAGTGTCTT 500  
CTTACAAGATAAATGATAAAGAAAAACGTGATAGTCAGCTAAATAGGATTTTAAAGATGATACGAAAGAAAGAGTGGTTATACGTCACACCGTAGTCTTGGCCCT

90 M F L F T I F F L H Y O S I L S N K F P R L I L Q F V L F G S V L 122

501 GTCAGCTGCTTTGCCAGTTTAGAACATTTCCAAATTTGTGAAGAAATTTAACTATGCTTTTTCACCCAAATATGAGGTTGTCGATCAGAACCCGGCA 600  
CAGTCGAGAAAACGTCAAATCTTTAAAGGTTTAAACCTCTTTTAAATGATACGAAAGAAAGAGTGGTTATACGTCACACCGTAGTCTTGGCCCT

123 S A A F A S L E H F C I V K K F N Y A F L S P N M Q V M H Q N R A 155

601 GAAGTGACCTTCTTAATCCTAATTATTATGGAATTAATTTGTTGTTCTGTATTATGATTGCTTTCTATCTGTTTACAACGACCAAGTGAATGGTTGA 700  
CTTCACTGGAGAAATTAGGATTAATAATCTTTAATAACAACAAAGACATAAATACTAACGAAAGATAGACAAATGTTCTGCTGTTCACTTAACCAACT

156 E V T F F N P N Y Y G I : C C F C I M I A F Y L F T T T K L N M L K 189

701 AAGTATCTGTCGATTGCAAGGCTTTGTTAATCTCTTTGCTTGAACCTTACTCAAAATCGAACTGCTTTCTGCTATTATCGCTGGAGCAATTTATCTA 800  
TTCAATAGACACATAACGTCGAAACCAATTAGAGAAACCAACTTGAAATGAGTTTATGCTTGACGGAAGGACGATAATACGACCTCGTTAATAGAT

190 V F C V I A G F V N L F G L N F T O N R T A F P A : I A G A I I Y 222

801 TCTCTTACGACTATTAAAACTGGAAGGCTTTTGGCTTACTATTGGGCTCTTCCGATTTGCTTGGATTCTCTTTTCTAGTATTTCGGAGTTCCA 900  
AGAGAAATGCTGATAATTTTTCAGCTTCCGAAAAACCGAATCATACCCGAGAGGCTTAAGCAAACTCAAGGAGAAAGATCACTAAACCTCAAGCT

223 L F T T I K N M K A F W L S I G V F A : G L S F L F S S D L G V R 255

901 ATGGGTACTTTAGACTCTCTATGGAAGAACGCACTTTCTATCTGGATGCTGGATGGCTTGTAAAGCAAAATCTTTTGGGTTGAAGGGCCATTGA 1000  
TACCATGAATCTGAGAAGATACCTTCTGCTAAAGATAGACCTTACGACCTACCGGAACAAATGCTTTTAGGAAAAACCCAGCTTCCGGTAAC

256 M G T L D S S M E E R : S I W D A G M A L F K Q N P F W G E G P L T 289

1001 CCTATATGCACTCTTATCCTCGATACATGCTCTTATCATGAACATGCCACAGTCTTTATATTGATACGATTCTGAGTTACGGAATTTGGGTACCAT 1100  
GGATATACGTCAGAAATAGGAGCCTATGTACGAGGAATAGTACTGTACGGGTGTCAGAAATATAACTATGCTAAGACTCAATGCTTAAACCCCATGGTA

290 Y M N S Y P R I N A P Y H E H A N S L Y I D T I L S Y G I V G T I 122

1101 TTTATTAGTTTGTCTTCTGCTCTCTGTTCTGATGATGATATGAGTCAGGACTCGGGAAAACCTCCGATTAATCGCCCTTTATCTATCTTTCCCT 1200  
AAATAATCAAAACAGAGACACGAGGACAAGCGAACTACTACCTATACCTCAGTCTCAGCCCTTTGCAAGCTAAATAGCCGAAATAGATAGAAAGGAA

123 L L V L S S V A P V R L M M D M S O E S G K R P I : G L Y L S F L 155

1201 ACAGTGGTGGTGTGCAACGGAATTTTGAATTTGGCTCTCTTGGATTGAGTCAGGCTTTATTTCTTGTAGTTATGTCAGTATTCCATTGGCTTTA 1299  
TGTACCAACGACAGCTGCTTAAAACTGAACTGAGAGAGACCTAAGTCAGTCAGGAAATAAAGAACGATCAATACAGCTCATAGGTAACCGAAAT

136 T V V A V H G : F D L A L F W I O S G F : F L L V M C S I P L A L 168

gcp222

Fig. 14

(SEQ ID NO: 41) 1 AAGGAGTGAACATCTGGCTGGTACTTCAATTGATCAAAAGTATGCGTGAATGAAATTCGTGTAACAGTTGTCGCAACGGGTGTTGCTCAAGACCGGCTAGA 100  
(SEQ ID NO: 42) TTCTCACTTGATAGACCGAGCCATGAAGTTAACTATTTCATACGCCACTGTTAAGCAGATTGTCACACGGTGGCCAGCAAGCAGTTCTGGCGCATCT

101 AAAGGTTGTGGCTCCACAAGCTAGATCTGCTACTAACTACCGTGAGACAGTGAACCCAGCTCATTACATGGCTTTGATCGTCATTTTGATATGGCAGAA 200  
TTTCCAAACCGAGGTGTTGATCTAGACGATGATTGATGGCACTCTGTCACTTTGGTCCAGTAAGTGTACCGAACTAGCAGTAAAACTATACCGTCTT

201 ACAGTTCAATTGCCAAAAAAGAAATCCACGTGTTTGGAAACCACTCAGGCATCTGCTTTGGTGATTGGGATCTTGGCGGTGAATCGATTGTTGATACAA 300  
TGTCAACTTAACGGTTTGTGTTAGGTGCAGCAAACTTGGTTGAGTCCGTAGACGAAACCACTAACCCCTAGAAGCGGCAGTTAGCTAACAGCATGTT

301 CAGATTCACTGCTTTCTCCAGTCGAGCGCTTGAAGCCCCAATTTCAACAGATGAAGATGAATGGATACACCTCCATTTTCAAAAACTGTTAAGTAAA 400  
GTCTAAGTCAGCAAGAGGTGAGTCGCGAACTTCGGGGTTAAAGTGTCTACTTCTACTTAACCTATGTGGAGGTAAAAAGTTTGTAGCAATTTCATTT

(SEQ ID NO: 40) 1 M 1

401 TGAATGTAAAGAAAAATACAGAACTGTTTTGAGAAAGTTCAGAGGCTAGTCTGAGTCTCATCGAGAGAGTGGTTGGTCTCTGTCATTGCACTTAT 500  
ACTTACATTTCTTTTATGCTTGAACAAAAAGCTCTTCAAGCTCTCGGATCAGACTCAGGAGTAGCTCTCTCACCAAGCCAGAGACAGTAACGTCAATA

2 N V K E N T E L V F R E V A E A S L S A H R E S G S V S V I A V I 34

501 CAAGTATGTAGATGTACCGACAGCGGAAGCTTGGCTTCGGCTAGGTGTTCAATCATATCGGTGAAAAATCGTGTAGATAAGTTTCTGGAAAAATATGAAGCT 600  
GTTTACATCTACATGGCTGTGCGCTTCGGAACGAAGGCGATCCACAAGTAGTATAGCCACTTTTAGCACATCTATTCAAAGACCTTTTATACCTCGA

35 K Y V D V P T A E A L L P L G V H H I G E N R V D K F L E K Y E A 67

601 TTAAGAGATCGAGATGTGACTTGGCATTTGATTGGTACCTTGCAGAGAGCTAAGGTGAAGATGTCTTCAATACCTTGATTATTTCCATGGATGGACT 700  
AATTTCTAGCTCTACACTGAACCGTAACTAACCATGGAAAGCTTTCTGCACTTCCACTTCTACAGTAAGTTATGCACTAATAAAGGTACGTAACTGA

68 L K D R D V T W H L : G T L Q R R K V K D V I Q Y V D Y F H A L D S 101

701 CAGTAAAGCTAGCAGGGGAAAATCAAAAAAGAAAGTACCGGAGTCAATCAAGTGTTCCTTCAAGTAAATATTTCTAAAGAGAAAGCAAAACAGGTTTTTC 800  
GTCAATTGATGTCCTGCTTAAAGTTTTTCACTGGCTCAGTAGTTCAAAAGGAAGTTCATTTATAAAGATTCTTCTTTGTTGTCGCAAAAAG

102 V K L A G E : O K R S D R V : K C F L C V N : S K E E S K H G F S 134

801 GAGAGAGGAAGTGTGGAATCTTGGCAGAGTTAGCCAGACTAGATAAGATTGAATATGTTGGTTAATGACGATGGCACCTTTGAGGCTAGCAGTGAG 900  
CTCTCTCTTGACGACCTTAGAACGGTCTCAATCGGTCTGATCTATTCTAATTTATACAAACAAATTACTGCTACCGTGGAAAACTCCGATCGTCACTC

135 P E E L L E : L P E L A R L D K : E Y V G L H T H A P F E A S S E 167

901 CAGTTGAAGAGATTTTCAAGCGGGCTAAGATTTACAAAGAGAAAATCAAGAGAAAACAAATCCAATATGCTTTAGAGCACACTGGCGGCGGTTAC 999  
GTCAACTTTCTTAAAGTTCCGCGGGTCTAAATGTTCTCTTAAAGTTCTCTTTGTTTAAAGTTTATACGGAATCTCGTGTGACCGCGGCAATG

168 C L K E : F Y A A C C L O R E : C E K C : P N M P L E H T G G R Y 200

gcp2283

Fig. 15

(SEQ ID NO: 44) 1 GTACTCCAGTCCACTTTTAGCAGTAAGTTATTATTACTTTTAATCAGCCCAATTTCTGTCTGAATCAGATTTGGTAGGTAGTTGGTAATTC 100  
(SEQ ID NO: 45) CATGAGGGTCAGGTGAAAAATCGTCATTCAAAATAAATAAGTAAATTAAGTCGGTGTAAAGAACAGAACTTAGTCTAAACCATTCATCAACCATTAAGA  
(SEQ ID NO: 43) 1 T P S P L L A V S L L P T P N O P Q F L V L N Q I L V G S L V I L 33

101 ACTTATTGCATATATAGTTGTAAAAATCCCATTTCTTATAGAATGGTACGTGCTATTTTATTAGTGTGATGATGAGATGGAGATGGCAGCAAGAACT 200  
TGAATAACGTATATATCAACATTTTAGGGTAAAGAAATATCTTACCATGCAGATAAATAAATCACAACCTACTACTCTACCTTCTACGTGTTCTTCA  
34 L I A Y I V V K I P F S Y R M V R A I L F S V D D E M E D A A R S 66

201 ATGGGTGCTTCACTTTTATACTATGATGAAGTTATCATTCATTTATTTACCGGTGTCTCTCTGTTATTGCTTTAAACTTTAACTCTTTATTA 300  
TACCAACGAAGTGGAAAAATATGATACTACTTCCAATAGTAAGTAAATAAAATGGCCAAAGAGAGACAAATAACGAAATTTGAAATTCAGAAATAAT  
67 M G A S P F Y T M M K V I I P F I L P V V L S V I A L N F N S L L T 100

101 CTGACTTCGACTTATCTGTATTCCTTTACCATCCCTAGCTCAACCATTAGGTATTACGATTGATCTGCAGGTGATGAACAGCAACATCTAATGCACA 400  
GACTGAAGTCGAATAGACATAAGGAAATGGTAGGGATCGAGTTGGTAATCCATAATGCTAAGCTCAGCTACTTGTCTGTAGATTAGTGT  
101 D F D L S V F L Y H P L A O P L G I T I R S A G D E T A T S N A Q 133

401 AGCTCTGGTATTGTATTATACAAATGTTCTGATGATTATTTCTGCAACCGTATTACTTCACACAAAGACCGGGCGTAAAGTAAGAAATAATCATGA 500  
TCGAGACCATAAACAAATATGTTAACAAGACTACTAATAAGACCTTGCCATAATATCAAGTGTGTTCTGGCCCCGCACTTCATTCTTTATTAGTACT  
134 A L V P V Y T I V L M I I S G T V L Y F T Q R P G R K V R K \* 164

501 CAGCCACTAGTCTCGGTTATCAAAATATTGAAATAGTTGTGAGGATTGTTTATCAGTAGTCATTGGTAGTATAATGTTGTTAGAGAGAGGGAGCAATC 600  
GTGGTGATCAGAACCAATAGTTTATACTTTATCAACAGTCTTAACAAAATAGTCATCAGTAACCATCATATTAACCAAAATCTCTCTCCCTCGTTTAG  
601 CCAGCCTGCAGGCATCCGAACTTATAGTATTGTTGTCTAGCTGCATGTTTGATTATGATGACGAATGAATACGTATCTTATAAATTTGGGACAGAGAT 700  
GGTCGGACGTCGGTAGGCTTGAATATCATAAACACAGATCGACGTACAACTAATACTACTGCTTACTTATGCATAGAATATTTAAACCTGTCTCTCA  
701 CCTACAGGATTAGGAGCTCAAGTTATATCAGGTGTGGGTTTTCTAGGCGCTGGAAACGATTCTTATTACAGATAAAAAAGAAAAATTACAGGTCTGACAACTG 800  
GGATGTGCTAATCTCGAGTTCAATATAGTCCACACCCAAAAGATCCGCGACCTTGCTAAGAAATAATGCTATTTTTCTTTAATGTCAGACTGTTGAC  
801 CAGCAGGCATTTGGGCTTCGGCAGGAATTGATTAGCTATTGGAGTAGGTTTTATCAGGGAGCTCTTTAGTAGCCATTTCTGTTTGGGGTGTGATATC 900  
GTGCTCCGTAAACCCGAAGCGCTCTTAACCTAATCGATAACCTCATCCAAAAATACTCCCTCGAGAAAAATCATCGGTAAAGACAAACCCCACTATAG  
901 CATGTTCCAACTAATAAAAAATATCTGCAAAATCGTTCTAAAAATGATTGAATTGTATATAGTAGTTAAATCCTTTAG 978  
GTACAAGGTTGGTGATTTTTTATAGACSTTTTAGCAAGATTTTACTAACTTAACATATATCATCAATTTAGGAAATC

gsp271

Fig. 16

(SEQ ID NO: 47) 1 CAATGTGTTCCCGAACTTTTAGAAAAATCTTCTGAAAAAGAGTTGAACTCAAGACCAATTTGGTCAAAATAGGATGTTGTTGATGATG 100  
(SEQ ID NO: 48) 1 GTTACACAAGGGCTTGA AAAATCTTTGTAGAAGGACTTTTCTCAAGCTTGTGAGTTTCTGGTTAAACCACTTTATCTCTACCAACCACTACTACTC  
(SEQ ID NO: 46) 1 M M 2

101 GACAGGATTAGACAAGAGTTGAAAAAGGTTGAGCTGTCTTCTACCTACAGAGACTGTTTATGGTCTTTTCCAAAGGCTTAGATGAAAAAGCAGTTG 200  
CTGTCTTAATCTGTTCTCAACCTTTCCACCTCGACAGCAAGATGGATGTTCTGTGACAAATACGAGAAAAAGGTTCCGGAATCTACTTTTCTGTCAC

3 D R I R Q E L E K G G A V V L P T E T V Y G L F S K A L D E K A V D 36

201 ACCATGTTTACCACTCAAACTGCTCTAGAGATAAGGCACTCAATCTCAATATCCCTCTTTCAGGACATCTGCACCTTTCAAGAAATCAGCCAGC 300  
TGGTACAAATGGTTGAGTTGACAGGATCTCTATTCCTGAGTTAGAGTTATAGCGGAGAAAGCTCCTGTAGAACTGAAAAGTTCTTAGTGGTGG

37 H V Y Q L X R R P R D K A L N L N I A S P E D I L H F S K N O P A 69

301 TTATCTCAAAAACTTGTAGAGACTTTTGGCAGGTCCTTGACCATTAATCTCGAAGCCAATGACCGAGTTCCCTATTGGGTAATCTGACCTTGCA 400  
AATAGATGTTTGTGAACATCTCTGAAAAACGGTCCAGGAACTGGTAATAGAGCTTTCGGTTACTGGCTCAAGGGAATACCCATTAGAGACTGGAACT

70 Y L Q K L V E T F L P G P L T I I L E A N D R V P Y M V N S D L A 102

401 ACTATTGGATTTGGATGCCAGTCACCTATCACACTGGATTAAATCGAGAGACAGGTCCTTGTATTGGGCTCTGCAATATCTCAGGTCAAGCAA 500  
TGATAACCTAAAGCTTACGGGTGAGTGGGATAGTGTGACCTAAATTAAGCTCTCTGTCCAGGAACTAACCCGCAAGCTTATAGAGTCCAGTCCGTT

103 T I G F R M P S H P I T L D L I R E T G P L I G P S A N I S G Q A S 136

501 GTGGTGAACCTTTGAACTAATTCTGAAGCATTTGACCAAGAGGTTCTGGTCTGGAAGACGATGCTTTCTAACTGGACAGGATTCACATATTGTGA 600  
CACCACATTGGAACTTTGTTAAGACTTCTAAACTGGTCTTCAAGACCCAGACCTTCTGCTACGAAAGATTGACTGTCTTAAGTGAACACCT

137 G V T F E Q I L K D F D O E V L G L E D D A F L T G Q D S T I V D 169

601 TTTGTCTGGAGACAAGGTTGAAAACTTACCAAGGCGCAATTAACGAGAGATATTCTTCTCGGTTGCCAGAGATTCTTTTGAGGAGGCTTGAAATG 700  
AAACAGAGCTCTGTTCCACTTTTAGAATGGGTTCCGCTTAATTTGCTCTCTATTAAGAACGAGCCAGGCTCTCTAAGAAATCTCTCCGAACTTTAC

170 L S G D K V R I L P K A Q L N E K I F L L G C Q R F L L R R L E M 202

701 CTAAAGAGATTGCAAGAAACAGATGTGAAAGCGATATGTGACATCAACCAAGAGGCTTTGGGTTATACTTTTGTAGTCCAGAGGAAACGGCTAGCCAACTAG 800  
GATTCTCTAAAGCTTCTTGTCTACACTTTGCTATACACTGTAGTTGGTCTCCGAAACCCCAATATGAAATCAGGTCCTTTGCGATCGGTTGATC

203 L R D L Q E T D V K A : C D I N Q E A L G Y T F S P E E T A S Q L A 236

801 CTAGACTGTCTCAGGATCCCATCACTTCTACTTGGCTATGAGGATGACGTAATCATGTCTTACTTGGATATGTCCACGCTGAAGTTACGAATCACT 900  
GATCTGACAGAGTCTAAGGGTAGTAAGGATGAACCGATACTCTACGTCGATTAGTACAGAAATGAACCTATACAGGTGCGACTTCAATGCTTAGTGA

237 R L S Q D S H N F L L G Y E D A A N H V L L G Y V H A E V Y E S L 269

901 CTATTCCAAAGCAGGATTTAATATCTTACTTTAGCAGTTTCACTCAAGCCCAAGGTCAAGGTATCGGTAAAGTTTACTACAAAGGTTGGAACAAGAA 1000  
GATAAGGTTTCTCTCAATATAGAAATGAAATCTCAAGTGGAGTTCCGCTTCACTTCCATAGCCATTTCAATGATGTTCCCACTTGTCTCT

270 Y S K A G F N I L A L A V S P O A O G Q C I G K S L L Q G L E Q E 302

1001 GCCAAAAGATGTGTTATGGGTTATCCGTTAAATCTGCCAATCATGCTGGGTGCTCATGCAATTTATGAAAAAGTTGGCTATACTTGTGATAAAA 1100  
CGGTTTTTACACCAATACCAAAATAGGCGAATTAAGACGGTTAGTAGCAGACCCAGGAGTACGTAAAAATCTTTTCAACCGATATGAACACTATTTT

303 A K R C G Y C F : R L N S A N H R L G A H A F Y E K V G Y T C D K M 336

1101 TGCAGAAACGGTTTATTCGCACTTTAGTTGATTTCTTATGTAAATCAAACTAATGGACTAGTCACAAATAAAGGAGAACCTATGATTTTGTG 1200  
ACGCTTTTGCCTAAATAGCGGTAGAAAATCAAACTAAAGAAATAACATTTTAGTTTATTAACCTGATCAGTGTGTTATTTCTCTCTGATGATAAAAC

337 C K R F : R I F \* 345

gcp286

Fig. 17 (Sheet 1 of 2)

(SEQ ID NO: 50) 1 AAGATAATAGAAAAATAGAAATGTAAACGAATGAGAGAAAAATGGCATTTCGAGATAATGGAAATCGTAAAAAACTATGTTTCAGAAAAATACCTTGTTTAT 100  
(SEQ ID NO: 51) TCTATTATCTTTATCTTACATTGCTTACTCTCTTTTACCGTAAACCTCTATTACCTTTAGCATTTTTTGATACAAACTCTTTATTGGAAACAAATA

101 CGTGATTATCATGCTAGTAGCAAGTTTATTGGGAATTTTGGCAACTGCATTCGTGCTTCAGTAACTATAAAATGATTCAAGAAAAATTAGTGACTG 200  
GCCTAATAGTAGCATCATGCTTCAATAACCTTAAAAACGTTGACGTTAAACCAAGGAACTATTAGATATTTAACTAAGTCTCTTTAAATCACTGAC

201 GGATTTCCAGCCCTTTTAAAGTGAGAGAAAAATAGTATGTTTTAGATACAGCTAAGATTAAAGTCAAGGCTGCTAACTGCGCATGCTATGG 300  
CCTAAAGGCTCGGAAAAAATTTCACTCTTCTTTATTACTCATCAAAATCTATGTCGATTCTAATTCAGTTCCGACCATTACCACCGCTACCATACC

(SEQ ID NO: 49) 1 M F L D T A K I X V K A G N G G D G M V 20

101 TTGCTTTCTGCTGAAAAATATGTCCTAAATGGAGGCCCTTGGGGTGGTGATGGTGGTGGTGGAGGCAATGCTGCTTCTGTTAGACGAAGGACTACG 400  
AAGGAAAGCAGCACTTTTATACAGGATTAACCTCGGGAAACCCCAACCATACACAGCAGCACTTCGTTACACCAAGCAACATCTGCTTCTGATAC

21 A F R R E K Y V P N G G P W G G D G G R G G N V V F V V D E G L R 53

401 TACCTTGATGGATTTCCGCTACAATCGTCAATTCAGGCTGATTCTGGTAAAAAGGATGACCAAGGGATGCTGCTGCTGCTGAGGACCTTAGA 500  
ATGAACTACCTAAAGCGATGTTAGCAGTAAAGTTCCGACTAAGACCACTTTTCCCTACTGGTTTCCCTACGTTACAGCAGCAGCACTCTCGAATCT

54 T L M D F R Y N R H F K A D S G E X K M T K G M H G R G A E D L R 86

501 GTTCGAGTACCACAAGGTACGACTCTTCGTGATGCGGAGACTGGCAAGGTTTTAACAGATTGATTGAACATGCGCAAGAAATTTATGCTGCCACGGTG 600  
CAAGCTCATGCTGTTCCATGCTGACCAAGCACTACGCTCTGCAAGCTTCCAAAATGCTAAACTAAGTGTACCCGTTCTTAATAGCAACGGGTGCCAC

87 V R V P Q G T T V R D A E T G K V L T D L I E H G O E F I V A H G G 120

601 GTCTGTGGTGGACGTGGAATAATGCTTTGGGACACCAAAAAATCTGCAACCGGAAATCTCTGAAAAATGGAGAACCAAGGTGAGGACGTGATTACAAT 700  
CAGCACCACTGCACTTTATAAGCAAGCGCTGTGGTTTTAGGACGTGGCTTTAGAGACTTTTACCTCTTGGTCAGCTCTTGCCTCAATGTTAA

121 R G G R G N I R F A T P K N P A P E I S E N G E P G O E R E L Q L 153

701 GGAATCAAAATCTTGGCAGATGTCGTTTAGTAGGATTCCTATCTGAGGGAAGTCAACACTTTAAGTGTATTACCTCAGCTAAGCTTAAATTTGGT 800  
CCTTGATTTTAGAACCGTCTACAGCAAAATCATCTAAGGGTAGACATCTCTTCACTTGTGAAAAATCACAAATAGGAGTGGATTGGATTTTAAACA

154 E L K I L A D V G L V G F P S V G K S T L L S V I T S A K P K I G 186

801 GCCTACCACTTTACCACTATTGTACCAATTTAGGTATGGTTCGCCCAATCAGGTGAATCTTTGAGTAGCCGACTTGCAGGTTTGAATGAAGGG 900  
CGATGGTGAATGGTGATTAACATGGTTTAAATCCATACCAAGCGTGGGTTAGTCCACTTAGGAAACGTATCGGCTGAAGCGTCAAACTAATCTCC

187 A Y H F T T I V P N L G M V R T O S G E S F A V A D L P C L I E G A 220

901 CTAGTCAAGGTGTTGGTTTGGAACTCAGTTCTCCGTCACTCGAGCGTACAGCTGTTATCTTCACATCATGATATGTCAGCTAGCGGAAGCGGTGA 1000  
GATCAGTTCCACAACCAACCTTTCAGTCAAGGAGGAGTGTAGTCCGATGTCACAAATAGGAAGTGTAGTAACTATACAGTCCATCGCTTCCGGCACT

221 S C G V G L G T C F L R H I E R T R V I L H I I D M S A S E G R D 253

1001 TCCATATGAGGATTACCTAGCTATCAATAAAGAGCTGGAGTCTTACAATCTTCCCTCATGAGCGTCCACAGATTATTGTAATTAAGATGGACATG 1100  
AGGTATATCTCTAATGGATCGATAGTTATTCTGACCTCAGAAATGTTAGAAAGGGAGTACCTCGAGGTGTTCTAATAACATTGATTATTCTACCTGTAC

254 P Y E D Y L A I N K E L E S Y N L R L M E R P Q I I V T N K M D M 286

1101 CTTGAGAGTCAGGAAAACTTTGAAGAAATTAAGAAAAAATGGCTGAAAAATATGATGAATTTGAAGAGTTACAGCTATCTTCCCAATTTCTGGATTGA 1200  
CGACTCTCAGTCTTTAGAACTCTTAAATCTTTTAAACGACTTTTAAATACTACTTAACTCTCAATGGTCGATAGAAGGTTAAGAGCTTAAT

287 P E S Q E N L E E F K K K L A E N Y D E F E E L P A I P P I S G L T 320

1201 CCAAGCAAGCTCTGGCAACATTTTAGATGCTACAGCTGAATTTGTTAGCAAGACACCAAGAAATTTTCTCTACCAAGCTCCGATATGGAAGAAGAAGT 1300  
GCTTCTCTCAGACCTGTTGAAAAATCTACGATGTCGACTTAACAATCTGTTCTGCTGCTTAAAAACGAGATGCTGCTCAGGCTATACCTTCTTCTCA

321 F O C L A T L L D A T A E L L D K T P E F L L Y D E S D M E E E V 353

Fig. 17 (Sheet 2 of 2)

```
1301 TTACTATCGATTTGACGAAGAAGAAAAAGCCCTTTGAAATTAGTCGTGATGACGATGCGACATGGGTACTTTCTGGTGAAAAACTCATGAAACTCTTTAAT 1400
    AATGATACCTAAACTGCTTCTTTCTTTTCCGAAACTTTAATCAGCACTACTGCTACGCTGTACCCATGAAGACCACCTTTTGAGTACTTTGAGAAATTA
354 Y Y Q F D E E E K A F E I S R D D D A T W V L S G E K L M K L F N 386

1401 ATGACCAACTTTGATCGTGATGAATCTGTCAATGAAACTTTA 1441
    TACTGGTTGAAACTAGCACTACTTAGACAGTACTTTGAAAT
387 M T N F D R D E S V M K L 399
```

[illegible]

gcp1262 Fig. 19

(SEQ ID NO: 56) 1 AGCTGGAAATTTATGAGCAAGTATCCTATCTTAAAGAAGGAAGTGTATCTAACTCGTTATAATGAAGTTCAAAGTGAACAGCAACTTTAATCTTA 100  
(SEQ ID NO: 57) TCGACCTTAAATACTCGTTCATAGGATAGAAATTTCTTCCTTCTTCACAAATAGATTGAGCAATATTACTTCAAGTTTGACTTTGTCGTTGAAATTAGAA  
(SEQ ID NO: 55) 1 A G I Y E Q V S Y L K E G R S V Y L T R Y M E V Q T E T A T L I L 33

101 CGAGCTATTGTGGGATAGCTACTTCCTTGTACTCTTTATTCTGTCATCTCTATATTTGAGCAATTCGCGGAGATATCTTGATTAACGAATT 200  
CTCGATAACACCCCTATCGATCAAGGAACATGAGAAAATAAGACAGTTAGAGATATAAAGCTCCTTAAGCGCGCTCATAGAACTAATTGCTTAA

34 G A I V G I A S S L L L F Y S V N L L Y F E Q F R R D I L I K R I S 67

201 CAGGTTTACGATTTTTTGAACACATGCTCAGTATATGGTTAGTCAATTCGCCAGTTTGTATTTGGTGCTAGTCTCTTTATTTAAGCAGTCGAGACTT 300  
GTGCAATGCTAAAAAATTTGTGTACGAGTCATATACCAATCAGTTAAACGGTCAAAACATAAACCAGGATCAGAGAAATAAAATTCGTGAGCTCTGAA

68 G L R P F E T H A O Y M V S O F A S P V F G A S L F I L S S R D L 100

101 GGTGATTGGCTTGCTCAGTTTATTAGTCTTTCTAGCTAGTGCAGTTTTCAGCGCTTACCGTCAAGCGCAGAAAGAAATCTCGTGTTCATGACAAATTATG 400  
CCACTAACCGAAGCAGTGAAATAATCAGAAAGATCGATCAGTCAAACTGCGAAATGGCAGTTCCGCTCTTTCTTAGAGCACAAGATACTGTTAATAC

101 V I G L L T L L V F L A S A V L T L Y R Q A Q K E S R V S M T I M 133

401 AAAGGAAAAATAGGATGATTGAACTAAGAAATATATCTAAAAAATTTGGAAGCGCTCAGCTATTTTCAGATACGAATCTTTA 481  
TTTCCTTTTATCCTACTAAGTCTGATTTCTTATATAGATTTTTAAACCTTCGCGAGTCGATAAAAGTCTATGCTTAGAAAT

134 K G K \* 137



gcp3387

Fig. 20

(SEQ ID NO: 59) 1 TTTTATCTAGTACAGTATATTTATTCGGCTGTCCGCCAATATTCAATCCATCCAAATGTATTAGAATGGATCTTAGTTTTACTTCAAGATATGACGACTGG 100  
(SEQ ID NO: 60) AAAATAGATCATGTCTATATAAATACCGCAGCGGTTATAAGTTAGGTAGGTTACATAATCTTACCTAGAAATCAAAATGAAGTCTATATCTGCTGACC  
(SEQ ID NO: 58) 1 M T T G 4

101 AGTATATTGCTTCCGTTACATATATTTGTTCTTTTTTATTGATGAATAACTATTTAATAGGTTGGAGTGTCCGATTCCTCTGAATCAATTAAG 200  
TCATATAACGAAAGGCAAGTGTATATATAACAGAAAAATAAACTACTTATTGATAAAATTATCCAACTCACAGCGTAAGCAGACTTTAGTTAATTC

5 V Y C P P F T Y I L F F F Y L M N M Y F N R L E C R I R L K S I X 37

201 CACTTACCACTTTTAGTTTCAAATTAGCAGCTCTTAGTAAGGGGATTGGACGGCGACTTTATTTTTATTGATTTTTCTAATTGCATTAGTAATGGTT 300  
GTGAAATGGTCAAAATCAAAGTTTAATCGTCGAGAATCATGCCCTAAACCTGCCGCTGAAATAAAAATAACTAAAAAGATTAACTGTAATCATTAACAA

38 H F T S P S F K L A A L S T G I W T A T L F L L I F L I A F S N G F 71

301 TTAGCTTCTCTTGGAGATAAAGGAGGTGATTTTTTAAGAGAAATTTATGGTATAAGTATTGCAACAATGCTAGTTCTTTATAGGATTTTTTTCTC 400  
AATCGAAGAGAACTCTATTTCTCCAATAAAAAATCTCTTAAAAATACCATATTATACGTTTGTACGATCAAAGAAATATCTTAAAAAAGAG

72 S F S L E I K E V D F L R E F Y G I S I A N N A S F F I G F F F S 104

401 TTATATAGCATACTATTTCTTTTATCCTTACTTACTATTAGCAGTTTTCTTGGTTTTAAAAATCAAACATGAGCTTAGTATTCTGTTACTTTTTTA 500  
AATATATCGTATGATAAAGAAAAATAGGAATGAATGATAATCGTCAAAAGAACCAATTTTTTAGTTTGTACTCGAATCATAAGACAAATGAAAAAT

105 Y I A Y Y F F L S L L T I S S F S W F K K S N M S L V P L F T F L 137

501 TTTGTAGAATCCTTATTTCTGGATTTATCAGTTGGACAATGGGATAATGGATTATTGCCAATTTTTTCAGTATATGTTAAATCCATCCGTATGCATTGA 600  
AAACATCTTAGGAATAAGACCTAAATAGTCAACCTGTTACCTATTAACTAATAACGGTTAAAAAGTCATATACCAATTAAGGTTAGGCAATAGCTAAT

138 F V E S L F W I Y Q L D N G I I G L L P I F Q Y M V N S N P Y A L I 171

601 TTTATTCGCTTACATTACTATCTATCATAATTCATTGACTGTATTTCTGTTATAGAACTGGAGGAGAGTGTAAAAAGTTGGAAATGGGAAAGTTAAG 700  
AAATAACCGAATGTAATGATAGATAGTATTAAGGTAACGACATAAAGACAAGTATCTTGCACCTCTCTCACATTTTCAACCTTTACGCTTTCAATTC

172 Y W L T L L S I I I P L T V F S V H R N W R R V \* 196

gdp47

Fig. 21 (Sheet 1 of 2)

(SEQ ID NO: 62) 1 AGGGAACAAGAAAAATTCAGGTTTCGTGATATAATAGAGTCTGTATATAAGGAGGTAAATCATGGAGTTAGTGCATGGAAATTCACACATTTTATCC 100  
(SEQ ID NO: 63) TCCCTTGTTCTTTAAAGTCCAAAGCACTATATATCTTCAGACATATATCTCCATTTAGTACCTCAATCAGTACCTTAAAGTTGTGTAATAAGC  
(SEQ ID NO: 61) 1 M E L V H G I S T N F I Q 13

101 AATCAAAAAAGTTTAAAAAACAACAAATATCCGTGCGTTTATCCGCTCCATTCCTTCATACCAATTCAGGTGCATGTTGAGTGCAAGTATGCTAGA 200  
TTAGTTTTCATAATTTGTTTGTGTTTAAATGGCAGCAAAATGGCAGGTAAATAGGGAATATGCTAACGTCCAGTGTACAACTCAGCTTCATAGTCT  
14 S K X P K T N K I T V R F T A F L S L D T I A G H M L S A S H L E 46

201 GACTGCTAATCAGATGTACCCCACTTCTCAAGATTGAGGAGACACTTGGCCAGTCTATACGGTACAGATATGTCACCAATTTGTTGAGAAGGGCAA 300  
CTGACGATTAGTCTACATGGGGTGAAGAGTTCTAACTCCTCTGTGAACGGGTGAGATATGCCATGCTATACAGTTGGTTAAACAAAGTCTTCTCCGTT  
47 T A N Q M Y P T S Q D L R R H L A S L Y G T D M S T N C F R R G Q 79

301 AGCCACATTATAGAATTGACATTTACCTATGTTGATGAGTCTTAAAGTAGGAAAAACGTGCTAACCTCTCAGATTTCGAACTGTGTAAGAGAACTC 400  
TCGTTGTAATATCTTAATGTAATGGATACAGCACTACTCAAAATTCATCCTTTTGCAGGATTGGAGAGTCTAAACCTTGAACATTTCTCTTGAG  
80 S H I I E L T F T Y V R D E F L S R K N V L T S Q I L E L V K E T L 113

401 TTTTTCACCCGAGTGTGATAATGGGTTGATCCGCCCTTATTCAAATGAGAAAAACAATTCGTAGCAAGTTAGCAGCTGATATGATGATTC 500  
AAAAAGTGGGCGTCATCACTATTACCCAACTAGGCCGAATAAATTAATCTTTTGTAAAGATCGTTCAAACTCGCTATATCTTAACTAG  
114 F S P A V V D N G F D P A L F E I E K K Q L L A S L A A D M D D S 146

501 TTTTATTTGACACATAAAGAAATGGATAAATGTTTTCATGATGAAGCTCTCAATGGAAATATAGTGAATTCGAAATCGTATTTAGCTGAAACT 600  
AAAAATAAGCGTATTTCTTAACCTATTAACCAAAAGTACTACTTGCAGAAAGTTAACTTATATCACTAAATGCTTTAGCAATTAAGTTTGA  
147 F Y F A K K E L D K L F F H D E R L Q L E Y S D L R N R I L A E T 179

601 CCACAAAGTCTTATCTGTTTCCAAGAAATTTAGCCAATGATCGAATAGATTCTCTTCTAGGTGATTTAATGAGGTTGAAATTCAAATGTAT 700  
CGTCTTCAAGAAATAGAACAAAGGTTCTTAAAAATCGGTTACTAGCTTATCTAAAGAAAAAGGATCCACTAAATATGCTTCAACTTTAAGTTTACATA  
180 P Q S S Y S C F Q E F L A N D R I D F F F L G D F N E V E I Q N V L 213

701 TAGAATCATTTGGCTTTAAAGGTGAAAAAGGAGATGTGAAGGTCAGTATGTCACCTTATCTAATATCCTTCAGGAAGGTATGCTTCGAAAAATGT 800  
ATCTTAGTAACCGAAATTCAGCTTTCTCTACACTTCCAAGTATACAGGTTGGAATAAGATTATAGGAAGTCTTCCATACCAAGCTTTTATACA  
214 E S F G F K G R K G D V K V Q Y C C P Y S N I L Q E G M V R K N V 246

801 GGCACAATCCATTTGGAATAGGTTATCATACCGTTCTAAATATGSGTATGAGCAACATTTACCCATGATGTAAATGAATGCTTTACTTGGTGGATTT 900  
CCCTGTTAGGTAAACCTTAAATCAATAGTAATGGCAAGATTATACCACTACTCGTTGTAATGGGTACTAACATTACTTACCAATGAACCACTTAA  
247 G Q S I L E L G Y H Y R S K Y G D E Q H L P M I V M N G L L G G F 279

901 GCTCACTTAAGCTCTTTACAAATGTCGTTGAAAAATGCTGGATTAGCTTATACCAATTCAGGTGAGCTGATTTATTTAGTGGATTCTTGAAGGATGATG 1000  
CGAGTGAGATTGAGAAATGTTTACAGGCACCTTTACGACCTAATCGAATATGGTAAAGTTCACTCGAACTAAATAAATCACTTAAGAACTCTTACATAC  
280 A H S K L P T N V R E N A C L A Y T I S S E L D L F S G F L R M Y A 313

1001 CTGGTATCAATCGAGAAAAATCGTAACCAAGCTCGTAAAAATGATGAATATCAACTGCTGATTTAAAAAAAGGTTATTTTACAGAGTTTGAAGTAAATCA 1100  
GACCAATAGTTAGCTCTTTTACATTTGTTCCGAGCACTTTACTACTTATAGTTGACGAATAAATTTTCCAAATAAATGTCCTCAACTCAATTTAGT  
314 C I N R E N R N Q A R K M M N N Q L L D L K K G Y F T E F E L N Q 346

1101 GACCAAGGAAATGATTCGTTGGTGGTTGTTACTTCTCAAGATAATCAATCTTCAATGATTGAACGTCCTTATCAAAATGCCCTTATTCGAAAAATCTTCA 1200  
CTGGTTCTTTACTAAGCAACCAAGCAATGAAGAGTCTTATAGTTAGAGTAACCTAATTCAGCAATAGTTTACGGAATAAATCTTTTAAAGT  
347 T K E M I R W S L L L S O D N O S S L I E R A Y O N A L F G K S S 379

1201 GCAGACTTTAAAGTTCGATTGCAAGCTTGAACAAATTCGCAAGAGTCTTATTTAGAGTAGCTAATAATGTGAAACTACAGCGATTACTTTATGG 1300  
CCTCTGAAATTTCAACCTAAGCTTCCAACTGTTTAACTGTTCTACGATAAATCATCTCGATTATTAACCTTGTGTTTGGTAAATGAATAC  
380 A C F K S W I A K L E Q : D K D A : C R V A N N V K L Q A I Y F M E 413

Fig. 21 (Sheet 2 of 2)

1301 AAGGAATAGAATGACAAAGTTGT...TTGAAGAAAAATACTATCCAGCTGTAAAAGAAAAGGTTTATCGAACTCGTTTGGCCAAACGGATTGACAGTTGCT 1400  
TTCCTTATCTTACTGTTTCCAAACAAAATCTCT...TTTATGATAGGTGGACATTTTCTTTTCCAAATAGCTTGAGCAAAACCGGTTCCCTAACTGTCAACGA  
414 G I E \* 417

gop61

Fig. 22

(SEQ ID NO: 65) 1 GTTTTGTGACCATTTCAAAAGTCGTTAGCACAGAAAAAGTCGTCTATACCTTCGAAAGAAATTTATACCTTTCACAATCTGACTTTGGTATTTATTT  
(SEQ ID NO: 66) CAAAAAAGTGGTAAAGTTTTCAGCAATCGTGTCTTTTCTTCAGCAGATATGAAGCTTTCTTTAAATAATGGAAAGTGTAGACTGAAACCATATAATAA 100

101 TAGAGAAAAATTAAGTTCTCCCATGGTTATOGAGAGGTTCTGTTTATGCGAATGAAGATTTAGTAGTGGAACTCGGGAATTTGACTCCCAAAACAAGT 200  
ATCTCTTTTAATTCAAGAGGGTACCAAAATACCTCTCCAGGACAAATACGCTTACTCTAAATCATCACCTAGACCTTTAACTGAGGTTTGTGCA

(SEQ ID NO: 64) 1 M V Y G E V P V Y A N E D L V V E S G K L T P K T S 26

201 TTTCAAAATAACCGAGTCGGCTTAAATAAACAAGCAATTCAGTATTTAAGCTATCAAAATCATCAATTTATAGTCGCGGACAAACGATTTTATATGATC 300  
AAAGTTTATGGCTCACCGGAAATTTATTTGTTCTTAAGGTCAATAATTCGATAGTTTAGTAGTTAAATATCGAGCGCTGTTGCTAAAAATATAGTAG

27 F Q I T E W R L N K Q G I P V P K L S N R Q F I A A D K R F L Y D Q 60

301 AATCAGAGGTAATCCAACTAAATAAAGTATGGTTAGAATCTGACTTTAACTGTACAATAGTCCTTATGATTTAAAGAAAGTGAATCATCTTATC 400  
TTAGTCTCCATTGAGGTTGTTATTTTTCATACCAATCTTAGACTGAAATTTGACATGTTATCAGGAATAGTAAATTTCTTCACTTTAGTAGGAATAG

61 S E V T P T I X K V M L E S D F K L Y N S P Y D L K E V K S S L S 93

401 AGCTTATTCGCAAGTATCAATCGACAAGACCATGTTTGTAGAAGGAAGAGAATTTCTACATATGATCAGGCTGGATGGGTAGCTAAAGAAATCACTTCT 500  
TGAATAAGCGTTTATAGTTAGCTGTTCTGTGACAAACATCTTCTTCTCTTAAAGATGTATACTAGTCCGACCTACCCATCGATTCTTAGTTGAAGA

94 A Y S Q V S I D K T M F V E G R E F L H I D Q A G W V A K E S T S 126

501 GAAGAAGATAATCGATGAGTAAAGTCAAGAAATGTTATCTGAAAAATATCAGAAAGATTCTTCTCTATTTATGTTAAAGCACTGACTCTGAAAAAG 600  
CTTCTCTATAGCTACTCAATTTCAAGTTCTTTACAATAGACTTTTATAGTCTTCTTAAAGAAAGATATAATACAAATCGTTGACTGATGACCTTTTC

127 E E D N R M S K V Q E M L S E K Y O X D S F S I Y V K O L T T G K E 160

601 AAGCTGCTATCAATCAAGATGAAAGATGTTATCGAGCCAGCTTTTCAAACTCTCTTATCTCTATTTATACCAAGAAAAATAAATCAGGCTCTTTATCA 700  
TTGACCATAGTTAGTCTCTATCTTTTACATACCTCGGTGCGAAACTTTGAGAGAAATAGAGATAATATCGCTTCTTTTATTTACTCCGAGAAATAGT

161 A G I N O D E R M Y A A S V L K L S Y L Y Y T O E K I N E G L Y O 193

701 GTTAGATACGACTGTAAAAATCGTATCTGAGTCAATGATTTTCCAGGTTCTTATAAACAGAGGGAAGTGGTGTCTTCTTAAAAAGAAAGATAATAA 800  
ATCTATGCTGACATTTATGCAATAGAGTCAAGTAAAGGTCCAAGAAATATTGGTCTCCCTTACCATCAGAAAGGATTTTCTTCTTATTTATTT

194 L D T T V K Y V S A V N D F P G S Y K P E G S G S L P K K E D M K 226

801 GAATATCTTAAAGCAATTAATACGAAAGTATCAAAAGAAATCTGATAATGTAGCTCATATCTATTGGGATATTACATTTCAAAACCAATCTGATGCCA 900  
CTTATAAGAAAACTTAAATTAATGCTTATAGACTATTACATCGAGTATTAGATAACCCATATAATGTAAGTTTGGTTAGACTACGGT

227 E Y S L K D L I T K V S K E S D N V A H N L L G Y Y I S N O S D A T 260

901 CATTCAATCCAAGATGTTGCGCAATTCGGAGATGATTCGGATCCAAAGAAAAATTGATTTCTTCTAAGATGCGCGGGAAGTTTATGCAAGCTATTTA 1000  
GTAAAGTTTAGGTTCTACAGACGGTAATACCTCTACTAACCTAGGTTTCTTTTAACTAAAGAAAGATTCTACCGGCCCTTCAATACCTTCGATAAAT

261 F K S K M S A I M C D D W D P K E K L I S S K M A G K F N E A I Y 293

1001 TAAATCAAAATGCAATTTGCTAGAGCTTTGACTAAAAACAGATTTGATAGTCAGCGAATTCGCAAGGTGTTTCTGTTAAAGTAGCTCATAAAAATGGA 1100  
ATTAGTTTACCTAAACAGGATCTCAGAACTGATTTTGTCTAAACTATCAGTGGCTTAACGGTTTCCACAAAGACAATTTTCATCGAGTATTTTAACTT

294 N C N G F V L E S L T K T D F D S Q R I A K G V S V K V A H K I C 126

1101 GATCGGATGAATTAAGCATGATACGGGTGTTGCTATGCAAGTTCTCCATTTATCTTTCTATTTTCACTAAGAAATCTGATTATGATACGATTTCTA 1200  
CTACCGCTACTTAAATTCGTACTATGCCACAAACAGATACGTCTAAGAGGTAATAAGAAAGATAAAAGTGATTTCTTAAAGACTAATACTATGCTAAGAT

327 C A C E F K H D T G V V Y A D S P F I L S I F T K N S D Y D T I S K 160

1201 AGATAGCCAAGATGTTTATGAGGTTTAAATGAGGGAACAGATTTTAAATCATTTTCTCAAGAAAGGATATTTCAAAAGCATGCTAAGCGGCTT 1300  
TCTATCGGTTCTTCAAAATAGTCCAAAGATTTTACTCCCTTGGTCTAAAAATTTAGTAAAGAGGTTCTTCCCTATAAAGTTTTCGTACGATTCGCGCA

361 : A K C V Y E V L F \* 171

gcp76

Fig. 23

(SEQ ID NO: 68) 1 TTGAAAAATATTATCTATAAGAACGACATATAAATCTAACAAAGCGTAATATTTATTAGCGCTTTTTCGTATACTAGTATTGTCTTTAAAGAAAGGA 100  
(SEQ ID NO: 69) AACCTTTTATAATAGATATTCTTGTGTATATTTACATTGTTTCCGATTATAAATAATCCGAAAAAACCATATGATCATAACAGAAAATTTCTTCCT

101 GTATCTACGTAATATGAAGAAAAAATCTTAGCGTCACTTTTATTAAAGTACAGTAATGGTTTCTCAAGTAGCTGTTTAACTGCGCATGCGAAAGC 200  
CATAGATGCATTATACCTCTTTTATTAGAATCGCAGTGAAATAATTCATGTCATTACCAAGAGTTTCATCGACAAAATTTGTTGACCGGTACGCTTTTGC

(SEQ ID NO: 67) 1 M K K K I L A S L L L S T V M V S Q V A V L T T A N A E T 29

201 ACTGATGACAAAATTCCTGCTCAAGATAATAAAATTAGTAACCTTAACAGCAACAACAAAGAGCCAAAACAAAGTTGACCAATTCAGGAGCAAGTAT 300  
TGACTACTGTTTAAAGAGCAGTTCTATTATTTAATCATGTAATGTCGTGTTGTTGTTCTCGGTTTTGTTCAACTGGTTTAAGTCTCTGTTTCATA

30 T D D K I A A Q D N K I S N L T A Q Q Q E A Q K O V D Q I O E Q V S 63

301 CAGCTATTCAAGCTGAGCAGTCTAACTTGCAAGCTGAAAATGATAGATTACAGCAGAACTTAAGAACTCGAGGGTGAGATTACAGAACTTTCTAAAAA 400  
GTGATAAGTTGCACTGCTCAGATTGAACGTTTCACTTTTACTATCTAATGTTGTTCTTAGATTCTTTGAGCTCCCACTCTAATGTTCTTGAAGATTGTTT

64 A I Q A E Q S N L Q A E N D R L Q A E S K K L E G E I T E L S K N 96

401 CATTGTTTCTCGTAACCAATCGTTGGAAAAACAAGCTCGTAGTGCTCAACCAATGGAGCCGTAAGTATATCAATACCAATGTAAGTCTCAAAATCA 500  
GTAACAAAGAGCATTGTTAGCAACCTTTTGTTCGAGCATCAGGAGTTTGTTCCTCGGCATTGATCGATATAGTTATGTTAATGTTAGTTGTTTGT

97 I V S R N Q S L E K O A R S A Q T N G A V T S Y I N T I V N S K S 129

501 ATTACAGAAGCTATTTCACTGTTGCTGCAATGAGTGAAATCGTATCTGCAACCAACAAATGTTAGAACCAACAAAGGCAGATAAAAAGCTATTTCTG 600  
TAATGTTCTCGATAAAGTGCAACAGCAGTTACTCACTTTAGCATAGAGCTTTGTTGTTTACAACTCTGTTGTTTTCGTTCTATTTTTCGATAAAGAC

130 I T E A I S R V A A M S E I V S A N N K M L E Q Q K A D K K A I S E 163

601 AAAAAAAGTAGCAATAATGATGCTATCAATAGTAAATTCCTAATCAACAAAAATTCCTGATGCTCAAGCATTGACTACGAAACAGGCAGAACT 700  
TTTTGTTCACTGTTTATTACTAGATAGTTATGACATTAAAGATTAGTGTTTTAAACGACTACTAGAGTTGTAATGATGCTTTGTCCTGCTTCTG

164 K O V A N N D A I N T V I A N Q O K L A D D A Q A L T T K O A E L 196

701 AAAAGCTGCTGAATTAAGTCTTGTGCTGAGAAAGCGACTAGCTGAAGGGGAAAAAGCAAGGCTATTACAGCAAGAGCAGCTGAGGCAGAGGCTCG 800  
TTTTGACGACTTAATTCAGAACGAGGACTCTTTCGCTGATGCACTTCCCTTTTTCGTTCCGATAATCTGTTCTTCTGCTGCTGACTCCGTTCCGAGC

197 K A A E L S L A A E K A T S 211

Fig. 24

YNES\_BACSU

(SEQ ID NO: 71) 1 ATGTTAATGCTTTATTGATTATTTGGCTACTTGATAGGCAGCATTCCATCGCTTAATTGTGGCAAGCTTGCCAAAGGAATTGATATTCGGGACC 100  
(SEQ ID NO: 72) TACAATTAACGAATAACTAATAAAACCGATGAAGTATCGGTGTAAGGTAGACCGAATTAAACCCGTTTGGAAACGGTTTCCTTAACATAAGCCCTCG  
(SEQ ID NO: 70) 1 M L I A L L I I L A Y L I G S I P S G L I V G K L A K G I D I R E H 34

101 ACGGAAGCGCAACTTAGGGCTACCAATGCAATTCGGTACATTGGGTGTAAGCTGGTTTCGGTCTCATAGCCGAGATATTTGAAAGGGACACTGGC 200  
TGCCTTGGCGGTGAATCCGCGATGGTTACGTAAGGCATGTAACCCACATTTCCGACCAAGCCAGCAGTATCGGCTCTATAAAACTTTCCCTGTGACCG  
35 G S G N L G A T H A F R T L G V K A G S V V I A G D I L K G T L A 67

201 AACTGCATTGCCCTTTCTCATGCAATGATATTCAACCGCTTCTTCAGGAGTCTTTCCGCTTTTAGGCCACGTTGTTCCCATCTTCGGCAAAATTTAAA 300  
TTGACGTAACCGAAAGAGTACGTACAATAAAGTGGCGAAGAACTCTCAGAAACGCCAAAATCCGTTGCCAAAGGGTAGAAGCGGTTTAAATTT  
68 T A L P F L M H V D I H P L L A G V F A V L G H V F P I F A K F K 100

301 GCGCGTAAAGCGGTGGCAGATCAGGAGGCGTTTGGCTATTTACGCCACCCCTGTTATTTATCAGCATGGTTGCGGTATCTTCATCTTTTATACCTGA 400  
CCGCCATTTCCGACCGCTGTAGTCTCCGCAAAACGATAAAATGGTGGGACATAAAATAGTCTACCAACGCCATAAGAAGTAGAAAAATATGAAT  
101 G G K A V A T S G G V L L P Y A P L L F I T H V A V F F I P L Y L T 134

401 CTAAATTTGTTCTCTCATGATGTTAACAGGGATCTATACGTGTATATATAGTTTCTTTGTCCATGATACGTATTTATTGATTGTGTTACCTGCT 500  
GATTTAAACAAGAGAGTAGCTACAATTGTCCTAGATATGACAAATATATATCAAGAAACAGGTACTATGCATAAATAACTAACAGGAATGGGACGA  
135 K F V S L S S M L T G I Y T V I Y S F P V H D T Y L L I V V T L L 167

501 CACTATTTTGTGATATACAGACCGGAGCGAATTAAGCGAATTATCAATAAAACAGAACCTAAAGTAAATGGTTATAA 582  
GTGATAAAACACTATATGTTCTGGGCTCGCTTGTAAATTTGCTTAATAGTTATTTGCTCTGGATTTCATTTTACCAATATT  
168 T I F V I Y R H R A N I K R I I N K T E P K V K W L \* 193

# Strategy for the targeted deletions of genes in *S. pneumoniae*




FIG. 25

Non-polar gene knockouts in *S. pneumoniae*




FIG. 26



- 1 -  
Sequence Listing

gcp103

(SEQ ID NO: 2) 1 TGCTGATTTTGGAGAAAGTTTATTAGAGATAAAAGAGTCTAAGGAAAAAAATCCATTGATTTTTCTTCTATAAAATAGATAAAAAATCGTACAATA 100  
(SEQ ID NO: 3) ACCGACTAAAAACCTCTTTCAATAAATCTCTATTTTCTCAGATTCTTTTTTAAGGTAAACTATAAAAAAGAGATATTTATCTATTTTACCATGTTAT

101 ATAAATTCAGGTAATAAGGATGAGATTAGATAAAATATTTAAAAGTATCGCGAATTATCAAGCGTCGTACAGTCGCAAGGAAGTAGCAGATAAAGGTAGA 200  
TATTTAACTCCATTATTCCTACTCTAATCTATTTATAAAATTTTCATAGCGCTTAATAGTTTCGAGCATGTGAGCGTTTCCTTCATCGTCTATTTCCATCT  
(SEQ ID NO: 1) 1 M R L D K Y L K V S R I I K R R T V A K E V A D K G R 27

201 ATCAAGGTTAATGGAACTCTGGCCAAAAGTTCACCGGACTTGAAGTAAATGACCAAGTTGAAATTCGCTTTGGCAATAAGTTGCTGCTTGTAAAAGTAC 300  
TAGTTTCAATTACCTTAGAACCGGTTTTCAAGTTGCCGAACTTCAATTACTGGTCAACTTAAAGCGAAACCGTTATTCAACGACGAACATTTTCATG  
28 I K V N G I L A K S S T D L K V N D Q V E I R F G N K L L L V K V L 61

301 TAGAGATGAAGATAGTACAAAAAAGAGATCCAGCAGGAATGTATGAATTTATCAGTGAACACCGGTAGAAGAAAAATGCTAAAAATTTGTACAAT 400  
ATCTCTACTTTCTATCATGTTTTTTCTTCTACGTCTCTTACATACCTTAAATAGTCACCTTGTGCCCATCTTCTTTTACAGATTTTATAACATGTTA  
62 E M K D S T K X E D A A G M Y E I I S E T R V E E N V • 89

gcp1113

(SEQ ID NO: 5) : GAAATCGCTTTTCAATGTGACTGTAGCCATGAACGCTTTATGAAGCTTTTCCAGCTTTCAAGCTCAGACTTACAGGAAATGAAAGAGGAAAGACCACTG 100  
 (SEQ ID NO: 6) : TTTAGGCAAAAGGTTACACTGCATCGGTACTTGGGAAATACTTGGGAGAACGGTGGGAGGTTGAGTCTGAAATGCTTTACTTTTCTCTGTGGTGC

191: GGGCAGAAATCACTGTCAATCTGCCAACTACTTACAACTTTGATGAAAAGGACCTGAGGAACTCATTCGTGACAAATCTTAATACACTTTTATGA 200  
 CCGCTTTTATGTGAACGTTAAGACGGTTGATGAATGTTGAAATCTATTTCTGAGCTCTTTGAGTAAGCACTCTTAGAATTTATGCGAAATATCT

(SEQ ID NO: 4) : M K R T M R N S F V T N L M T P P M I 19

291: TTGGCAATTTGAGATTCCCAATCTTACCGTTTACCGCTTATGGTGGGGTGAACCACTCAGCTTTCTTACCATCGCAAAAGAGCTCGGAGCTGGACT 300  
 AACCTTTATACTCTAAGGTTAGCATGGCAAAATCGCGATACCGACCGCACTGGTTGAGTGGGAAAGCATGGTAGCTTTTCTCGAGCTCGACCTGA

20 G N I E I P N R T V L A P M A G V T N S A F R T I A K E L G A G L 52

391: CTTTGTAAATGGAATGGTCTCTGACAGCGAATCCAATACAAACGAAAGGCTGATATGCTTCATATCGATGAGGGCGAAACCTGTCTCTATC 400  
 GCAACATTACTTTACGAGACTGTTGCTTACGTTATGTTGCTTTTGGGACCTATACGAAGTATAGCTACTCCCTCTTTGGGACAGAGATAG

53 V V H E M V S D K G : Q Y N N E X T L H M L H I D E G E N P V S : 85

491: CAACTTTTGTAGCGATGAAGACAGCTTACCACTCGGAGGAGAAATTCATCAAGAAACCAAGACCGATATCGTGAATCAACATCGGCTGGCTG 500  
 GTTGAAGAAACCATCGCTACTTCTGTGGAATCGTGGCTGCTCTTAAGTAGGTTCTTTGTGGTCTGGCTATAGCACTATAGTTGTACCGGACGGGAC

86 G L F G S D E C S L A R A A E F : Q E N T X T D I V D I N M G C P V 119

591: TCAACAAATCTGTGAAGAACGAAGCTGGAGCTATGTGGCTCAAGGATCTGACAGATCTACTCTATCATCAACAGGTCAGTCTGTCTTGTATCCC 600  
 AGTTGTTTATGACCTTTCTGCTGACCTCGATACACCGAGTTCTAGGACTGTTCTAGATGAGATAGTATGTTTCTGAGCTCAGACAGGAACTATAGGG

120 N K : V K N E A G A M W L K D P D K I Y S I I N K V Q S V L D I P 152

691: ACTTACTGTCAAAATGCTTACCGCTGGGCGGACCCATCTCTGGCAGTAGAAAATGCCCTCGCTGCTGAGGCTGCAGGTGTTCTGCGCTCGCCATGCA 700  
 TCAATGACAGCTTTACGATGAGCTCGACCGCTGGTAGAGACCTCATTTTACGGGAGCGACCACTCGGACCTCGCAAAAGACGGGAGCGATAGCTA

193 L T V K M R T G W A D P S L A V E N A L A A E A A G V S A L A M H 185

791: GGGCTTACCTGTGAACAAATGTATCTGCTCAACGAGCTTGAGACCTTTCAAGGTTGCCAAGCTCTAACCAAGATTCCATTCTCGCCAAAGGTC 800  
 CGGGCTGGGCACTTTTACATATGACCGGTGGCTGGCACTCTGGGAAATGTTCCAAAGGTTGAGATGTTTCTAAGGTAAGTACCGGTTGGCAC

186 G R T R E O M Y T G H A D L E T L Y K V A Q A L T K I P F I A N G D 219

891: ATATCGTACTGTCCAGAAGCCCAAGCAAGCATCGAAGAACTTGTGCTTACCGAGTCATGATTGGCCGAGCTGCCATGGGAAATCCTTACCTCTTCAA 900  
 TATAGGCTAGCAGGTTCTTGGTTCTTGGTAGCTTCTTCAACGAGCTGGCTCAGTACTAACCGCTCGAGCGTACCTCTTAGGAAATGGAGAACTT

220 : R T V Q E A K O R I E E V G A D A V M I G R A A M G N P Y L F N 252

991: CCAATCAACCTTACTTTCAACAGGAGAAATCCTACTGATTTGACCTTTGAAGACAAGATGAAGATCGCTACGAACACTTGAACGATTGATTAA 1000  
 CTTTATGTTGATTAAGAACTTTGCTCTTTAGGATGGACTAAACTGGAACTTCTGTTCTACTTCTAGCGGATGCTTGTGAACCTTGTCTAACTAATTG

253 G I N H Y F E T G E I L P D L T F E D K M K I A Y E H L K R L I N 285

1091: CTCAAGGAGAAAAGCTCCAGTTCTGAAATTCGGCGGCTCGCTCTCTACTATCTCGTGGACATCTGGCGCTGCCAACTCGGTGGAGCCATTTCC 1100  
 GAGTTTCTCTTTTGCAGCTCAAGCACTTAAGGCGCGGAGCGAGGAGTATAGAGGCACTTGTAGACCGGAGCGTTTGAAGCACCTCGGTAAAGCG

286 L K G E N V A V R E F R G L A P H Y L R G T S G A A K L R Q A I S O 319

1191: AAGCTAGCACTTAGCAGAGATTGAAGCCCTCTTGCAATTCGAGAGGCTTAATAGTTTAAAACCGTAACCTCTTAAAGAGTCTCTTGAATGCCGCCA 1200  
 TTGATCGTGGATCTCTCTAACTTCGGAGAACGTTAAGCTCTTCGAAATTAACAATTTGGGATTGAGAGAAATTTCTCAGAGAACTTACGGCGT

320 A S T L A E I E A L L O L E K A \* 336

gepl122

(SEQ ID NO: 8) : AAGGCACGAGTGGAACTTTCTCTCATATTTTCAATAGTTTATTAGCTACACGTTGAGCAACTTCAGAAAAATCAAAATTTCTCAAGTTCTCTCTTA 100  
TTCTGTCTCGACCTTCAAAAGGGAGTATAAAAAAGTTATCAAAATAATCGATGTGCAACTCTTCAAGTCTTTTCTTAAAGAAATTCAGAGAGAAT

(SEQ ID NO: 9)

101 TAGTAGATTTCGAATCTCTTTTCACTAGTTTCTAGTCAACACATAAGGACCTTTCTCTCAAAAGTTGATTTGATTCATAGCATAAGCGTA 200  
ATCATCTAAAACCTTAGGGAAAACTCGATCAAGAGCTCAGTCTGTATTTCTGGGACAGAGGACTTTCACTAACCATAACTACTATCGTATTGCGAT

102 CTGACCATCATTAATCCACTTATCTTTTAAAGATTAGCAATACTTCAGAAACGATGTTTATCAATATCGTATTTTTCAGATATTCTGACTTCT 300  
GACTGCTAGTAATTAGGTGAATAGAAGAAATTTAATCGTTATTGAACCTTTCTGCTACAAAAATAGTTATAGCATAAAAAAGTCTATAGAGAGCTGAAGA

103 TTTTCACTGGCTGCTTAAAGGATAAGTGTAGACGGCCAGATTCTTACCATAGAAAAATTCAGCAAACTCTTGAATCTCTTTCAATCTCTCTCTCTTA 400  
AAAAGTCACGACGAAATTTCTATTCAACATCTCTGGCTTAAGAAATGTTATCTTTAACTCGTTTCAGAACTTAGAGAAAGTTAAGGAGAGCGAAT

104 TCACCTTATCTCTGATAACATAAAACGAACAAATGTTATCTTCTGGTATATAGCATTTCTGCTTATCAAGCTCCATCAGATAGAGTCTTTTCTT 500  
AGTGAATAGAGAGCTATTGTTATTTCTGTTTAAACATAGAAGCCATATATCGTAAACAGCGGTAAATAGTTCCAGGTAGTCTATCTCAGAAAAAAGAA

105 TTCAAGTTTGTGATTTTCACTAGCTTATTAATCACTCAAAATGTGATAAGATAGCGGTATCAATCTCAAGGTGAAAAAATACCATTAATAATCAAG 600  
AAGTTCAAAACACTAAAAGTATCGAGATAATATGAGTTTACACTATTTCTATCCCATACCTTAGACTTTCACTTTGTTTTTATGTTAATTTTATGTTT

(SEQ ID NO: 7) : M N L K V K Q K I P L K I K 14

106 CGCATGGGAATTAACGGTCAGGGAATCGCTTTTACCAAAAAACATTAGTTTGTACACGAGCTCTCAAAAGCGGAAGATATCTATTGTCAGATTACTT 700  
CGTACCTTAAATGCGACTGCTTTAGCGGAAAAATGTTTTGTAATCAGAAACATGGTCTCGAGAGTTTCTGCTTATAGATAACAGTCTAATGAA

15 R M G : N G E C : G F Y C K T L V F V P G A L K G E D I Y C O I T S 48

107 CTATTAGACGCAACTTTGTTGAAGCAAAATTAAGTCAAGCTCAACAGAACTTAATTTTGAATTTGTGCACTCTTGTACTATTATAATGAATGCGGAG 800  
GATAATCTGCTTGAACCAACTCTTTTAAAGTCTCACTGTTTCTTCAAGTTTAAAGCTTAACAGGTTAGAACATGATAAATATTACTTACGCTTCT

49 : R R N F V E A K L L K V N K K S K F R I V P S C T : Y N E C G G 81

108 CTGCCAAATCATGCACTGCTTATGATAAGCAGCTGAGTTCAAGACGCACTTACTTCAAGCGCTGAAAAAATTTGCTCTGAGGATATGAAAA 900  
GAGCTTTAGTACGTGGAGCTAATACTATTCTGAGCTCAAGTTCTGCTGAATGAAGTATGCGGACTTTTAAACGAGGAGCTCTTATACATTTTA

82 C G I N H L N Y D R C L E F K T D L L H O A L K K F A P A G Y E N 114

109 TATGAAATCTGTCAACTATTGCAATCGAGCAACCAAAATATTACAGAGTAAGTTACAAATTTCAAGCTCGAAAAATTTAAAAATCAGGTCAAGCGCGCT 1000  
ATAGTTAAGCAGGTTGATAACCTTACCTCTGTTTTTAAATGTTCTGATTCAATGTTAAAGTCTGAGCTTTTAAATTTTATGTCAGTTCCGCGCA

115 Y E I R P T I G M O E P K Y Y R A K L O F O T R K F R N O V K A G L 148

1100 TATATGCACAAAACCTCTCACTATTAGTACAGTTGAAGCACTGCTCTGACAGATAAGGAAACCAAGTGATTGCTAATGCTTAGCAGAAATTAATTAC 1100  
ATATAGCTGTTTGAAGAGTGATAAATCATCTCACTTTCTGACGAGCACTGTTCTATTCTTTGGGTTCACTAACGATTAGCGAATCTCTTAATGAATG

149 Y A Q N S N Y L V E L R D C L V O D K E T O V I A N R L A E L L T 181

1101 TTATCACCAGATTCCAATCACGGATGAGAGAAAGTTCTAGGTGCTGCTACTATTATGCTCCGACCGCAGAGAAAGACCGGACAGGTTCAAGATTATTAT 1200  
AATAGTGTCTAAGGTTAGTGCCTACTCTTTTCAAGATCCAGGCGATGATAATACCAGGCTGCGGCTCTTTCTGCTGCTGCTCAAGCTTAATAAZAA

182 Y H Q I P I T D E R K V L G V R T I M V R R A R K T G O V O I I I 214

1201 GTTACAAACCCGAGCTTAATTTAATCAATTCGTAAGAGAGTTGTTAAAGATTTCCCAAGGTTGTGACAGTAGCTGTTAATACAAATACAGCTAAAA 1300  
CAATGTTTGGCGGTCAATTAATTAAGTTAACCATTCTTCAACCAATTTCTAAAGGGTCTTCAACACTGTCTGAGCAATTAATTTATGTTGATTTT

215 V T M R O L N L T O L V K E L V E D F P E V V T V A V N T N T A K T 248

1302 CCAGTGAGATATATGTTGAAAGACAGAGATTATCTGGGGCCAGAGAGTTTCAAGAGGTGTTACTCAATTAATGAAATTTCACTATCCCTCGAGCTTT 1400  
GCTCACTCTATACCACTTTCTGTCTTAATAGACCCCTTTCTCTCAATAGTTCTTCCACATGAGTTAATACTTAAAGTGTAGGGGAGCTGAA

249 S E I Y G E K T E : I M G C E S I O E G V L N Y E F S L S P R A F 281

1401 TTATCAACTAAATCCTGAGCAACAGAACTCCTGTATAGCGAAGCAGTAAAGCGCTGGATGTTGATAAAGAAGACCATTTCATTCAGCGTTATTGTGGA 1500  
AATAGTTGATTTAGGACTGGTTGTTCTTCAGGAGATATCGTTCTGTCATTTTCGGGACCTACAACCTATTTCTCTGCTAACTAACTGCGAATAACACCT

282 Y Q L N P E Q T E V L Y S E A V K A L D V D K E D H L I D A Y C G 314

1501 GTTGGAACTATTGGATTTCCTTTGCAAGAAGTAAAACTCAGAGGTATGGATATTATTCAGAAAGCTATTGAAGATGCCAAGCGAAATGCTAAAA 1600  
CAACCTTGCTAACTAAACGGAACGTTCTTTCACTTTTGTGAGTCTCCATACCTATAATAAGGTCTTCGATAACTTCAAGCTTCGCTTACGATTTT

315 V G T I G F A F A K K V R T L R G M D I I P E A I E D A R R N A K R 348

1601 GAATGGGATTTGACAACTCTATTATGAAGTGGAAACCGCAGAACGATTATTCCTCGTTGGTACAAGGAAGGCTACCGAGCAGATGCTTTGATTGTTGA 1700  
CTTACCTTAAACTGTTATGAGTAATACTTCGACCTTGGCTCTCTCTAATAAGGAGCAACCATGTTCTTCCGATGGCTGCTCTAGCAACTAACACT

349 M G F D N T H Y E A G T A E E I I P R W Y K E G Y R A D A L I V D 381

1701 CCCACCACGTACAGGCTGGATGATAAGTTATTAGATACTATTCTTACTTATGTACCAGAAAAATGGTTTATAITTTCTGTAATGTTTCACCTTGGCT 1800  
GGTGGTGATGTCAGACCTACTATTCAATAATCTATGATAAGAATGAATACATGCTCTTTTACCAATATAAAGAACATTACAAAGCTGGAACCGA

382 P P R T G L D D K L L D T : L T Y V P E K M V Y : S C H V S T L A 414

1801 CCGATTTCGTACGCTTAGTAGAAGTCTATGATCTTCATTATATCCAGTGGTGGATATGTTCCACATACAGCTCGAACTGAAGCTGTTGTAAATTA 1900  
CCACTAAACCATGCGAATCATCTTCAGATACTAGAAGTAATATAGGTGAGCCAGCTATACAGGGTGTATGTCGAGCTTGACTTCGACAACTTTTAAT

415 R D L V R L V E V Y C L H Y I O S V D M P P H T A R T E A V V K L I 448

1901 TAACAAAAGTTTAAAAAAGTACTTCACAAAGTTTGAAGAAGCTGTATAATAGTAAGAGTTGAAAAATAACAACTCAGGTTCGTTGGTCAAGGGGTTAAGAC 2000  
ATTGTTTTCAATTTTTTTCATCAACTGTTTCAAACTTTTTTGACATATTATCTTCTCAACTTTTATTGTTGAGTCCAGCAACCACTTCCGCAATTCTG

449 T K V \* 452

2001 ACCGCTTTTTCACGGCGGTAAACCGGTTGCAATCCGCTACGGACTATGCTATGTTGCGGTTGGAACACTTGATGAAAACTTTA 2084  
TCCGAAAAAGTGCCGCAATGTCGCCAAGCTTAGGGATGCTGATACCATACAACGCCAACCTTGTGAACACTTTTTTGAAT

[illegible]

gcp1493

(SEQ ID NO:14) : TAAAGACACTGGAACGACCAACAATTTCCGATTTTACGTAAGAAAGCTGCTATGCCAAGCTTTGTCATTGACTTTTCAAAGCAACCTAGCAACGCTG 100  
(SEQ ID NO:15) : ATTTCTGTGACCTTGCTGCTGTTGGAAGCGTAAATCCATTTCTTTCGACCATACCGTTGGAACACTAACTGAAAAAGTTTCTTGGCATCCTTGGCAC  
(SEQ ID NO:13) : K D T G T T N T F R I L G K K A G H A T F V I D F F K G T L A T L 33

101 CTTCCGATTATTTTCACTACAAGGCTTTCTCTCTCATCTTGGACTTTGGCTGTTATCGGCCATACCTTCCCTATCTTTGCAGGATTTAAAGGTG 200  
CAAGGCTAATAAAAAGTAGATCTTCCGCAAGAGGAGAGTAGAAAACCTGAAAACCGACATAGCCGCTATGGAAGGGATAGAAAAGCTCTAAATTTCCAC

34 L P I I F H L Q C V S P L I F G L L A V I G H T F P I F A C F K G G 67

201 GTAAGGCTGTCGCAACCACTGCTGAGTGATTTTCCGATTTCGGCTATCTTCTGTCTACCTTCCGATTATCTTCTTGGACTCTCATATCTTGGCAG 300  
CATTCGACAGCCTTGGTCAGCACTTCACTAAAAGCCTAAAGCCGATAGAAACAGAGATGGAACGCTAATAGAAGAAACCTGAGAGTATAGAACGCTC

68 K A V A T S A G V : F G F A P I F C L Y L A I I F F G L S Y L G S 100

301 TATGATTTCACTGCTAGTGTCAAGCATCGATCGCGGCTGTTA 344  
ATACTAAAGTGACAGATCAAGTGTCTAGCTAGCGCGCAAT

101 M I S L S S V T A S I A A V 114

gsp1507

(SEQ ID NO:17) : CTAAAGGTAAATGCAATGAAAAGTATAAAATTAAATGCTCTATCTTACATGGCAATTCCTGCTTCAATATTATTTTCCCATCTTAACCTGAACCTATG 100  
(SEQ ID NO:18) : GATTTCATTTAACCTTACTTTTCATATTTTAAATTTACGAGATAGAAATGACCTTTAAGCACAGAACTTATAATAAAAAGCGTAGCAATGACCTTGGATAC  
(SEQ ID NO:16) 1 M K S I K L M A L S Y M G I R V L N I I F P I L T G T Y V 29

101 TCGCGCTGTCTTGGACCGAACTGACTATGCTTCACTCACTCGACACTATTTTCTCATTTTCTTGGCCCTTTCGAACCTTATGCTGTCTATAACTA 200  
AGCGCCACAGAACCTCGCTTCACTGATACCAATGAAGTTGAGTCAGCTGTGATAAAACAGTAAAAAGAACCGGAAACGTTGAATACCACAGATATTGAT

30 A R V L D R T D Y C Y F N S V D T : L S F F L P F A T Y C V Y N Y 62

201 CGGTTTAAGGCTATCAGTAATGTCAAGGATAACAAAAAGATCTTAACAGAACCTTTCTAGTCTTTTATTGTGCAATCGCTTGTACGATTTTGACC 300  
GCCAAATTCGGATAGTCATTACAGTTCCTATTGTTTTCTAGAAATGTCTTGGAAAGATCAGAAAAAATAAACACGTTACCGAACATGCTAAAACCTGG

63 G L R A I S N V R D N K K D L M R T F S S L F Y L C I A C T I L T 95

301 ACTGCTGTCTATATCTAGGCTATGCTCTCTCTTTACTGATAATCCAATGCTCAAAAAGCTCTACCTTGTATTGGGGATTCAACTCATTTCCCGAGATT 400  
TGACGACAGATATAGGATCGGATAGGAGAGAGAAATCACTATTAGGTTAGCAGTTTTCCAGATGGAACAAATACCCCTAAGTTGAGTAACGGGTCTAAA

96 T A V Y I L A Y P L F F T D M P I V K K V Y L V M G I Q L I A Q I F 129

401 TTTCAATCGAATGGTCAATGAAGCTCTGGAATAATACAGTTCTCTTTTACAAAACCTGC 460  
AAAGTTAGCTTACCCAGTTACTTCGAGACCTTTAATGTCAAAGAGAAAAATGTTTTGACG

130 S I E W V N E A L E W Y S F S F T K L 148

gep151:

SEQ ID NO: 20) : CCTCGCATTTACCGTATGCAATTCAGTATGTAATGATTTTATGGACAACTGCGAGACAGGACGAGGAATGTATGTTTTGTACCGAGTTGCTATACA 100  
GCAGCGTAAATGGCACTACCTAAAGTGCATACATTACTAAAAATACCTGTTGCGAGTCTGCTGCTGCTCTTACATACAAAACTGCTCAACGATATGT  
SEQ ID NO: 21)  
101: GCGAGTAGGCAATGCAGATTCAAAAAAGTTTAAAGGGCAGTCTCCTATGGCAAGCTGTATCTAGTGGCAACCGGATTGGCAATCTAGATGATATGACT 200  
CCTCATCCGTACGTCTAAATTTTCAAAATTCCTCGTCAGAGGGATACCGTTCGACATAGATCACCGTTGCGGCTAACCGTTAGATCTACTATAGTCA  
SEQ ID NO: 19) : M O I O K S F K G Q S P Y G K L Y L V A T P I G N L D D M T 30  
201: TTTCTGCTATCCAGACCTTGAAGAAGTGGACTGATGCTGCTGAGGATACCGCAATACAGGGCTTTGCTCAAGCATTTTCAGATTCCACCAAGC 300  
AAAGCACGATAGGTCTGGAATCTTCACTGACCTAACGACGACTCCTATGCGCGTTATGTCGCGAAAACGAGTTCGTAATACTGTAAAGGTGCTTGG  
31 F R A I O T L K E V D W I A A E D T R N T G L L L K H F D I S T K Q 64  
301: AGATCAGTTTTCATGAGCACAATGCAAAAGGAAAAATTCCTGATTGATTGCTTTCTTGAAGCAGGGCAAGATTTGCTCAGGCTCTGTATGCGGCTTT 400  
TCTAGTCAAAAGTACTGCTGTTACGTTTCTTTTAAAGCATAAAGCAAGAACTTTGCTGCGCTTCATTAACGAGTCCAGAGACTACGGCCAA  
65 I S F H E H N A K E K : P D L I G F L K A G Q S I A Q V S D A G L 97  
401: GCTAGCATTTCAGACCTGCTCATGATTTAGTTAAGGACGATTGAGGAAAGAAATTCAGTTGTGACTGTTCCAGGTACCTCTGAGGAATTTCTGCC 500  
CGATCGTAAAGTCTGGACCACTACTAAATCAATTCCTGATGAATCTCTTTTAAAGTCAACACTGCAAGGTCCATGGAGACGCTCTTAAAGACGG  
98 P S I S D P C H E L V K A A I E E E I A V V T V P C T S A G I S A 130  
501: TTGATTGCGAGTGGTTTAGGCGCACAGCCACATATCTTTACGGTTTTTACCGAGAAAATCAGGTCAACAGAACCAATTTTTTGGCTCTAAAAAAGATT 600  
AACTAACGGTCACCAATCGCGGTGCTGCTATAGAAAATGCCAAAAATGGCTCTTTTAGTCCAGTTGTCTTCGTTAAAAAACGAGATTTTTCTAA  
131 L I A S G L A P C P H : F Y G F L P R K S G Q Q K Q F F G S K K D Y 164  
601: ATCCTGAAACACAGATTTTTATGAATCAGCTCATCGTGTAGCAGACAGTTGGAAAAATATGTTAGAAGTCTACGGTGACCGCTCGGTTGTTTGTGTCAG 700  
TAGGACTTTGTGCTAAAAAATACCTTAGTGGAGTAGCACATGCTGTGCAACCTTTTATACAATCTTCAGATGCCACTGGCGAGGCAACAAAACCACTC  
165 P E T Q I F Y E S P H R V A D T L E N H L E V Y G D R S V V L V R 197  
701: GGAATTGACCAAAATCTATGAAGAAATACCAAGAGCTACAATTTCTGAATTGCTGGAAAGCATCTCTGAAACGCTCTCTCAAGGCTGAATGCTCTGATT 800  
CCTTAAGTGGTTTTAGATACCTCTTATGCTTTTCCATGTTTAAAGACTTAAAGACCTTTCTAGAGACTTTGCGAGAGATTCCTCACTTACAGAGACTAA  
198 E L T K I Y E E Y O R C T : S E L L E S I S E T S L K G E C L L I 230  
801: GTTGAAGGTGCCAGCAAGGTGTGGAGGAAAGSATGAGGAAGACTTGTCTTAGAAATCCAGCCCGTATCCAGCAAGGCTGAAGAAAAATCAAGCTA 900  
CAACTCCACGGTCTTCCACACCTCTTTCTACTCTTTGGAACAAAGATCTTTAGGTTGCGGCATAGGTGCTTCCTACTCTCTTTTACTGAT  
231 V E G A S K G V E E K D E E D L F L E I Q A R I Q O G M K R N Q A I 264  
901: TTAAGCAATAGCTAAGATTTACAGTCCAAATAGAGTCACTCTACGCTGCTTACCACGACTGGGAAGAAAAACAATAAGGGAGACAGGATGTAATAA 1000  
AATTCCTTTATCGATTCTAAATGGTCACTTATTTCTCAGTTGAGATGGAGCGATGGTCTGACCTTCTTTTGTATTTCCCTCTGCTCTACATTTAT  
265 K E I A K I Y O M N H S O L Y A A Y H D W E E K Q \* 290



9ep1518

- 9 -

(SEQ ID NO: 23) 1 ATGGCTTGGTAAAAAAGGTGGCAATGCTTTTAAGTGCAAGTTATGCGCTGTAGCATATAAATCTATTTCTACATATTTTAAAGCTTACAGAG 100  
(SEQ ID NO: 24) TACCGAACCAATTTTCCACCGTTACGAGAAATTCAGTTCAATAACGGACATCGTATATTAGATAAAGGATGTATAAAAAATTCGACAGTCTC

101 TTAATTTGAAAGCTTTAGCTTGTGGTATAATAGATTTATGGATAAAAAATATCAAAAAATCTCTCAGGATTTGGGAGTGACGTTAAAGCAAAATGATACC 200  
AATTAAGCTTGCAAATCGAACCAATATATTCTAAATACCTATTTTATACCTTTTATAGAGAGTCTTAAACCTCTCACTGCAATTTCTGTTAACTATGG

(SEQ ID NO: 22) 1 M D K K Y E K I S O D L G V T L K Q I D T 21

201 GTTCTAAGTTTGACAGCTGAAGGGGCGACTATTCCTTTATCGCGCTTATCGCAAGGACATGACTGGTACTCTGGATGAGGTGGGATTAAGGCTATTA 300  
CAAGATTCAAACTGTGCACTTCCCGCTGATAAGGGAAATAGCGCGCAATAGCGTTCTGTACTGACCATCAGACCTACTCCACCGCTAATTCGGATAAT

22 V L S L T A E G A T I P F I A R Y R K D H T G S L D E V A I X A I I 55

301 TTGATTGGATAAAAGTCTGACAAATCTCAATGACCGTAAGGAGCTGTCTAGCTAAGATTCAAGAACAAAGTAAAGTTGACCAAGGAATGGAAGAAC 400  
AATTAAGCTTATTTAGAGTGTCTAGAGTACTGGCATTCTTCGACAGAAATCGATTCTAAGTCTTGTTCATTCACTGGTTCCTTAAGCTTCTTCG

56 D L D K S L T N L N D R K E A V L A K I Q E O G K L T K E L E E A 80

401 TATCTTAGTTGCGAAAAATAGCAGACGTTGAAGAACTCTATCTTCTTATAAGGAAAGCGCTGTACCAAGGCAACCAATGCGCGTGAAGCTGAC 500  
ATAGAATCAACCGCTTTTAAATCGTCTGCAACTCTTGAGATAGAAAGGAATATCTCTTTCGAGCATGGTTCCTTGGTAAACGGGCACTTCGACCTGAG

89 : L V A E K L A D V E E L Y L P Y K E K R R T K A T I A R E A G L 121

501 TTTCTCTGCTCTTGTATTTGAGATAATAGTTGACTTAGAGAAAGAAAGCTGAAAAGTTCTCTGTGAAGGATTTGCGACTGGCAAGGAGGCTTGA 600  
AAGGAGAACGAGCAAACTAAACGCTCTTATATCACTGAATCTCTTCTTCTGCACTTTTCAAGCAGACACTTCTTAAACGCTGACCTTCTTCTGGAAT

122 F P L A R L I L O N : V D L E K E A E K F V C E G F A T G K E A L T 155

601 CCGGTGCACTGATATTTGCTGGAAGCTTATCGGAAGATGTGACCTTCTTCTATGACTTATCAGGAAGTGTGAGACACTCTAAACTCACTTCTCA 700  
GGCACTCTCACTATAAAGACGCTTGGAAATAGCTTCTACACTGGAAGGCAAGATCTGAATAGTCTTCAAGCTCTGTGAGATTGAGTGAAGAGT

156 G A V D : L V E A L S E D V T L R S M T Y Q E V L R H S K L T S Q 188

701 AGCCAAAGGATGAAGTCTTGATGAAAAGCAGGTTTTTCAAGATTTATTAATGATTTTCAAGACAGTGGAACTATGCAAGGCTATCGTACCTTGGCTCTC 800  
TGGTTCTCACTTTCAAGAACTCTTTCTGCAAAAGTCTAAATAATATCAAAAGTCTCTGCACTTGTATAGCTTGTGAGTGAAGTGAAGAG

189 A K D E S L D E K O V F O : Y Y D F S E T V G T M Q G Y R T L A L 221

801 AATCGTGGGAGAAACTTGTGTCTGAAGATCGGTTTGAACATCGGACGGACGCTATCTTGGCTTCTTGTCTACTGTTTCAAGGTGAAAAATGCTT 900  
TTAGCAGCTCTTTGAACCAAGAACTTCTAGCAAAACTTGTAGCTGCTGGCATAAGAACGGAAGAAACGATGAGCAAGTTCACCTTTTACGAA

222 N R G E K L G V L K : G F E H A T D R : L A F F A T R F K V K N A Y 255

901 ATATTGATGAAGTTGTTCAAGCAATCCGTTAAGAAAAAGTCTTGGCTCTATTGAGCTGCTATTGCGACAGAAATTAAGTGAAGAACTGAAGAGGAGC 1000  
TATAACTACTTCAACAACTGTTAGGCAATTTTTCAGAACGGAAGATACTCGCAGCATAGCCTGTTCTAATTGACTCTTTGACTTCTCTCTCG

256 : D E V V Q O S V K K K V L P A I E R R I R T E L T E K A E E G A 288

1001 TATCCAATTTTCTGCAATCTGGCAATCTCTCTTGGTGGCTCACTGAAAGGGCGCGTGGTCTTGGATTGACCCAGCTTCTGTACAGGTGCC 1100  
ATAGTTGAAAAAAGACTGTTAGACCGCTTAGAGGAGAACCAAGAGGTGATTTCCCGCGCAAGAACTTAACTGGGTGCGAAAGCATGTGACCGG

289 : Q L F S D N L R N L L L V A P L K G R V V L G F D P A P R T G A 321

1101 AAGTTAGCTGCTGCGATGCAACAGGAAAAATGCTGCACTCAGGTTATTTATCTGTTAAACCAGCATCAGCTCTCAAAATCGAAGAACCAAGAAAG 1200  
TTCAATCGACAGCACTACCTTGTCTTTTACAGCTGTTAGTCCAATAAATAGGACAAATTTGGTGTAGTGGAGCAGTTAGCTTCTTGGTCTCTTC

322 K L A V V D A T G X M L T T O V : Y P V K P A S A R Q I S E A K K D 355

1201 ATTTAGCAGATTTAAATGGTCAATACGGTGTAGAGATTAATGCCATTGCAAAATGCAACGGCCAGTGTGAAAGTGAAGCTTTGTAGCGGAAGTCTGAA 1300  
TAAATCGTCTAAATTAACGAGTTATGCCACATCTTAATAACGCTAACCTTACCTTGGCGGTGAGCACTTCACTTCAAAAGCATCGCTTCAAGACTT

356 L A D L I G O Y G V E I I A I G N G T A S R E S S A P V A E V L X 388

- 10 -

1301 AGATTTCCCTGAAGTCAGCTATGTTATGCTTAATGAAAGTGGTCTCTCTGTTATTTCTGCCAGCGAACTTCTCTCTCAGGAGTTCAGAGCTTCAGCTCT 1400  
TCTAAAGGGACTTCAGTCGATACAAATAGCAATTACTTCCACGAGAGACAGATAAGACGGTCTCTTCAACGAGCAGTCTCTCAAAGGCTCTGAAGTGGCAA

389 D F P E V S Y V I V N E S G A S V Y S A S E L A R Q E F P D L T V 421

1401 GAAAAACGCTCTGCCATTCTATGCCCCCTCTCTGCAAGATCTCTCTGCGGAATTGGTCAAAATCGATCCTAAGTCAATGGTCTCGGTCAATACCAAC 1500  
CTTTTTCGAGACGGTAAGATAGCGGGCAGCAACGCTCTAGGAGAACGCTTAACCACTTTAGCTAGGATTCAAGTAACCAAGCCAGTTATGGTTG

422 E K R S A I S I A R R L O D P L A E L V K I D P K S I G V G Q Y Q N 453

1501 ACCGATGTCAGTCAGAGAACTATCTGAGACTCTGGACTTCTTGTGATACAGTCTTAACCAAGTGGTGTCAATGTCATACAGCTAGCCAGCTCT 1600  
TGCTACAGTCAGTCTCTCTGATAGACTCTCAGACCTGAACAACAGCTATGTCACCAATGCTTCAACCAAGTACAGTTATGTCATCGGCTCGAGA

454 D V S Q R K L S E S L D F V V D T V V N Q V G V N V N T A S P A L 486

1601 TCTTTCAAGCTAGCTGAGCTCAACAAACTATCTCTGAAATATTGTCAAAATACCGGAGGAAGGAAAAATCACTTCAAGCCGCAATCAAGAA 1700  
AGAAAGTGTGCATCGACTGAGTCTCTGATAGAGACTTTATAACAGTTATGGGCTCTCTCTCTCTTTAGTGAAGTGCGCGGTTTATGTTCTT

489 L S H V A G L N K T I S E N I V X Y R E E G K I T S R A Q I K K 521

1701 GTTCTCTCTGCGAGCGCAAGGCTTTCAGCAGGCTGCTGCTCTCTCTATCCCTGAAGTAGCAATATCCTGATATACAGGAGTTCAGCCAGAG 1799  
CAAGGAGCAGACCTCTGCTTCCGAACTCTCCGACGACCAAGGAAGCATAGGGACTTTCATGTTATAGGAATATTATGTCCTCAAGTGGTCTC

522 V P R L C A K A F E Q A A G F L R I P E S S N I L D N T G V H P E 554

gcp1846

- 11 -

(SEQ ID NO: 26) 1 TACTGGGCAAGGCTTTCTTACCGTTCTGAAATGGAAGCTTTCTTGAAAATGGTGAAGTTAAGATTTTCAGAGCACTCAAGCAAGCCAGNATCCGC 100  
(SEQ ID NO: 27) 1 ATGACCCGCTTCCCAAGAAATGGGACAAAGACTTACACTTCAGAAAGAACTTTACCACTTCAATTTCTAAAAGTCTCTCAAGTTGCTTCGGTONTAGGGC  
(SEQ ID NO: 25) 1 T C A R V S Y P V L N V K V P L E N G E V K I P R A L N E A X I R 33

101 AGGTCTGATCGAACCATGGTGGCAGATATTGTAATAATGGTCTTCCCTTTGAACGTTTTCTGGAGACGGGCTAACACTTTCCACACCCAGCTGGTAGTA 200  
TCCAGACTAGCTTGGTACCACCGTCTATAACATTATTACCAAGGAACTTCCAAAAGCACCTTGCCCGATTGTCAAAGCTGTCGCTGACCATCAT  
34 R S D R T M V A D I V I N C V P P E R F R G D G L T V S T P T G S T 67

201 CTGCTATAACAAGCTCTTTGGCGGTGCTTTTACACCTACCATGGAAGCTTTGCAATTAAAGGAGATTGCCAGCTTAATAATGGTGTCTATGGAAC 300  
GACGGATATTGTTTCAAGAGAACCGCCAGCAAAATGTGGATGGTAAGTTCGAAAGCTTAATTCCTCTAAAGGTGGAATTATTAGCACAGATAGCTTG  
68 A Y N K S L G C A V L N P T I E A L O L T E I A S L N N R V Y R T 100

301 ATTGGGCTCTTCCATTATTGTGCTAAGAAGGATAAGATTGAAGCTTATCCAAAGAAAGCAATTATCACTATTTCGGTTGCAATAGCGTTTATTCT 400  
TAACCGAGCAAGGTAATAACACGGATTCTTCTATTCTAAGTTGAATAAGGTTGTTCTTTGCTAATAGTATGATAAAGCAACTGTTATCCGAATAAGA  
101 L G S S I I V P R K D K I E L I P T R N D Y H T I S V D N S V Y S 133

401 TTCCGTAAATTGAGCGTATTGAGTATCAATCGACCATCATAGATTCACTTTGTGCGGACTCTAGCCATACCACTTTCTGCAACCGTGTAAAGGATC 500  
AAGGCATTATAACTCGCATAACTCATAGTTTACGTGGTAGTATTCTAAGTGAACAGCCCTGAGGATCGGTATGCTCAAGACCTTGCCAGATTCCTAC  
134 F R N I E R I E Y Q I D N N K I H F V A T P S H T S F W N R V K D A 167

501 CCTTTATCGGTGAGGTGGATGAATGAGGTTGAATTTATCCGAGATGAACATGTCAGGTTAAGACCTTTTAAAAAA 578  
GGAAATAGCCACTCCACTACTTACTCCAAACTTAAATAGCGTCTACTGTACAGTTCCAATTCTGGAATAATTTTTT  
169 F I G E V C E 175

991551

- 12 -

(SEQ ID NO: 29): CGCTCTAAAGAAACCTACTGGAGAGTGTAGATGGGAAGTACTATTATTTGATCCCTTATCCGGAGAGATGGTTGTCCGCTGGCAATATATACCTGCT 100  
(SEQ ID NO: 30) CGAGATTTCTTTGGATGACCTCTCACTATCTATCTCTCATGATAATAAACTAGGAAATAGGCGCTCTCTACCAACAGCCGACCTTATATATGGACCA 100  
(SEQ ID NO: 28): M V V G M Q Y I P A 10

101 CCACACAAAGGGGTTACCAATGGTCCCTCTCCAAAGATAGAGATTGCTCTTAGACCAGATTGGTTTATTTTGGTCAAGATGGTGTCTTACAAAGATTTC 200  
GGTGTGTTCCGCCAATGCTAACCAAGGAAGAGCTTCTTATCTCTAACGAGAACTGGTCTAACCAAAATAAAACCACTCTTACCAAGAAATGTTCTTAAC 200  
12 P H K G V T : G P S P R I E I A L R P D W P Y F G O D G V L Q E P V 44

201 TTGGCAAGCAAGTTTAGAAGCAAAACTGCTACCAATACCAACAACTCATGGGAAGAAATGATAGCCCAAGCAGAAACCACTTATTATTTTGA 300  
AACGTTGCTTCAAAATCTCTTTTGAAGATGCTTATGGTTGTTTGTAGTACCCCTCTTATACTATCGGTTGCTCTTTGCTCAGATAATAAACT 300  
45 G K Q V L E A K T A T N T N K N G E Y D S O A E K R V Y Y F E 77

301 AGATCAGCGTAGTTATCATACTTTAAAACTGCTTGCATTATGAAGAGGGTTATTGGTATTATTTACAGAAAGATGGTGGCTTTCATTCTCCATCAAC 400  
TCTAGTGGCATCAATAGTATGAAATTTTACCAACCTAAATACTTCTCCCAATAACCATATAAAATGCTTCTTACCAACCAACTAGAGCGTAGTTG 400  
78 D O R S Y H T L K Y G M I Y E E G Y W Y Y L O K D G G P D S R I N 110

401 AGATTGACCGTTGGAGAGCTAGCACGTTGCTTGGTTAAGGATTACCTCTTACCTATGATGAAGAGAAGCTAAACCAAGCTCCATGCTTACTATAGATC 500  
TCTAACTGCCAACCTCTGATCTGTCACCAACCCAACTCTTAATGGGAGAAATGCATAGTACTTCTCTTGGATTTCGTCAGGTTACCATGATAGATCTAG 500  
111 R L T V G E L A R G M V K D Y P L T Y D E E K L K A A P W Y Y L D P 144

501 CAGCAACTGGCTGGCAAACTTGGGAACAAATGCTACTCTCCCTTATCAGGAGCTATGGTAACTGGCTGGTATCAAGATGCTTTAACTTGGTACTA 600  
GTCTTGACCGACCTTTTGGAACTCTTTTACCAATGATGGAGCAAGTACTCTCTGATACCATTTGACCGACCATAGTTCTACCAATGAAACCATGAT 600  
145 A T G W O N L G N K W Y Y L R S S G A M V T G M Y Q D G L T W Y Y 177

601 CTTAAATGCAGGTAATGGAGACATGAAGACAGCTTGGTTCCAAGTCAATGGTAACTGCTACTATGCTTATGATTCAAGTGGCTTTAGCTGTTTAAATACCACA 700  
GGATTACCTCCATTACTCTGCTACTTCTGCAACCAAGCTTCACTTACCATTCATGATACCGGATCTAAGTCCAGCAATCCAGAAATTAATGCTGT 700  
178 L N A G N G D M R T G M F O V N G N W Y Y A Y D S G A L A V N T T 210

701 GTAGGTGGTTACTACTTAACTATAATGGTGAATGGGTTAAGTAATGAAGGCTAAATGTAAGTGTGATGGGATCTTAACTTTGTATTAATAGGTGGATAA 800  
CATCCACCAATGATGAATTTGATATTACCACTTACCAATTCATTACTTCCGATTACATTTGACACTACCTATGAAATGAACATATTATCCACCTATT 800  
211 V G G Y Y L N Y N G E M V R • 225

gwp1361

- 13 -

(SEQ ID NO: 12) :	...TATGGATTTTATTAATAAGAAAGCCATTATTACCAAGTTTCAGTCCGATGATACCGAGCTGTTCTTACGACATAAGTTTCTCAATATTAATCCCAAAA	100
(SEQ ID NO: 33) :	AAAAATACCTATAAATAATAATTTCTTTTCGGTAATAAGTGCTCAAGTCAGGCTACTATGGCTCGACAGAAATCGCTGTATTCAAGAGAGTTATAATGAGTTT	
(SEQ ID NO: 31) :	M D I Y I X K A I I N O F S P D D T E L F L A D K F L N I C P R	12
101	ATCGAAGAATACCTACGTAAAGAAAAATTGAACATGTGTATTTCAGATGAAGCCCAACATCGGATTTTCGAAGAAGAAAAATCCCTTTTCAATCATATTACAG	200
33	I E E Y L R K K I E N V Y S D E A R T G I P E E E N P F F F N H I T D	66
201	ACGATTTCTTGAGACATCAGTAACCGTCCCTAATCTCTGGAAGAGAGATTAGCAATTTCTGAAAATCTCAAGACCAATGACTTCAATTTCTTCAATT	300
67	D L L E T S V T L A N L W K E E P S I S E N L K T N D L I F V Q F	99
301	TTCTAAGAAGGTGTAGAACATTTCCGTTTCTCCCAATTCGCTTCGGGAGAGCTTCGACCCACCTCGGAGGAGAAAGTGTATATCAATCAAGCTGACT	400
100	S R E G V E N F A F L R I A L E T L T E L G G E V D N P I X L T	132
401	CACAATAACCTCGCTGGATTTCGAACCGGCTGCTGAGGAGGCTTTGGTGTCAATCTTCAGAGTCGCAAGTATCACTCGATTGAAAACGAATCAAGTACA	500
133	Q N N L P G F C T C A D E A L V V N L O S R K Y N L I E K R I K Y N	166
501	ACGGAGCTTTTTCGAATAATTTTCAGATAATCTTTCTGCTGCTGCTAAGATTTCCTTAAAAAATCTATCAAGGAAGTCGGAAGAAAACAGCCGAGAG	600
167	G T F L N Y F S C N L L A V A P K I S P K R S I K E L E X T A Q R	199
601	AAATGCTGAATCTTTTAACACAGATCAATTTCAATTTCAATCCAAGGTCAAAATCAGCTATTTTCAACAACCTAGAAGAAAGCAATGAATTTGTCACTGAG	700
200	: A E S F N T D D F O F O S K V K S A I F N N L E E S N E L S P E	232
701	AAATGCTGAATCACTTTTTCGAACAACTTCGACGGCTCTTTGAGCTTTATTGACCAAGTCAGAGAGAGCGCTACCAGAACCTGTTCAATTTTGATGAAA	800
233	K L A N D L F D N K L T A R L S F I D O V R E A V P E P V O F D E I	266
801	TTGATGCGAGTCCCAATTAAGAAAAATTTGAAACCAAAAATCTGCTTATCAATGGAATTCAGCTCATCTGTTCCCAATAAGCTGTATCAAGACGGCA	900
267	C A S H O L K R F E N O K L S L S N G I E L I V P N N V Y O D A E	299
901	GTGCTGAGTTTATCCAAACGAAAAATGGAACCTACTCTATCTTAAATCAAAAATATCGAGGATATCCAAAGTAAATAATGTTTAAACGAATTCGGAAGAC	1000
300	S V E F : Q M E N G T Y S I L I K N I E D I O S K	328
1001	TTGCTGTACTAGCAGCTCTCTTTTCTGTCGCTATAAAGCTTACCGCTTCATCAAGATGTCAAAACAGTTCATGACCTTCAACCCATGGTGGAGAAAT	1100

000180

- 14 -

(SEQ ID NO: 35)	1	AAATGCTGTAATAACTAGAAAAATCTTGTGAGGTTCCGATATGCAATATTTTCATGATTTTCTGATTTTGTGTGCTCTTATGCTGTAAGTCT	100
(SEQ ID NO: 36)	2	TTACAGCATATTATGATCTTTTATGAACACCTCCAGGTAATACCTTTATAAAAAGTACTAAAAAGACTAAACAAACACAGGATAACCACTATCG	100
(SEQ ID NO: 34)	3	MA : F P N I P L I V C V L L L V I V	19
	101	ACACTGAGTACAGTTATGTGCTTCTGACGAGTCCGTGGCCATTATGAACTGCTTGGGAAATACCAAAAGGTTGCTAATAGCGGTATTCATATTCCT	200
	20	TLSTVYVVRQOSVAIERPFGKYOKVANEIGIKIRL	53
	201	TGCTTTTGGGATGACTGCTGATTGCGACAGGATTCAGTTCGCGTTGTTGCAAAAGTGATATTTGTTTGAGACTAAGACCAAGGACAATGTTGCTTTA	300
	54	PPGIDSIARIO LRL L L L G S D I V V E T K T K D N V F V H	86
	301	GATGAATGTACGACTCAGTACCTGTCACCGACAGAGCGTGACAGATGCTTACTATAAACTCATCGTCCAGAAATCTCAGATTAAATCTTATATGCA	400
	87	MNVATQYRVNEQSVTDAYYKLRPESQIKSYIE	119
	401	GATGCTCTTCCCTCTCTGTTCCAAAAATAACCTTGGATGAATTTTGAGAAAAAGATGAGATTCGCTTGAGGTTCAACACCAAGTACGAGAGAAA	500
	120	DALRESSVPR L T L D E L F E K R D E I A L E V Q M O V A E E H	153
	501	TGACCACTTACCGCTACATTATCGTGAAAACTTGATTTACCAAGCTCGAACAGATGCAAGTATAAGCAATCTATGAATGAATCAATCGCGCCAA	600
	154	TTYG Y I I V K T L I T K V E P D A E V K Q S M N E I N A Q P	186
	601	TAAAGCGGTGCGACGACAGAAATGGCGGAAGCTGACAGATTAATAATTTGCTACTGAGCTGAAGCGGAAGCAGAAAAAGACCGCTTCTATGTTGCGG	700
	187	KRVAAQELAEADKIRIVTAAEAEAEKDR L H G V C	219
	701	ATTGCCCAACACGTAAGGCGATTGGATGCAATTGGCAGATCTATACCGAATCAAGGAAGCAATTTGCGATGACAGAGAACAATCATGTCTA	800
	226	TAACGGTCTTGGCATTTGGTAACACCTACCTAACCTCTCAGATAGTGGTCAAGTCTCTTATGCTGAGTACTGCTCTCTTTTATGATGAGAT	253
	801	TCTCTTGACCAACCACTATTGGATATCTTGAATACCTTCTCTTAAAGCAATCAAAACACTCTTTTACCAAAATCTCCAAATCGTTGCGATGAT	900
	254	LLTN O Y L D T L N T F A S K G N O T I P L P N G V D D I	286
	901	CGTACACAAATCTTCTCAGCCCTTCCGCTGAGAAAGAAATAATAGACTAATACTCTTGGAAAATCTCTTCAAACTACCTCAGCTCTCTTTCGCGTATA	1000
	287	PTOILSALRAEKR	100

seq1713

- 15 -

(SEQ ID NO: 38) : CTTGATATGCTGATAAAATAGCGTTTATTTTGGAAAACTTTCTTTTGTNTTCAAATGCTAAAAAATGCTACAAATAGGAAAGCTTACTATTA 100  
(SEQ ID NO: 39) : GGAAGTATACCACTATTTTATCCCAAAATAAAACTTTTGCAGGAAACAAAGTTTAAAGATTTTACCACTGTTATNTCTTTGGAATGATAAT

101 TCTGAATCAGGCAGATTTCAGACAAAGCAATCAATTTCAAAATCAATAGCGTTTATTGAAAAGCTGAAGCGGTTCTCTAGTAAAGAGCTGATTTTATTCGG 200  
AGACTTAGTCTGCTTAAACCTCTCTCTTAACTTAACTTATGTTATCGAAATAACTTTTGGACTTCCCAACAGATCATTTCTGACTAAAAATACCC

(SEQ ID NO: 37) : L R S I G F I E K L E G L S S K E L I L L G 32

201 AATTATCCTAAGTATCTTTTACCTTTTATCTTTTGTAGTTGTACTCTGTTTATATATATATCACTTTGATTTTACAGCAGACATGAAAGTATTCCT 300  
TTAATAGGATTATAGAAAAATGGGAAATAGAAAAACATCAACATGACACAAATATATAATAGTCAAACTAAAAATGCTCTCTGACTTTTCATAGAA

23 I I L S I P L P P Y L F V V L C L Y I I S L I F T G D M R S I L 55

301 CAGAAAAAGGAGCATCCGATGCTCTTTCTTACCTATAGTACTGTTATATCCATCTTTCGCAAAAATGCGATGGCTCTTGTGCTTCACTAG 400  
GCTCTTTTACCCCTCTGAGGCTAGCGAGAGAAAAAGAAATGATCATGACAAATATAGGTAGAGAGCTGTTTAACTACCCAGAACACCGAAGTCACT

56 O K M G E K P M L L L P L S Y S T V I S I L A Q M M N G L V A S V G 89

401 GAATGTTCTATTACTATTTTCTTTTACCTATCACTGCTTTTATCCCAAAATCTTTCAATTCATTTTCACTGCTCTCTGTTTGTAGTGTCTT 500  
CTTACAGATAAAATGATAAAAGAAAACTGATAGTCACTGCTTAAATAGGCTATTTAAGAAAGCTTAACTAAAACTCAAGCAGAACAACTCATAGAA

90 M P L F T I P F L N Y O S I L S N R F P F R L I L O P V L F G S V L 122

501 GTCAGCTGCTTTTCCAGTTTGAACAATTCGAAATGTTGAAGAAATTTAACTATGCTTTTCTTACCCAAATGCGAGTGTGGCATCAGAACCGGGCA 600  
CAGTCCAGGAAAGCGCTCAATCTTGTAAAGCTTTAACTCTTCTTAAATTCATACGAAAGAAAGTGGGTTATAGCTCCACAGCTAGCTTTGGCCGCT

123 S A A P A S L E N F C I V K R P N Y A P L S P M N O V M H O N R A 155

601 GAAGTGACCTTCTTAAATCCTAATTATTCGAAATTAATGTTGTTCTGTTATTAATGATGCTTTCTATCTGTTTACAGCAGCAAGTTGAATGCTTGA 700  
CTTCACTGAGAAATTAGGATTAAATATCTTAAATAGCAACAAAGCAATAACTACTAACGAAAGATAGACAAATGTTCTGCTTCACTTAACTCAAGT

156 E V T F P M P N Y Y G I : C C F C I N I A P Y L F T T T K L M W L K 189

701 AAGTATCTGCTGATTCAGCGCTTGTAAATCTTTGCTTTCACTTTACTCAAAATCGAACTGCTTTCTGCTTATTCCTGAGCAATATCTA 800  
TTCATAAGACACACTAAGCTCCGAAACAAATAGAGAAACCAACTGGAATGAGTTTAGCTTGACGGAAAGGAGGATAATAGCGACTCTGTTAATAGAT

192 V F C V I A G F V N L F G L N F T O M R T A F P A I I A G A I I Y 222

801 TTTCTTACGACTATAAAACTCGAAGCTTTTGGCTTACTATTGGGCTTTTGGCATTTGCTTTGAGTTTCTCTTTTCTAGTGTATGGGCTTCA 900  
ACAGAAATGCTGATAATTTTGACCTTCCGAAAGCAAGTATATACCTCAGAGCGCTAACCAAACTCAAGGAGAAAGATCACTAAACCTCAAGCT

223 L F T T : K M W K A P W L S I G V F A I C L S F L F S S D L G V R 255

901 ATGGGTACTTTAGACTCTTATTCGAAAGCACTTCTATCTGGGATGCTGGGATGCGCTTTTAAAGCAAAATCTTTTGGGCTGAAGGCCCATTC 1000  
TACCATGAAATCTGAGAGATACCTTTTGGTAAAGATAGACCTTACGACCTACCGGAACAAATTCGTTTTAGGAAAAACCCCACTTCCCGTAACT

256 M C T L D S S H E E R I S I M D A G H A L P K O N P P M O E G P L T 289

1001 CCTATATGCACTCTTATCTCGATACATGCTCTTATCATGAACATCCCAAGTCTTTATATTGATACGATCTGAGTTACGGAATTTGGGTACCAT 1100  
GATATATGCTGAGAAATAGGAGCTTATGTCAGGAATAGTACTTGTACGGGTGTGAGAAATATAACTATGCTAAGACTCAATGCTTAAACCCCATGCTA

290 Y N M S Y P R I N A P Y H E N A N S L Y I D T I L S Y G I V G T I 322

1101 TTTATAGTTTCTCTCTGTTGCTCTTTGCTTGTATGATGATATGATCAAGACTCGGGAACCTCCGATTATCGGCTTTATCTATCTTTCTCT 1200  
AAATAATCAAAACAGAGACAAACAGGACAAAGCAACTACTACTATCTCACTCTCAGCCCTTTGAGGCTAATAGCGGAAATAGATAGAAAGCA

323 L L V L S S V A P V R L M H D N S Q E S K R P I I C L Y L S P L 355

1201 ACAGTGGTCTGTCACGGAAATTTTCACTTGGCTCTTTCGATTCAGTCAAGCTTTATTTCTTCTAGTTATGTCAGTATTCATTTGGCTTTA 1299  
TGTACCAAGCACAGTCTTAAAACTGAACCGAGAGAGACTAAGTCACTCCGAAATAAAAAGACGATCAATACAGTCAATAGGTAAACGAAAT

356 T V V A V N G I F D L A L F W I O S C P I F L L V M C S I P L A L 388

seq122

- 16 -

(SEQ ID NO: 41) : AAGGAGTGAACATCTGGCTGGTACTTCAATTGATGAAAGTATGCGTATGAAATTCGTGTAAACAGTTGTGCAACGGGTGTCTTCAAGACCGGCTAGA 100  
(SEQ ID NO: 42) : TTTCTCACTTTGTAGACCGAGCCATGAAGTTAACTACTTTTATAGCGACTACTTTAAGCACATTGTCAACAGCGTTGGCCCAAGCAGTTCTGCGCCATCT

101 AAGGTTTGTGCTTCCACAAGCTAGATCTCTACTAATACTACGCTGAGACAGTGAACCCAGCTCATTCAATGGCTTTGATCGTCAATTTGATATGGCAGAA 200  
TTTCCAAACACCGAGGTGTTCCATCTAGACGATGATTGATGGCACTCTGTCACTTTGTTGAGTAAAGTGTACCGAAACTAGCAGTAAAACTATACCGTCTT

201 ACAGTTGAATTGCCAAAACAAAATCCAGCTGTTTGGAAACCACTCAAGCACTGCTCTTTTGGTGAATGGGATCTTCCCGTGAATCGATTGTTCTGTACAA 300  
TGTCAACTTAACGGTTTGTTTTAGGTGCAGCAACCTTGGTTGAGTCCGTAGAGCAAAACCACTAACCTTAGAAGCGGCACTTACGTAAACAGCATGTT

301 CAGATTCACTGCTTTCTCCAGTCCAGCCCTTCAAGCCCAATTTCAAGATCAAGATGAATTCGATACACCTCCATTTTCAAAAATCGTTAAATGATA 400  
GTTAAAGTCAGCAAGAGGTGAGCTCGCAAACTTCGGGTTAAAGTGTCTACTTCTACTTAACTATGTGGAGTAAAAAGTTTATAGCAATTCATTT

(SEQ ID NO: 40) : M 1

401 TGAATGTAAAGAAAAATACAGAACTGTTTTCGAGAAAGTTCGACAGGCTAGTCTGAGTCTCTCATCGAGAGAGTGGTTGGGTCTCTGTCATTGCAATTAT 500  
ACTTACATTTCTTTATGCTCTGAGCAAAAGCTCTTCAAGCTCTCCGATCAGACTCAGCAGTAGTCTCTCACCAGCCAGAGACAGTAAGCTCAATA

502 CAAGTATGTAGATGTACCCACAGCGGAAGCTTGGTTGGCTAGGTTTCATCATATCGGTGAAAAATCGTGTAGATAAGTTTCTGAAAAATATGAAGCT 600  
GTTCAATACATCTAGATGGCTGTGGCTTTGGAAACGAAGCGATCCACAAGTAGTATAGCCACTTTTAGCACATCTATTCAAGAGCTTTTATACTTGA

603 K Y V D V P T A E A L L P L C V N H I G E M R V D E F L E K Y E A 67

701 TTAAGAGTCCAGATGTGACTTGGCATTGATGGTACGTTTCAAGACGTAAGGTGAAAGATGTCAATACGTTGATTATTTCCATGCAATGCACT 700  
AATTTTCTAGCTCTACACTGAAACGTAACCAATGGAAGCTTTGCGATTCCACTTTCTACAGTAAGTTATGCAACTAATAAGGTAGCTAACCTGA

801 L K D R D V T M N L : G T L O R R K V K D V I O Y V D Y P H A L D S 101

901 CAGTAAAGCTAGCAGCGGAAAATCAAAAAGAACTGACCGAGTCACTAAGTCTTCTTCAAGTAAATATTTCTAAGAGAAAGCAAAACCGGTTTTT 800  
GTCATTCGATGCTGCTGCTTAAAGTTTTTCTTCACTGGTCACTAGTTCAAGAGGAAGTTCAATTTATAAGATTTCTTCTTTGTTTGTGCAAAAG

1001 V K L A G E : G K R S D R V I K C F L O V N I S K E E S K H G F S 124

1101 GACAGAGGAAGTGTGGAAAATTTTCCAGAGTTAGCCAGACTAGATAAGATTGAATATGTTGGTTTAAATGACGATGGCACCTTTGAGGCTAGCAGTGAG 900  
CTTTCTTTGACGAGCTTTAGAACGCTTCAATCGGTTGATCTATTCTAATTTATCAACCAAAATTAAGTCTACCGTGGAAAACTCCGATGTCATCTC

1201 P E E L L E : L P E L A P L D K I E Y V G L M T H A P P E A S S E 147

1301 CAGTTGAAAGAGATTTTCAAGCGGCGCAAGATTTCAAGAGAAATTCAGAGAAACAAAATTCAAATATGCTTTAGAGCACTGGCGGCGGTAC 999  
GTCAACTTTCTCTAAAGTTCCGCGGCTTCTAAATGTTTCTTTTAAAGTTCTCTTTTAAAGTTTATACGGAATCTGTTGACGCGCGGCAATG

1401 C L K E : F R A A C D L O R E I O E K O : P M M P L E N T G G R Y 200



9923203

- 17 -

(SEQ ID NO: 44) : GTACTCCCACTCCACTTTAGCACTAAGTTTATTATTACTTTTAACTCAGCCACAAATTTCTTTCTTGAATCAGATTTGTTAGGTAGTTTGGTAATTT  
(SEQ ID NO: 45) : CATGAGGCTCAGGTCAAAATCTCTATTCAAAATAAATGAAATTAGTGGGTGTTAAAGAACAGAACTTAGTCTTAAACCATCCATCAAACTTAAGA 100  
(SEQ ID NO: 83) : T P S P L L A V S L L F T T P N O P O F L V L N Q I L V G S L V I L 33

101 ACTTATTGCATATATAGTTGTAAAAATCCCATTTCTTTATAGAATGGTACCTGCTATTATTACTCTTGATGATGAGATGCAACATGCCAAGAAGT 200  
TCAATAACGTATATATCAACATTTTAGGGTAAAGAAATATCTTACCATGCCATATAAATAAATCACAACCTACTACTCTACCTTCTACCTCTCTTCA  
34 L I A Y : V V R I P F S Y R H V R A I L F S V D D E H E D A A R S 46

201 ATGGGTGCTTCACTTTTATACTATGATGAAGTTTATCTTCCATTTATTTACCGGTGTTCTCTCTGTTATGCTTTAACTTTAATCTTTATTAA 300  
TACCAAGCAAGTGGAAAAATATGATACTCTTCCATAGTAAGTAAATAAATGGCAACAGAGAGACAATAAGCAAAATTCGAAATTCGAAATAATT  
67 H G A S P F Y T H M K V I I P F I L P V V L S V I A L N P H S L L T 100

301 CTGACTTGGACTTATCTGTTTCTTTACCATCCCCAGCTCAACCATTAAGTATTACGATTCCATCTGCAGGTGATGCAACAGCAATCTTAATGACA 400  
CACTGAAGCTGAATAGACATAAGGAAATGGTAGGGATCCAGTTGGTAATCCATAATGCTAAGCTAGAGCTCCAGTTCTGTTGATAGATTAGTGT  
101 D F D L S V F L Y N P L A O P L G I T I R S A G D E T A T S N A Q 133

401 AGCTCTGCTATTGTTTATACAAATGTTCTGATGATTTCTGCAACGGTATTATCTTCAACAAGACCGGGGCGTAAAGTAAGCAAAATATCATGA 500  
TCGAGACCAATAACAAATATGTTAAACAGACTACTAATAAGACCTTGCCATAATATGAAGTGCTTTCTGGCCCGCATTTCACTTCTTTATTAGTACT  
134 A L V F V Y : I V L H I : S G T V L Y F T Q R P Q R K V R K . 164

501 CAGCCACTAGTCTTGGGTATCAAAATATGAATAGTTGTCAAGATTGTTTATCAGTAGTCAATGGTAGTATAATGTTTGAAGACAGGAGCAAAATC 600  
GTGGGTGATCAGAACCCAACTACTTTATACTTTATCAACAGTCTTAACAAAATAGTCATCAGTAACCATCATATTAAACAAATCTCTCTCCCTCTTTAG  
601 CCAAGCTGCAGGCATCCGAATTTAGTATTGTTTGTCTAGTGCATGTTGATTATGATCACCAGTGAATACGTTATCTTATAAAATTTGGACAGGACA 700  
GGTGGAGCTCGTAGGCTTGAATATCATTAACAAACAGATCCAGGTACAAACTAATACTACTGCTTACTTATGCAATAGAAATTTAAACCCCTGTCTCTA  
701 CTTACACCAATAGGAGCTCAAGTTATATCAGCTGTGCTTTCTAGGCGTGGAAAGCATTTATTACAGATAAAAAAGAAATTAACAGCTCTGACAACTG 800  
GGATGTGCTAATCTTCGAGTTCAATATAGTCCACACCCAAAGATCCGAGCTTGCTAAGAAATATGTTCTATTTTCTTTAATGTCAGACTGTTGAC  
801 CAGCAGCCATTTGGCTTCCGCAAGGAATGGATTAGCTATTGGAGTAGGTTTTATGAGCCAGCTCTTTAGTAGCCATTTCTGTTTGGGGTGTGATATC 900  
GTCCTCTGTAACCCGAGGCTGTTAACTAAATCGATAACCTCATCCAAAAATACTCCCTCGAGAAATCATCGGTAAAGACAAACCCACACTATAG  
901 CATGTTCCAACTCAAAAAATATCTGAAAAATCTTTCTAAATGATTGAATTTATATAGTAGTTAAATCTCTTAG 978  
GTACAGGTTGGTGAATTTTATAGAGCTTTAGCAAGATTTTACTAATTAACATATATCATCAATTTAGGAAATC

gop273

- 18 -

(SEQ ID NO: 47) : CAATGCTCCCAACTTTAGAAAACATCTCTCAAAAAAGAGTTGAACTCAAGACCAATTTGCTCAAAATAGCATGCTGCTGATGATG 120  
(SEQ ID NO: 48) : GTTACACAAGGCTTAAAAATCTTTGTAGAGGAGCTTTCTCAAGCTTGTGAGTTCTGTTAAACCAAGTTTATCTTACCAACACCACTACTAC 120  
(SEQ ID NO: 46) : M H 2

101 GACAGGATTACACAAGCTTGGAAAAAGGCTGGAGCTGCTTTACTACAGAGACTGTTTATGCTTTTTCACAGGCTTAGATCAAAAAGCAGTGG 200  
CTGCTTAATCTGTTCAAGCTTTCCACCTCGACAGCAAGATGATGCTGTCGACAAATACCAGAAAAAGGTTCCGGAATCTACTTTCTGCAAC 200  
3 D R I R O E L E X G G A V V L P T E Y V Y C L F S K A L D E R A V D 36

201 ACCATGTTACCACTCAAGCTCTCTAGAGATAAGGCACTCAATCTCAATATGCTCTTTCCAGGACATCTTCCACTTTTCAAGAAATCAGCCAC 300  
TGATACAAATGCTGAGTTTGCAGCAGGATCTCTATTCCGTGAGTTAGAGTTATAGCGAGAAAGCTCTGTAGAAAGCTTCTTACTGCTGCTG 300  
37 H V Y O L K R R P R D K A L N L N I A S F E D I L E F S K N O P A 69

301 TTATCTACAAAACTTGTAGAGACTTTTTCAGGCTCCCTTGACCAATTATTCTGAAAGCCAAATGACCGAGTTCCCTATTCGGTAAATTCGACCTTCA 400  
AATAGATGTTTGAACATCTCTGGAAGAAAGGCTCCAGGGAAGTGTAAATAGAGCTTCGTTTACGCTCAAGGGAATTAAGCATGGAAGCT 400  
70 Y L O K L V E T F L P G P L T I I L E A N D R V P Y W V N S D L A 102

401 ACTATGCAATTCGATGCCAGTCACTCTATCACACTGGATTAAATCGAGAGACAGCTCCCTGATTCGGCCCTCTGCCAATATCTCAGGTCAGCCAA 500  
TGATACAAATGCTTCAAGCTCAGTGGGATAGTGTACCTAAATTAAGCTCTCTGTCAGGGAAGTAAACCGGAGAGCTTATAGAGTCAAGTCCCT 500  
103 T I G P R M P S H P : T L D L I R E T G P L I C P S A N I S Q A S 136

501 CTGCTGTAACTTGAACAAATCTGGAAGATTTTACCAAGAGCTTCTGGCTTGAAGACGATGCTTTCTAACTGACAGCAATCACTATTTGTGA 600  
CAGCAATGGAACTTTTGAAGACTTCTTAAAGCTCTTCCAGACCCAGACCTCTCTGACGAAAGATTGACCTGCTCTAAGTTGATTAAGACT 600  
137 G V T F E O I L K D F D O E V L G L E D D A F L T G Q D S T I V D 169

601 TTTGCTGAGACAAAGTGAAGATTTTACCAAGGCAATTAAGCAGAGATATTCTTCTGCTGCTGACAGATTTCTTTTACGAGGCTTGAATG 700  
AAACAGACTCTGCTTCACTTTAGAAATGCTTCCGCTTAAATTTGCTCTTATAGAAAGCAAGCTTCTTAAAGAAAGCTCTCTGCAAGCTTAC 700  
170 L S G D R V X : L P K A Q L N E K I F L L G C O R F L L R L E N 202

701 CTAAAGATTTGCAAGAAACAGATGTGAAGCGATATGTGACATCAACCAAGAGGCTTGGCTTATCTTTTACTCCAGAGCAAGCCCTAGCCAACTAG 800  
GATCTCTAAAGCTTTCTCTACACTTCCCTATACACTGTACTGCTCTCCGAAACCAATATGAAATCAGGCTCTCTTTGCGGATCGGTTGATC 800  
203 L R D L O E T D V K A : C D I N O E A L O Y T F S P E E T A S O L A 236

801 CTAGACTGCTCAGGATCCCACTCACTTCTACTTGGCTATGAGGATGCACTAACTATGCTTACTTGAATATGTCACCTGCAAGTTTACGAATCACT 900  
GATCTGACAGAGCTTAAAGGATGAAAGGATGAACCGATATCTTACCTGATAGTACAGAAATGAACCTATACAGGTCGCACTTCAATGCTTACTGA 900  
237 R L S O D S H N F L L G Y E D A A N H V L L G Y V N A E V Y E S L 269

901 CTATTCGAAGCAGATTTAATATCTTACTTTAGCAGTTTCACTCAAGCCCAAGCTCAAGCTATCCGTAAGGTTTACTACAAAGCTTGAACCAAGAA 1000  
GATAAGGTTCTGCTCAAAATTAAGAAATCGTCAAGTGGAGTTCCGTTCCAGTTCCATAGCCATTTTCAAAATGATGTTCCCAAGCTTCTTCTT 1000  
270 Y S K A Q P N I L A L A V S P O A Q G Q G I G K S L L O G L E O E 302

1001 GCGAAAGATGCTGATGCTTTATCCGCTTAAATCTGCAATCATCTTGGCTGCTCATGCTTTTATGAAAAAGTTGGCTATATCTTGTATAAAA 1100  
CGGTTTCTACACCAATACCAATAGGCGAATTAAGACGCTTACTAGCAGACCCAGCTAGCTAAATATCTTTTCAACCGATATGAACACTATTTT 1100  
303 A R R C G Y G F I R L N S A N N R L G A N A P Y E R V G Y T C D R H 336

1101 TGCAGAAAGCTTTATTCGATCTTTACTTTGATTTCTTATGTAATAAATAAATAAGTAACTAAATGCACTAGTCAACAAATAAAGGAGAGACCTATGATTTT 1200  
ACGCTTTGCAAAATAAGCTAGAAATCAAACTAAAGAAATAACATTTTATGTTGATTAAGCTGATGATGTTTATTTCTCTTCTGATTAAGAAAC 1200  
337 O R R F I R I P : 348

94286

- 19 -

[illegible]

- 20 -

1301 TTACTATGCA TTTCAGCAAGACAAAAAGCTTTGAAATTAGTCGTGATGACGATGCCACATGGTACTTTCTGGTGAAGAACTCATGAAGCTCTTTAAT 1400  
AATGATACCTAAACTGCTTTCTTTTTCGGAAGCTTAAATCAGCACTACTGCTACGCTGTACCCATGAAAGACCACTTTTTCAGTACTTTGAGAAATTA  
1354 Y T G P D E E E K A F E : S R D D D A T W V L S G E R L N K L P N 1386

1401 ATGACCAACTTTGATCGTGATGAATCTGTCATGAAGCTTTA 1441  
TACTGTTTGAAGTAGCACTACTTAGACAGTACTTTGAAAT  
1387 H T N F D R D E S V N R L 1399

gpp311

- 21 -

(SEQ ID NO: 53) : TCGAATGCTTTAAGAAAACAAATGAAAATCAAGAAAACAGTAAAGCAAGTCTCTCTATGAATATTAGAAATGAAGAAACAGGATATTAT 100  
(SEQ ID NO: 54) : ACCTTAGGGGAATCTCTTTGTTAACTTTAGTTCTTTGTCATTCTGTTCAAGAAAACAGAACTAATAATCTTTACTCTCTCTCTATAATA 109  
(SEQ ID NO: 52) : N 1

101 GCTCAAGAAAGAGTAGAACCAAAACCAATTGACCTTGGTGAATATAAATTTGCTTTCCATGACCATGTAGAGCTGTCTTATCGACAGCAAAAGCACTT 200  
CGACTTCTCTCATCTTGGTTTGGTTAACTGGAACCACTTATATTTAAACCAAGGTAAGTCTACATCTGAGACAGAAAGTCTCTCTCTCTCTAG 34  
2 A E E R V E P E P I D L G E Y K F G F H D D V E P V L E T G E G L 34

201 AAGCAAGGTGTTATTCTGAATATTCTGCTGAAGGTGAGCTGAGTGGATGTTGGAGTTCCGTTTGAAGTCTTATGAACCTTCAAAAAATGCCCA 300  
TTCTTCCACAATAAGCACTTATAGAGAGCAATTCCCACTGGACTCAGCTCAACCTCAAGGCAAACTTCAGAACTATTGGAAGTTTCTTACGGGT 60  
35 H E G V I R E L S A A K C E P E W H L E P R L K S Y E T F E K N P H 60

301 TCGAAACTTGGGAGCAGACTTGTGAGATTGACTTTGATGACTTAATCTACTACCAAAAACCATCTGACAAACAGGCGCTTCTGGCATGATGATCC 400  
AGCTTGAACCCCTGCTGGAACAGTCTTAAGTGAAGCACTGAACTAGATGCTTTTGGTAGACTTGTGTCGGCAAGAACCTTACTACATGG 400  
69 Q T V G A D L E E I D P D D L I Y Y Q R P S D K P A R S V D D V P 101

401 TGAAGATTAAAGAACTTTGAAGCTATCGGATTCCAGAACTGAACTGCTTATTTAGCAGGCGCTTCCGCGAGTACCACTCAGAACTGTTTAC 500  
AGCTTCTAATTTCTTGGAACTTGCATAGCCCTAAGCTCTTGGACTTCAAGAAATAATCTGCGGCAAGAGCGGTCTGCTCAGTCTTCAAGAAATG 500  
102 E K I K E Y P E R I G I P E A E R A Y L A G A S A Q T E S E V V Y 114

501 CACAACATGAAGGAAGAGTTCCAAAAATTAGTATTATCTTACAGATACAGATTCGCACTCAAGGAATACCCAGCACTTATTAACAAATACTTTGCCA 600  
CTCTCTACTTCTCTCAAGCTTTTAACTAATAGAAATGCTATGCTAGGCGTGAAGTCTCTTATGGGTCTGAATAAATTTGTTATGAAGCGT 600  
135 H N H K E E P Q R L G I I F T D T D S A L K E Y P D L P K Q Y F A K 160

601 AGTGGTACCGCCACAGATAACAACTTGGCAGCCCTCAACTCAGCAGTATGCTCGGCTGCACTTTTATCTACCTGCCAAAGGTGTCAAGCTAGATAT 700  
TCACCATGGCGCTGTCTATGTTCAACCTCGGAGTGTAGCTGTCTATACAGCCAGCTTGAATAATAGATGCAAGTCTTCCACAGTCTCATCTATA 700  
169 L V P P T D N K L A A L N S A V M S G C T P I Y V P K Q V K V D I 201

701 TCCACTTCAACTTATTTCCGTATCAATAACGAAAAATATAGGTCACTTCAAGCTACCTTCAATATGCTGATGAAGGAGCAAGCTTCACTACGTAGAA 800  
AGGTGAAGTTGAATAAGGCAATGTTATCTCTTATATGCACTCAAGCTTCAAGTGAAGTAAATAGCAACTACTCTCTCTTCCAGGTGATGATCTT 800  
202 P L O T Y F R I N N E N I G O F E R T L I I V D E G A S V N Y V E 234

801 GGTGTACAGCACCAACATATTCAAGCAATAGCTTACACCTGCCATTGTAGAAATTTTCTCTTGGAGGAGCTTATATGCTTATACAACTATCCAAA 900  
CTTACATGCTGCTGTATATAAGTTCTTATGGAATGTGCGACGCTAACAATCTTAAAAACGAAAGCTTCCCTCGAATATAGCAATATGTTGATAGGTTT 900  
235 G C T A P T Y S S N S L N A A I V E I F A L D G A Y N R Y T T I O N 260

901 ACTGCTGTGAATACCTTAACTTGGTAAACAAAGCTGTGAAGCTCAAAAGCATGCCACTGTTGAGTGGATTGATGAAAGTGGGTGCCAAACGAC 1000  
TGACCAAGTATTGAGATATTGAACCATTTGTTCCGACGATTCGAGTTTCTTACGGTGACAACTCAGCTAACTACCTTTGAACCCAGCGTTTGTCTG 1000  
269 V S D N V Y N L V T K R A K A O K D A T V E W I D G N L G A K T T 301

1001 TATGAATATCCATCTGTTTACCTTGAAGAGAGGAGCGCTGCTACCATGCTCTCTATGCGCTTTGCTAATGCAGGCAACACCAAGACACCGGTGCT 1100  
ATACTTTATAGGTAGACAAATGGAATACCTCTCTCTGCGGCAACATGTTACGAGAGATAGCGAAACGATTAAGTCCCTGTTGTTCTGTTGCCCGCA 1100  
302 H E Y P S V Y L D G E C A R G T H L S I A F A M A G O N O D T G A 334

1101 AAGATGATTCAAACTGCTCCACATACCAGCTCTCTTATGTTCTCTAAATCCATCGCTAAAGGTGAGGAAAGGTTGACTACCTGGAAGTCACTTTA 1200  
TTCTACTAAGTGTACGAGGTGATGTTGTCAGCAGATAACAGATTTAGTAGGATTTCCACTCTCTTCCAACTGATGCGACCTGTTCAAGTGAAGT 1200  
335 K M I N N A P N T S S S I V S E S I A R G G O R V D Y R C Q V T P N 360

1201 ACAGAACTTAAGAAATCTGTTTCCCACTGAATGTGATACCAATTATCATGATGACCTTT 1263  
TGTCTTGAGATTCTTTAGACAAAGGTTAACTTACACTATGTAATAGTACTGAGAA 1263  
369 K H S K R S V S N I E C D T I I N D D L 380

gcp3262

- 22 -

(SEQ ID NO: 56) 1 AGCTGGAATTTATGAGCAAGTATCCTATCTTAAAGAAGCAAGTGTTTATCTAACTGTTATATGAAGTTCAAACTGAACAGCACTTTAATCTTA  
(SEQ ID NO: 57) 1 TCGACCTTAAATACTGCTTCATAGGATAGAAATTTCTTCTTCTTCAAAATAGATTGAGCAATATTACTTCAAGTTTGACTTTTGTGTTAAATTAGAA  
(SEQ ID NO: 55) 1 A G I V E Q V S Y L K E G R S V Y L T R Y H E V O T E T A T L I L 33

101 GGAGCTATTGTGGGATAGCTAATTCCTTCTTACTCTTTTATCTGTCTCATCTTCTATATTTGACCAATTCGCCGAGATATCTTCAATTAACCAATTT  
200 CCTGATAACACCCCTATCGATCAAGGAACAATGAGAAAATAAGACAGTTAGAAGATATAAGCTCGTTAAGCGGCTCTATAGAAGTAATTTGCTTAA

34 G A I V C I A S S L L L F Y S V H L L Y F E O F R D I L I E R I S 67

101 CAGGTTTACGATTTTGAACACATGCTCAGTATATGTTAGTCAATTTGCCAGTTTGTATTTGCTGCTAGTCTCTTTTAAAGCACTCGAGACTT  
200 GTCCAAATGCTAAAAAATTTGTGTACGAGTCATATACCAATCAGTTAAACGGTCAAAACATAAACCAAGATCAGAGAAATAAAATTCCTCAGCTCTGAA

68 G L R P P E T H A Q Y H V S Q F A S P V F C A S L F I L S S R D L 100

101 GGTGATTGCTTCTCCTCAGTTTATAGTCTTCTAGCTAGTGCAGTTTGAACCTTTACCGTCAAGCCGAGAAAGAAATCTGCTTTCTATGACAATTATG  
400 CCACTAACCGAAGCAAGTGAATATCAGAAAGATCGATCAGCTCAAACTGCGAAATGCGAGTTCCGCTCTTCTTAGAGACAGCAAGATACTTTTAATAC

101 V I G L L T L L V F L A S A V L T L Y R O A O K E S R V S H T I H 133

401 AAAGCAAAATAGCATGATTGAACCTAAAGAAATATCTTAAAAAATTTGGAAGCCCTCAGCTATTTTCAATACCAATCTTTA 481  
TTTCTTTTATCCTACTAATCTGATTTCTTATATAGATTTTAAACCTTCGCGAGTCGATAAAAGTCTATGCTTAGAAAT

134 R G R 137

993387

- 23 -

(SEQ ID NO: 59) 1 TTTTATCTAGTACAGTATATTTATTCGCTGTCCCAATATTCATCCATCCAAATGTATTAGAAATGGATCTTATTTACTTCAAGATAGCAAGCTGC 100  
(SEQ ID NO: 60) AAAATAGATCATCTCATATAAATAACGGACAGCGGTTATAAGTTAGGTAGGTTTACATAATCTTACCTAGAAATCAAAATGAAGTTCTATATCTGCTGACC  
(SEQ ID NO: 58) 1 N T T G 4

101 AGTATATTGCTTTCCGTTACATATATATTTGTTCTTTTATTGATGAATAACTATTTAATAGGTTGGAGTGTGCAATTCCTCTGAAATCAATTAGC 200  
TCATATAACGAAAGGCAAGTGTATATATAACAGAAAAATAAACTACTTATGATAAAATTTCCAACTCCAGCGGTAAAGCAGACTTTAGTTAATTC  
5 V Y C P P P T Y I L F P P Y L H N H Y P N R L E C R I R L X S I X 37

201 CACTTACCAGTTTCTAGTTTCAAATTAGCAGCTCTTAGTACGGGAGTTTGGACGGGAGCTTTATTTTATTGATTTTCTAATTGCATTACTAATGCTT 300  
GTGAAATGCTCAAAATCAAAATTTAATGCTGGAGATCATGCGCTAAACCTGCGGCTGAAATAAAAAATACTAAAGATTAACTGAATCATTAACTGAA  
38 R F T S F S P K L A A L E T G I W T A T L F L L I F L I A P S H G P 71

301 TTAGCTTCTCTTGGAGATAAAGGAGTTGATTTTAAAGAGAATTTATGCTATAGTATTCGAAACAATGCTAGTTTCTTTATAGCATTTTCTTTCTC 400  
AATCGAAGAGAAACCTCTATTTCTCCAACTAAAAATTTCTCTTAAATACCATATTATACGTTTGTAGCATCAAGAAATATCTTAAAAAAGAG  
72 S P S L E I K E V D F L R E P Y G I S I A M N A S P F I G F F P S 104

401 TTATATAGCATACTATTTCTTTTATCTTACTTACTATTAGCAGTTTCTCTGCTTTAAAAATCAAAACATGAGCTTACTATTCTCTTTACTTTTTTA 500  
AATATATCTGTATGATAAAGAAAAATAGGAATGAATGATAATGCTCAAAAGAACCAAAATTTTCTAGTTGTACTCGAATCATTAAGGACAAATGAAAAAT  
105 Y I A Y Y F F L S L L T I S S F S W P K R S N H S L V F L P T F L 137

501 TTTGTAGAATCCTTATTCTGGATTATCAGTTGGACAATGGGATAATGGATTATGCGCAATTTTCACTATATGCTAAATTCGAATCGGTATGCAATTGA 600  
AAACATCTTAGGAATAAGACCTAAATAGTCAACCTGTTACCTTATTAACCTAATAACGTTAAAAAGTCATATACCATTTAAGGTTAGGCATACGTAAT  
138 F V E S L F W I Y Q L D N G I I G L L P I F Q Y M V M S N P Y A L I 171

601 TTTATTCGCTTACATTACTATCTATCATAATTCATTGACTGTATTTCTGTTTATAGAACTGGAGGAGAGTGTAAAAAGTTGCAATGGGAAAGTTAAG 700  
AAATAACGGAATGTAATGATAGATAGTATTAGGTAAGTACATAAAGACAGTATCTTTCACCTCTCTCAGATTTTCAAGCTTTACCTTTCAATTC  
172 Y W L T L L S I : I P L T V F S V N R N W R R V \* 196

gdp47

- 24 -

(SEQ ID NO: 62) : AGGGAACAAGAAATTTCAAGTTTCTGTATATAAGAGCTCTGTATATAAGGAGTAAATCATGAGTCTAGTGCATGGAATTTCAACACATTTATCC 100  
(SEQ ID NO: 63) : TCCCTTGTCTCTTAAAGTCCAAAGCACTATATTATCTTCAGACATATATTCCTCCATTAGTACCTCAATCACTGTAACCAAGTGTGTAAAGTAGG 100  
(SEQ ID NO: 61) : M E L V E G I S T E F I Q 11

101 AATCAAAAAAGTTTAAACAAACAAATTTACCCGCTGTTTACCCGCTCAATTATCCCTTCATACCAATTCAGCTCAGATCTTGAGTCCAGTATCTTACA 200  
TGTGTTTCTCAAATTTGTCTGTATTAATGGCAGCAAAATGGAGGTAAATAGGGAACATATGCTAAGCTCAGTGTACCACTCAGCTTCATACGATCT 200

14 S K K P R T N K I T V R P T A P L S L D T I A G H N L S A S H L E 46

201 GACTGCTAATCAGATGTACCCCACTTCTCAGATTTGAGGAGACACTTGGCCAGTCTATACGGTACAGATATGCAACCAATTTGTTTCAAGAGAGGCA 300  
CTGAGGATTAATCTCATGAGGAGTCAAGCACTTCTTAACTCTCTGTGAACCGGTGAGATATGCCATGCTCTATACGATGTTTACCAAGTCTTCTCCGTT 300

47 T A N Q H Y P T S Q D L R R K L A S L Y G T D N S T N C F R R Q Q 79

301 AGCCACATTATAGAATTGACATTTACCTATGTTCTGATCACTTTTAACTAGCAAAAACCTGCTAACCTCTCAGATTTGCACTTTGAAAGAACTC 400  
TCCGTGTAATATCTTAACTGTAAATGGATAGCAAGCACTACTCAAAAATTCATCTTTTTCAGCAATGGAGAGTCTAAACCTTGAACATTTCTTTTGA 400

80 S H I I E L T F T Y V R D E F L S R K N V L T S O I L E L V K E T L 113

401 TTTTTCACCCGAGTGTGATAATGGTTTGTATCCGCTTATTTGAATTTGAGAAAAACAATTCCTAGCAAGTTTACCAAGTGTATGCAATGATTC 500  
AAAAAGTGGGCTCATCACTATTACCAAACTAGCCGCAATTAATCTTAACTCTTTTGTGTAAAGATCTGTAATCTGCACTATACCTACTAAG 500

114 F S P A V V D N G F D P A L F E I E K K Q L L A S L A A D N D D E 146

501 TTTTATTTGACATAAAGAAATGGATAAATGTTTTCATGATGAACCTCTCAATTCGAATATAGTGATTTACGAAATCTATTTTACCTGAAACT 600  
AAAAATAAAAGCTGTATTTCTTAACTATTTAAACAAAAGTACTACTTGCAGAACTTAACTTTATATCACTAAATGCTTTAGCAATAAATCGACTTTGA 600

147 F Y F A H X E L D K L F F N D E R L O L E Y S D L R N R I L A E T 179

601 CCACAAAGTCTTATCTTGTTCGAAGAAATTTAGCCAAATGATGAATAGATTTCTTTTCTAGGCTATTTAATAGGCTCAAAATCAAAATGAT 700  
GGCTTCAAGAAATGAACAAAGGTTCTTAAATCGGTACTAGCTTATCTAAGAAAGGATCCACTAAATTAAGTCTTAAAGTTTACATA 700

180 P O S S Y S C F O E F L A N D R I D F P F L G D F N E V E I O N V L 213

701 TAGAATCATTTGCTTTAAAGGTGAAAAGGACATCTGAAGCTTCACTATTTCAACCTTATTTCTAATATCTTCAGAAAGTATGTTTGGAAAAAT 800  
ATCTTAGTAAACCGAAATTTCCAGCTTTCTCTACACTTCCAGCTCATACAGTTGGAATAGGATTAGGAAAGTCTTCCATACCAAGCTTTTACA 800

214 E S F G F K R K G D V K V O Y C O P Y S N I L O E G H V R E N V 246

801 GGGACAATCCAATTTGGAATAGCTTATCTTACCTTCTAAATATGGTATGAGCAACATTTACCCATGATTTGTAAGTAAATGTTTACTTGTGATTT 900  
CTGTGTTAGGTAAACCTTAATCCATAGTAATGGCAAGTATTATACCACTACTCTTTTAAATGGGTACTAAGTACTTACCAATGAACCACTTAA 900

247 G O S I L E L G Y N Y R S K Y G D E Q N L P N I V N H G L L G G F 279

901 GCTCACTTAAGCTCTTTACAAATGTCCTGCAAAATGCTGGAATAGCTTATACCAATTTCAAGTGAGCTTGATTTATTTAGTGGATTTTGAAGATGATG 1000  
CGAGTGAGATTCGAGAAATGTTTACAGGCACTTTACGACCTAATCGAATATGGTAAAGTTCAGTCCAACTAAATTAATCACTTAAAGACTCTACATAC 1000

380 A K S K L F Y N V R E N A C L A Y T I S S E L D L P S O F L R N Y A 313

1001 CTGGTATCAATCCAAAAATCCTAACCAAGCTCTGTAATGATGAATCAATCACTCTGATTTAAAAAAGGTTATTTTACAGAGTTTGAAGTAAATCA 1100  
GACCATAGTTAGCTCTTTAGCAATGCTGCGAGCATTTTACTACTTATAGTTAGGAGCACTAAATTTTTTCCAATAAAATGCTCAAACTCAATTTAGT 1100

314 G I N R E N R N O A R E N N N N Q L L D L K K O Y F T E F E L N O 346

1101 GACCAAGGAAATGATTTCTGCTCTTCTTCTCAAGATAATCAATCTTCAATGATGAACTGCTTATCAAAATGCTTTATTTGAAAAATCTTCA 1200  
CTGTTCTTTTACTAAGCAAGCAAGCAAGTGAAGAGTCTTATAGTTAGAGTAAGTAACTTGCAGCAATAGTTTACGAAATAAACTTTTAGAAGT 1200

347 T E R N I R W S L L L S O D N O S S L I E R A Y O N A L F C K S S 379

1201 CCAGACTTTAAAGTTCGATTCGAAAGCTTGAACAAATTCAGCAAGATCTTATTTGATAGTACCTAATAATGTGAACTACAAAGCAATTTACTTTATG 1300  
CTGTGAAATTTTCAACCTAACCTTTCCAACTGTTTAACTGTTTCTAGATAAACATCTCATGATTTATACACTTGAATGCTTAAATGAATATAC 1300

380 A D F K S W I A K L E Q I D K D A I C R V A N N V R L Q A I Y P N E 413



- 25 -

1301 AAGCAATAGAATGACAAAGGTTG.....TGAAGAAAAATACTATCCAGCTGTAAAGCAAAAGGTTTATCGAACTGTTTGGCCAAAGGATTGACAGTTGC 1400  
TTCTTATCTTACTGTTCCAAACAAAAC.....TATGATAGGTCGACATTTC.....CCAAATAGCTTCAGCAACCGGTTGCTTAACTGTCAAGG  
414 C I E • 417

gop41

- 26 -

(SEQ ID NO: 65)<sup>1</sup> CTTTGGACATTTCAAAAGTCCTTACGACAGAAAAAGAGTCCTCTACTTGGAAAGAAATTTATTACCTTTTCACAAATCTGACTTTGGTATTTATTT  
(SEQ ID NO: 66) CAAAAAATCGTAAAGTTTCAGCAATCGTGTCTTTCTTCAGCAGATATGAAGCTTTCTTTAAATAATGGAAAGTUTTAGACTGAAACCATAAATAAA 100

101 TACAGAAAAATTAAGTTCTCCCATGGTTTATGAGAGAGTTCCTGTTTATGGAAATGAAGATTTAGTACTGGAATCTGGGAAATTCAGTCCCAAAACAGT 200  
(SEQ ID NO: 64)<sup>1</sup> ATCTCTTTTAAATTCAGAGAGTACCAAAATACCTCTCCAAAGGACAAATACGCTTACTTCTAAATCATCACTTAGACCTTTAACTAGAGGTTTGTGCA  
N V Y O E V P V Y A H E D L V V E S O K L T P K T S 26

201 TTTCAATAACCGAGTGGGCTTAAATAAACAAGCAATTCAGATTTTAACTATCAAAATCATCAATTTATAGCTGGGACAAACCAATTTTATATGATC 300  
AAAGTTTATGGCTCAGCGGCAATTTATTTGTTCTTAAAGTCATAAATTCGATAGTTTACTAGTTAAATTCGACGCTTTGCTGAAAAATATAGTAG  
27 F O I T E M R L N K O C I P V F K L S M N O P J A A D K R F L Y D Q 60

301 AATCAGAGGTAATCCAAATAAAAAAGTATGTTAGATCTGACTTTAAACTGTACAATAGTCTTATGATTTAAAGAAAGTGAATTCATCTTTATC 400  
TAGTCTTCAATGAGGTTGTTATTTTTCATACCAATCTTAGACTGAAATTTGACATGTTATCAGGAATACTAAATTTTCTTCACTTTAGTAGGAATAG  
61 S E V T P T I R K V W L E S D P K L Y M S P Y D L K E V K S S L S 93

401 AGCTTATTCGCAAGTATCAATCGACAAGACCATCTTTTATAGAGGAAGAGAAATTTCTACATATTGATCGGCTGGATGGGAGTAAAGAAATCAACTCT 500  
TGAATAGGCTTCATAGTTAGCTGTCTGCTACAAACATCTCTCTCTCTTAAAGATGTATAACTAGTCCGACCTTACCCATCGATTTCTTAGTTGAGA  
94 A Y S O V S I D E T M F V E G R E F L N I D Q A G M V A K E E T S 126

501 GAAGAAGATAATCGAGTCAAGTAAAGTTCAAGAAATTTATCTGAAAAATATCAGAAAGATCTTTCTCTATTTATGTTAAAGCACTGACTCTGAAAAAG 600  
CTTCTCTATTAAGCTTACTCATTTCAAGTCTTACAAATAGACTTTTATAGTCTTTCTTAAAGAGAGATAAATCAAAATCTGCTGAGTCACTTTCT  
127 E E D N R N S K V Q E M L S E K Y O K D S F S I Y V K O L T T G K E 160

601 AAGCTGCTATCAATCAAGATGAAAAGATGTATGAGCCAGGCTTTGAAATCTCTTATCTCTATTAACCAAGAAAAATAAATGAGGCTTTTATCA 700  
TTGACCATAGTTAGTTCTACTTTTCTACATACGCTCGGCTCCCAAACTTTGAGAGATAGAGATAATATGCGTCTTTTATTTACTCCAGAAATAGT  
161 A G I N O D E R M Y A A S V L L L S Y L Y T T O E K I N E G L Y O 193

701 GTTAGATAGGACTGTAAAATACGTATCTGAGTCAATGATTTTTCAGCTTCTTATAAACAGAGCGAAGTGGTATCTTCTTAAAAAGAGATAATAAA 800  
CAATCTATGCTGACATTTATGCAATAGAGCTCACTTACTAAAGGTCGCAAGAAATTTGGTCTCCCTTACCATCAGAGAGATTTTCTTCTATTTATTT  
194 L D T T V K Y V S A V N D F P G S Y K P E G S G S L P K K E D N K 226

801 CAATATTTTAAAGGATTTAATTAAGAAAGTATCAAAAGAAATCTGATAATGAGCTCATATCTATTGGGATATTACATTTCAAGCAATCTGATGCCA 900  
CTTATAAGAAATTTCTTAAATTAATGCTTTTATAGTTTCTTAGACTATTACATCGAGTATTAGATAAGCTTAAATGTAAGTTTGGTTAGACTAGGCT  
227 E Y S L R D L I T K V E K E S D N V A N H L L O Y Y I S H O S D A T 260

901 CATTCMAATCCAAGATGCTGCCATTTATGGAGATCATGGGATCCAAAGAAAAATTCATTTCTTAAAGATGGCGGGAAGTTTATGGAAGCTATTTA 1000  
GTAAGTTTAGGTTCTACAGAGGTAATACCTCTCTACTAACCTTAGGTTTCTTTTAACTAAAGAGATTCTACGGGCTTCAATACCTTGGATAAAT  
261 F R S R N S A I M G D D N D P E K L I S S K N A O R F N S A I Y 293

1001 TAATCAAAATGCAATTTGCTAGAGTCTTTCAGTAAAACAGATTTTCACTAGTCAAGAAATTCGCAAGGTTTCTGTTTAAAGTAGCTCATAAAATGGA 1100  
ATTAGTTTACCTTAAACAGATCTCAGAAACTGATTTTGTCTAAAACATATCACTCGCTTAAAGGTTTCCAAAGAGACAAATTCATCGAGTATTTTAACT  
294 N C N G F V L E S L T K T D F D S O R I A R G V S V K V A N K I G 126

1101 GATCGGAGTGAATTTAAGCATGATACGGGTTTGTCTATGAGATCTCTCCATTTATCTTCTATTTTCACTAAGAAATTTGATTAATGATACGATTTCTA 1200  
CTACGCTACTTAAATTCGTACTATGCTCCACACAGATACGCTAAGAGGTAATTAAGAAAGATAAAGTATTTCTTAAGACTAATACTATGCTAAAGAT  
327 C A D E F R N D T G V V Y A D S P P I L S I P T E M S D Y D T I S K 360

1201 AGATAGCCAAAGGATTTTATGAGGTTTAAATTAAGGAAACCAATTTTAAATCATTTTCTCAGAAAGGATATTTTCAAAAGCATGCTAAGCGGCTT 1300  
TATATCGGTTCTTACAAATCTCAGAGATTTTACTCTCTTGGTCTAAAGAAATTTAGTAAAGAGTCTTCCCTATAAAGTTTTCGTAGCATTCGCGCA  
361 : A R D V Y E V L R \* 371

90076

- 27 -

(SEQ ID NO: 68)	TTGAAATAATATTATCTATAAAGACGACATATAAATGTAAGAAAGCGTAATATTATTAGCGCTTTTGTGTACTAGTATGTGCTTTAAAGAAAGCA	100
(SEQ ID NO: 69)	AACCTTTTATAATAGATATTCTTGTCTGTATATTACATTGTTTCGGCATATAAAATAATCGGAAAAAACCATATGATCATACAGAAAATTTTCTTCT	
101	GTATCTACGTAATATGAGAGAAAAAATCTTAGCTCACTTTATTAACTACGTAATGTTTCTCAAGTAGCTCTTTTAACTACCTGCGATCCAGAAACG	200
(SEQ ID NO: 67)	CATAGATGCATTATACCTCTTTTTTAGAAATCGAGTGAAAAATTAATTCATGTCATTACCAAGAGTTCATGAGCAAAATGTTGACGGCTAGCTCTTGG	
	M K K K I L A S L L L S T V N V S O V A V L T T A A E T	20
201	ACTGATGACAAAATTCCTGCTCAAGATAATAAAAATTAGTAAGTAACTAACAGCACAACACAGAAAGCTCCAAAAACAAGTTCCACAAATTCAGAGCAGAT	300
	TGACTACTGTTTAAAGCAGAGTCTCTATTATTTTAATCATGGAATGTCGTGTTGTTGTTCTTCGGGTTTTGTTTCAACTGTTTAAGTCTCTGTCATA	
30	T D D N I A A Q D N K I S M L T A Q Q Q E A Q R O V D O I Q E Q V S	60
301	CAGCTATTCAAGCTGACGAGTCTAACTTGCAGCTGAAAAATGATAGATTACAAGCAGAACTTAAGAAATCGAGGCTGAGATTACGAACTTTCTAAAAA	400
	GTGATAGGTTGCACTGTCAGATTGAAGGTTGCACTTTACTATCTAATGTTGCTCTTAGATTCTTTCAGCTCCCACTCTAATGCTCTGAAAGATTTTT	
60	A I Q A E O S N L O A E N D R L O A E S K K L E G E I T E L S K N	90
401	CATTGTTCTGTAACCAATGCTTGGAAAAACAGCTCTGAGTCTCAACAAATGAGAGCTTAATAGCTATATCAATACCATTTGAAACTCAAAATCA	500
	GTAAACAAGAGCATGCTTAGCAACCTTTTGTTCAGCATCAGAGTTGTTTACCTTCGGCATTCATCGATATAGTTATGTTAAGCATTTAGCTTTTAGT	
90	I V S R M O S L E K Q A R S A Q T N G A V T S Y I N T I V S E S	120
501	ATTACGAGCTATTTCAGCTGTTGCTGCAATGAGTGAATGCTATCTGCAACAACAAAATGTTAGAACCAACAAAAGGCAGATAAAAAAGCTATTTCTG	600
	TAAATGCTTCGATAAAGTGCAACAGAGCTTACTCACTTTAGCATAGAGCTTTGTTGTTTACATCTCTGTGTTTTCGCTCATATTTTTCGATAAAGAC	
130	I T E A I S R V A A M S E I V S A N N K L E Q Q R A D K K A I S E	160
601	AAAAACAAGTAGCAAAATATGATGCTATCATACTGTAAATTCGTAATCAACAAAATTCGCTCATGATGCTCAAGCATTGACTACGAAACAGGAGAGACT	700
	TTTTGTCATGCTTTATTACTAGCATAGTTATGACATTAAGCATTAGTGTGTTTTAACCGACTACTAGCAGTTGTTAATCTGATGCTTGTGCTCGCTCTGA	
160	K A G V A N N D A I N T V I A N A Q Q K L A D D A Q A L T T K Q A E L	190
701	AAAACTGTCGAATTAAGCTTTGCTGCAAAACAGCTACTGAAAGCAAAAAAGCAAGCTATTAGACGCAAGAACGAGCAGCTGAGGAGAGGCTCG	800
	TTTTCGAGCACTTAATTCAGAACGAGCACTTTGCTGATCGACTTCCTCTTTTCCTTCGATTAATCTGCTTCTGCTGCTGCACTCCGCTCTCGAGC	
190	K A A E L S L A A E K A T S *	210

- 28 -

TNES\_BACBU

(SEQ ID NO: 71) 1 ATGTTAATTCCTTTATTCATTAATTTGGCTACTTCATAGGCAGCATTCCTCTGCTTAAATGTTGGCAAGCTTGGCAAGCAATTGATATTGGGAGC 100  
(SEQ ID NO: 72) TACATTAACGAATAACTAATAAAACCGATGAATATCGCTGTAAGGTAGACCGAATTAAACACCGTTGGAACGGTTTCTTAATATAAGCGCTTC 100  
(SEQ ID NO: 70) 1 N L I A L L I I L A Y L I O S I P S G L I V O N L A R G I D I R E N 34  
101 ACGGAAGCGCAACTTAGGGCTACCAATGCATTCGGTACATTCGGTGTAAAGCTGGTTGGTCTCATAGCGGAGATATTTGAAAGCGCACTGGC 200  
TGGCTTGGCTGTAATCGCGATGTTTACGTAAAGCATGTAACCCACAATTTGACCAAGCGAGCATTCGGCTCTTAATAAACTTCCCTGTGACCG 200  
35 G S G N L G A T N A P R T L O V K A Q S V I A G D I L E G T L A 67  
201 AACTGCATTGCTTTTCTCATGCAATGATATTCACCGCTTCTTGCAGGAGTCTTGGCGTTTAAAGCGCACTGTTTCCCATCTTGGCAATTTAA 300  
TTGACGTAAACGAAGAGTACGTACACTATAAGTGGCGAAGAACCTCTCAGAAACCGCAAAATCCCGTGCACAAAGGTAGAAAGCGGTAAATTT 300  
68 T A L P P L M N V D I R P L L A G V P A V L O N V P P I P A K F K 100  
301 GCGGTAAAGCGCTGGCGACATCAAGAGCGCTTTGCTATTTAGCGACCGCTTATTATTCAGGATGGTTGGGTATTTCTCATCTTTTATCTTCA 400  
CGCGCATTTGGCGACCGCTGTAGTCTCTCGCAAAAGATAAAATCGCTGGCGACATAAATAGTCTACCAACCGCATAGAGAGTAAAGAAATGAACT 400  
101 G O K A V A T S G O V L L F Y A P L L F I T H V A V P P I P L Y L T 134  
401 CTAAATTTGTTCTCTCTCATGATGTTAAACGGATCTATAGTGTATATATAGTTTCTTTGCGCATGATATTTATTCATTTGTTGTTACCGTCT 500  
GATTTAAACAAAGAGAGTAGCTACAAATTTGCTAGATATGCAATATATATCAAGAAACAGGTACTATCCATAAATACTAACAGCAATGGGACCA 500  
135 K F V S L S S H L T G I Y T V I Y S P F V N D T Y L L I V V T L L 167  
501 CACTATTTTGTGATATACAGACACCGGCAACATTAAACCAATTATCAATAAACAGAACCTAAAGTAAATGTTATAA 582  
GTGAZAAAGCACTATATGTTGCTGCTGCTTGTAAATTCCTTAATAGTTATTTGTCTTGGATTTCATTTACCAATATT 582  
168 T I F V I Y R N R A N I K R I I N K T E P R V K N L • 193